



$12n_{0125}$ ($K12n_{0125}$)



A knot diagram¹

Linearized knot diagram



Solving Sequence

$$8,10 \xrightarrow{c_7} 3,7 \xrightarrow{c_3} 4 \xrightarrow{c_6} 6 \xrightarrow{c_{10}} 11 \xrightarrow{c_5} 5 \xrightarrow{c_2} 2 \xrightarrow{c_1} 1 \xrightarrow{c_9} 9 \xrightarrow{c_{11}} 12 \rightsquigarrow c_4, c_8, c_{12}$$

Ideals for irreducible components² of X_{par}

$$I_1^u = \langle -5.24906 \times 10^{251} u^{61} - 2.63379 \times 10^{252} u^{60} + \dots + 3.44441 \times 10^{254} b + 2.69575 \times 10^{254}, \\ 1.32614 \times 10^{254} u^{61} + 8.14465 \times 10^{254} u^{60} + \dots + 2.75553 \times 10^{255} a + 1.08450 \times 10^{257}, \\ u^{62} + 6u^{61} + \dots + 1248u + 64 \rangle$$

$$I_2^u = \langle -u^3 - u^2 + b - u, -u^3 + a + 2, u^4 + u^2 - u + 1 \rangle$$

$$I_3^u = \langle 2u^5 + u^4 + 3u^3 + 2u^2 + b + 2u + 2, -2u^5 - 4u^3 - u^2 + a - 3u - 2, u^6 + u^5 + 2u^4 + 2u^3 + 2u^2 + 2u + 1 \rangle$$

$$I_1^v = \langle a, 186v^5 + 1767v^4 + 16759v^3 + 279v^2 + 385b + 93v + 306, v^6 + 10v^5 + 95v^4 + 48v^3 + 15v^2 + 5v + 1 \rangle$$

* 4 irreducible components of $\dim_{\mathbb{C}} = 0$, with total 78 representations.

¹The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/maths/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

²All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

$$\mathbf{I. } I_1^u = \langle -5.25 \times 10^{251}u^{61} - 2.63 \times 10^{252}u^{60} + \dots + 3.44 \times 10^{254}b + 2.70 \times 10^{254}, 1.33 \times 10^{254}u^{61} + 8.14 \times 10^{254}u^{60} + \dots + 2.76 \times 10^{255}a + 1.08 \times 10^{257}, u^{62} + 6u^{61} + \dots + 1248u + 64 \rangle$$

(i) Arc colorings

$$a_8 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_3 = \begin{pmatrix} -0.0481264u^{61} - 0.295575u^{60} + \dots - 637.661u - 39.3574 \\ 0.00152394u^{61} + 0.00764656u^{60} + \dots - 7.07240u - 0.782645 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} -0.0507184u^{61} - 0.309962u^{60} + \dots - 642.175u - 39.0110 \\ 0.00177774u^{61} + 0.00929252u^{60} + \dots - 5.78492u - 0.708113 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} -0.0290606u^{61} - 0.178730u^{60} + \dots - 379.788u - 22.2184 \\ 0.000355637u^{61} + 0.000276515u^{60} + \dots - 9.59505u - 0.781127 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0.165545u^{61} + 0.979872u^{60} + \dots + 380.906u - 1.53739 \\ 0.00433759u^{61} + 0.0238765u^{60} + \dots + 4.60076u + 0.0296773 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} -0.0294163u^{61} - 0.179007u^{60} + \dots - 370.193u - 21.4373 \\ 0.000355637u^{61} + 0.000276515u^{60} + \dots - 9.59505u - 0.781127 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} -0.0294071u^{61} - 0.179875u^{60} + \dots - 373.738u - 23.7994 \\ -0.000269202u^{61} - 0.00331814u^{60} + \dots - 10.7470u - 0.840234 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -0.00835458u^{61} - 0.0484189u^{60} + \dots - 50.9506u - 3.17945 \\ -u^2 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0.160433u^{61} + 0.951245u^{60} + \dots + 378.382u - 1.35204 \\ 0.000774875u^{61} + 0.00475004u^{60} + \dots - 0.0771139u - 0.215021 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} 0.0505800u^{61} + 0.275509u^{60} + \dots - 864.856u - 57.5492 \\ 0.00229093u^{61} + 0.0128560u^{60} + \dots - 5.13956u - 0.334034 \end{pmatrix}$$

(ii) Obstruction class = -1

(iii) Cusp Shapes = $-0.134110u^{61} - 0.834494u^{60} + \dots - 2032.73u - 106.916$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$u^{62} + 71u^{61} + \dots + 267u + 1$
c_2, c_4	$u^{62} - 13u^{61} + \dots + 15u - 1$
c_3, c_6	$u^{62} + 3u^{61} + \dots - 8192u - 1024$
c_5	$u^{62} + 4u^{61} + \dots - 10u^2 + 1$
c_7	$u^{62} - 6u^{61} + \dots - 1248u + 64$
c_8, c_{11}	$u^{62} - 5u^{61} + \dots + 113u + 1$
c_9	$u^{62} + 44u^{60} + \dots + 9664u + 824$
c_{10}	$u^{62} + 4u^{61} + \dots - 3025807u + 537503$
c_{12}	$u^{62} - 21u^{61} + \dots + 12769u + 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$y^{62} - 147y^{61} + \dots - 20183y + 1$
c_2, c_4	$y^{62} - 71y^{61} + \dots - 267y + 1$
c_3, c_6	$y^{62} - 57y^{61} + \dots + 9961472y + 1048576$
c_5	$y^{62} - 4y^{61} + \dots - 20y + 1$
c_7	$y^{62} - 30y^{61} + \dots - 185344y + 4096$
c_8, c_{11}	$y^{62} + 21y^{61} + \dots - 12769y + 1$
c_9	$y^{62} + 88y^{61} + \dots + 13013520y + 678976$
c_{10}	$y^{62} + 16y^{61} + \dots - 11200434939731y + 288909475009$
c_{12}	$y^{62} + 45y^{61} + \dots - 163345321y + 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.966330$ $a = 2.06084$ $b = -0.132404$	-10.3258	-5.46580
$u = 0.225473 + 1.012430I$ $a = 0.68800 - 2.63426I$ $b = -0.10147 - 2.38732I$	$-2.91907 - 1.90864I$	$-12.3927 + 9.8412I$
$u = 0.225473 - 1.012430I$ $a = 0.68800 + 2.63426I$ $b = -0.10147 + 2.38732I$	$-2.91907 + 1.90864I$	$-12.3927 - 9.8412I$
$u = 0.906197 + 0.566629I$ $a = 0.898820 - 1.059170I$ $b = -0.080489 - 0.151302I$	$-6.85055 - 2.44704I$	0
$u = 0.906197 - 0.566629I$ $a = 0.898820 + 1.059170I$ $b = -0.080489 + 0.151302I$	$-6.85055 + 2.44704I$	0
$u = 0.630967 + 0.873245I$ $a = -0.0480953 + 0.0962373I$ $b = 0.066678 - 0.565097I$	$-0.54827 - 2.57263I$	0
$u = 0.630967 - 0.873245I$ $a = -0.0480953 - 0.0962373I$ $b = 0.066678 + 0.565097I$	$-0.54827 + 2.57263I$	0
$u = -0.428788 + 0.808171I$ $a = 0.166658 + 0.166436I$ $b = 0.144316 + 0.950356I$	$3.58947 + 0.62301I$	$3.36345 - 2.22600I$
$u = -0.428788 - 0.808171I$ $a = 0.166658 - 0.166436I$ $b = 0.144316 - 0.950356I$	$3.58947 - 0.62301I$	$3.36345 + 2.22600I$
$u = 0.175720 + 0.877651I$ $a = -1.87346 - 0.71678I$ $b = 0.1068970 - 0.0427277I$	$-9.63287 + 2.57588I$	$-1.03891 + 4.65048I$

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.175720 - 0.877651I$ $a = -1.87346 + 0.71678I$ $b = 0.1068970 + 0.0427277I$	$-9.63287 - 2.57588I$	$-1.03891 - 4.65048I$
$u = -0.613756 + 1.022410I$ $a = -0.0631222 + 0.0157113I$ $b = -0.017254 + 0.535087I$	$1.46847 + 7.47551I$	0
$u = -0.613756 - 1.022410I$ $a = -0.0631222 - 0.0157113I$ $b = -0.017254 - 0.535087I$	$1.46847 - 7.47551I$	0
$u = 1.148340 + 0.333874I$ $a = 1.27542 + 0.77535I$ $b = -0.26412 - 2.34055I$	$-3.40045 - 1.02073I$	0
$u = 1.148340 - 0.333874I$ $a = 1.27542 - 0.77535I$ $b = -0.26412 + 2.34055I$	$-3.40045 + 1.02073I$	0
$u = -0.768297 + 0.223225I$ $a = -1.92583 + 0.47346I$ $b = 0.61700 - 1.55498I$	$-0.90689 + 2.60619I$	$-4.21909 - 1.98730I$
$u = -0.768297 - 0.223225I$ $a = -1.92583 - 0.47346I$ $b = 0.61700 + 1.55498I$	$-0.90689 - 2.60619I$	$-4.21909 + 1.98730I$
$u = -0.625920 + 0.391100I$ $a = 1.359350 - 0.293081I$ $b = -0.217590 + 0.449117I$	$0.16449 - 2.80931I$	$-2.02619 + 2.03045I$
$u = -0.625920 - 0.391100I$ $a = 1.359350 + 0.293081I$ $b = -0.217590 - 0.449117I$	$0.16449 + 2.80931I$	$-2.02619 - 2.03045I$
$u = -0.569996 + 0.465415I$ $a = -2.68911 - 0.37051I$ $b = -0.345079 - 0.969509I$	$-0.271555 + 0.561550I$	$-5.56822 - 2.77116I$

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.569996 - 0.465415I$ $a = -2.68911 + 0.37051I$ $b = -0.345079 + 0.969509I$	$-0.271555 - 0.561550I$	$-5.56822 + 2.77116I$
$u = 1.269210 + 0.022101I$ $a = -1.118240 - 0.162406I$ $b = 0.125530 + 0.806401I$	$-5.71401 + 2.41800I$	0
$u = 1.269210 - 0.022101I$ $a = -1.118240 + 0.162406I$ $b = 0.125530 - 0.806401I$	$-5.71401 - 2.41800I$	0
$u = -1.268290 + 0.189716I$ $a = -1.227750 + 0.054676I$ $b = 0.107949 - 0.868842I$	$-5.53536 + 3.45054I$	0
$u = -1.268290 - 0.189716I$ $a = -1.227750 - 0.054676I$ $b = 0.107949 + 0.868842I$	$-5.53536 - 3.45054I$	0
$u = -1.187220 + 0.502909I$ $a = 1.52617 - 0.01474I$ $b = -0.80672 + 1.64220I$	$1.17723 + 4.19224I$	0
$u = -1.187220 - 0.502909I$ $a = 1.52617 + 0.01474I$ $b = -0.80672 - 1.64220I$	$1.17723 - 4.19224I$	0
$u = 0.568930 + 0.416577I$ $a = 0.120281 + 1.074160I$ $b = 0.045387 - 0.507767I$	$-0.76460 - 1.25688I$	$-5.53847 + 5.17379I$
$u = 0.568930 - 0.416577I$ $a = 0.120281 - 1.074160I$ $b = 0.045387 + 0.507767I$	$-0.76460 + 1.25688I$	$-5.53847 - 5.17379I$
$u = -0.453256 + 1.217240I$ $a = 0.90351 + 1.13576I$ $b = 0.71700 + 2.26803I$	$-2.25042 - 3.70807I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.453256 - 1.217240I$ $a = 0.90351 - 1.13576I$ $b = 0.71700 - 2.26803I$	$-2.25042 + 3.70807I$	0
$u = -0.042454 + 0.695928I$ $a = -0.025549 + 0.219032I$ $b = -0.276487 + 1.114370I$	$3.47148 + 0.76506I$	$5.05392 - 1.67806I$
$u = -0.042454 - 0.695928I$ $a = -0.025549 - 0.219032I$ $b = -0.276487 - 1.114370I$	$3.47148 - 0.76506I$	$5.05392 + 1.67806I$
$u = 0.384833 + 0.475726I$ $a = 1.82484 + 0.76996I$ $b = -0.016778 - 0.470642I$	$-0.75966 - 1.41499I$	$-4.04897 + 4.67258I$
$u = 0.384833 - 0.475726I$ $a = 1.82484 - 0.76996I$ $b = -0.016778 + 0.470642I$	$-0.75966 + 1.41499I$	$-4.04897 - 4.67258I$
$u = -1.33070 + 0.53202I$ $a = 1.058240 + 0.373107I$ $b = -0.234697 + 0.167699I$	$-13.75470 + 2.34725I$	0
$u = -1.33070 - 0.53202I$ $a = 1.058240 - 0.373107I$ $b = -0.234697 - 0.167699I$	$-13.75470 - 2.34725I$	0
$u = -0.468299 + 0.280082I$ $a = -0.059976 - 0.302032I$ $b = -0.276860 - 1.385290I$	$2.81830 - 4.57708I$	$-11.91750 - 5.21602I$
$u = -0.468299 - 0.280082I$ $a = -0.059976 + 0.302032I$ $b = -0.276860 + 1.385290I$	$2.81830 + 4.57708I$	$-11.91750 + 5.21602I$
$u = 1.30977 + 0.65145I$ $a = 0.967015 - 0.381842I$ $b = -0.229472 - 0.212903I$	$-12.7715 - 8.3839I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.30977 - 0.65145I$ $a = 0.967015 + 0.381842I$ $b = -0.229472 + 0.212903I$	$-12.7715 + 8.3839I$	0
$u = 1.43373 + 0.32544I$ $a = 0.1365400 - 0.0114578I$ $b = -0.05979 + 1.64995I$	$-8.50399 - 1.01711I$	0
$u = 1.43373 - 0.32544I$ $a = 0.1365400 + 0.0114578I$ $b = -0.05979 - 1.64995I$	$-8.50399 + 1.01711I$	0
$u = -1.40066 + 0.45878I$ $a = 0.0626733 - 0.1057400I$ $b = -0.04777 - 1.57885I$	$-7.87011 + 7.16358I$	0
$u = -1.40066 - 0.45878I$ $a = 0.0626733 + 0.1057400I$ $b = -0.04777 + 1.57885I$	$-7.87011 - 7.16358I$	0
$u = 1.39279 + 0.63989I$ $a = 1.172420 - 0.173984I$ $b = -0.44372 - 1.75238I$	$-6.43547 - 4.60616I$	0
$u = 1.39279 - 0.63989I$ $a = 1.172420 + 0.173984I$ $b = -0.44372 + 1.75238I$	$-6.43547 + 4.60616I$	0
$u = -1.35459 + 0.72187I$ $a = 1.220540 + 0.275631I$ $b = -0.42983 + 1.70660I$	$-5.32588 + 10.75820I$	0
$u = -1.35459 - 0.72187I$ $a = 1.220540 - 0.275631I$ $b = -0.42983 - 1.70660I$	$-5.32588 - 10.75820I$	0
$u = -0.032223 + 0.152731I$ $a = 36.7699 - 20.1859I$ $b = 0.421858 - 0.101939I$	$-1.08843 + 2.05155I$	$143.754 - 62.581I$

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.032223 - 0.152731I$ $a = 36.7699 + 20.1859I$ $b = 0.421858 + 0.101939I$	$-1.08843 - 2.05155I$	$143.754 + 62.581I$
$u = -1.46857 + 1.15578I$ $a = -1.018750 - 0.533372I$ $b = 0.95221 - 2.16134I$	$-12.7985 + 16.4675I$	0
$u = -1.46857 - 1.15578I$ $a = -1.018750 + 0.533372I$ $b = 0.95221 + 2.16134I$	$-12.7985 - 16.4675I$	0
$u = -0.0940543$ $a = -7.89489$ $b = -0.510696$	-1.10354	-8.74860
$u = 1.57350 + 1.21978I$ $a = -0.928353 + 0.487034I$ $b = 0.99889 + 2.35016I$	$-14.6014 - 9.8690I$	0
$u = 1.57350 - 1.21978I$ $a = -0.928353 - 0.487034I$ $b = 0.99889 - 2.35016I$	$-14.6014 + 9.8690I$	0
$u = -1.98204 + 1.05164I$ $a = -0.878361 - 0.248375I$ $b = 1.90729 - 2.58093I$	$-6.11414 + 6.99153I$	0
$u = -1.98204 - 1.05164I$ $a = -0.878361 + 0.248375I$ $b = 1.90729 + 2.58093I$	$-6.11414 - 6.99153I$	0
$u = -1.49547 + 2.13069I$ $a = -0.493036 - 0.217503I$ $b = -1.52334 - 3.84431I$	$-11.14940 - 5.54057I$	0
$u = -1.49547 - 2.13069I$ $a = -0.493036 + 0.217503I$ $b = -1.52334 + 3.84431I$	$-11.14940 + 5.54057I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 2.00127 + 1.81072I$	$-13.40670 - 2.05335I$	0
$a = -0.633745 + 0.258104I$		
$b = 0.48201 + 4.34193I$		
$u = 2.00127 - 1.81072I$	$-13.40670 + 2.05335I$	0
$a = -0.633745 - 0.258104I$		
$b = 0.48201 - 4.34193I$		

$$\text{II. } I_2^u = \langle -u^3 - u^2 + b - u, -u^3 + a + 2, u^4 + u^2 - u + 1 \rangle$$

(i) Arc colorings

$$a_8 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_3 = \begin{pmatrix} u^3 - 2 \\ u^3 + u^2 + u \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} u^3 - 2 \\ u^3 + u^2 + u \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -u \\ u^3 + u \end{pmatrix}$$

$$a_5 = \begin{pmatrix} u^2 + 1 \\ -u^2 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} u^3 - u^2 - 3 \\ u^3 + 2u^2 + u \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -u^2 - 1 \\ u^2 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} -u^3 - u^2 \\ u^2 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} u^3 - u^2 - 1 \\ u \end{pmatrix}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes = $-u^3 + 6u^2 - 2u - 5$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1, c_2	$(u - 1)^4$
c_3, c_6	u^4
c_4	$(u + 1)^4$
c_5	$u^4 + 2u^3 + 3u^2 + u + 1$
c_7, c_8	$u^4 + u^2 - u + 1$
c_9	$u^4 + 3u^3 + 4u^2 + 3u + 2$
c_{10}, c_{11}	$u^4 + u^2 + u + 1$
c_{12}	$u^4 - 2u^3 + 3u^2 - u + 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1, c_2, c_4	$(y - 1)^4$
c_3, c_6	y^4
c_5, c_{12}	$y^4 + 2y^3 + 7y^2 + 5y + 1$
c_7, c_8, c_{10} c_{11}	$y^4 + 2y^3 + 3y^2 + y + 1$
c_9	$y^4 - y^3 + 2y^2 + 7y + 4$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.547424 + 0.585652I$		
$a = -2.39923 + 0.32564I$	$-2.62503 - 1.39709I$	$-5.95551 + 2.35025I$
$b = 0.10488 + 1.55249I$		
$u = 0.547424 - 0.585652I$		
$a = -2.39923 - 0.32564I$	$-2.62503 + 1.39709I$	$-5.95551 - 2.35025I$
$b = 0.10488 - 1.55249I$		
$u = -0.547424 + 1.120870I$		
$a = -0.100768 - 0.400532I$	$0.98010 + 7.64338I$	$-11.5445 - 9.2043I$
$b = 0.395123 - 0.506844I$		
$u = -0.547424 - 1.120870I$		
$a = -0.100768 + 0.400532I$	$0.98010 - 7.64338I$	$-11.5445 + 9.2043I$
$b = 0.395123 + 0.506844I$		

$$\text{III. } I_3^u = \langle 2u^5 + u^4 + 3u^3 + 2u^2 + b + 2u + 2, -2u^5 - 4u^3 - u^2 + a - 3u - 2, u^6 + u^5 + 2u^4 + 2u^3 + 2u^2 + 2u + 1 \rangle$$

(i) Arc colorings

$$a_8 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 2u^5 + 4u^3 + u^2 + 3u + 2 \\ -2u^5 - u^4 - 3u^3 - 2u^2 - 2u - 2 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 2u^5 + 4u^3 + u^2 + 3u + 2 \\ -2u^5 - u^4 - 3u^3 - 2u^2 - 2u - 2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -u \\ u^3 + u \end{pmatrix}$$

$$a_5 = \begin{pmatrix} u^2 + 1 \\ -u^2 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 2u^5 + 4u^3 + 3u + 1 \\ -2u^5 - u^4 - 3u^3 - u^2 - 2u - 2 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -u^2 - 1 \\ u^2 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} -u^5 - 2u^3 - u \\ u^5 + u^3 + u \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} -u^5 - u^4 - 2u^3 - 2u^2 - 2u - 2 \\ u^5 + 2u^3 + u^2 + u + 1 \end{pmatrix}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes = $-3u^5 - u^4 - 4u^2 + 3u - 13$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1, c_2	$(u - 1)^6$
c_3, c_6	u^6
c_4	$(u + 1)^6$
c_5	$u^6 + 3u^5 + 4u^4 + 2u^3 + 1$
c_7, c_8	$u^6 + u^5 + 2u^4 + 2u^3 + 2u^2 + 2u + 1$
c_9	$(u^3 - u^2 + 1)^2$
c_{10}, c_{11}	$u^6 - u^5 + 2u^4 - 2u^3 + 2u^2 - 2u + 1$
c_{12}	$u^6 - 3u^5 + 4u^4 - 2u^3 + 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1, c_2, c_4	$(y - 1)^6$
c_3, c_6	y^6
c_5, c_{12}	$y^6 - y^5 + 4y^4 - 2y^3 + 8y^2 + 1$
c_7, c_8, c_{10} c_{11}	$y^6 + 3y^5 + 4y^4 + 2y^3 + 1$
c_9	$(y^3 - y^2 + 2y - 1)^2$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_3^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.498832 + 1.001300I$ $a = -0.175218 + 0.614017I$ $b = 0.481306 + 0.637866I$	$-1.37919 - 2.82812I$	$-11.93937 + 4.05868I$
$u = 0.498832 - 1.001300I$ $a = -0.175218 - 0.614017I$ $b = 0.481306 - 0.637866I$	$-1.37919 + 2.82812I$	$-11.93937 - 4.05868I$
$u = -0.284920 + 1.115140I$ $a = 0.307599 - 0.479689I$ $b = 0.662359 - 0.362106I$	2.75839	$-4.40089 + 2.50363I$
$u = -0.284920 - 1.115140I$ $a = 0.307599 + 0.479689I$ $b = 0.662359 + 0.362106I$	2.75839	$-4.40089 - 2.50363I$
$u = -0.713912 + 0.305839I$ $a = -0.13238 + 2.74513I$ $b = -1.14366 - 1.20015I$	$-1.37919 - 2.82812I$	$-17.1597 + 2.2654I$
$u = -0.713912 - 0.305839I$ $a = -0.13238 - 2.74513I$ $b = -1.14366 + 1.20015I$	$-1.37919 + 2.82812I$	$-17.1597 - 2.2654I$

IV.

$$I_1^v = \langle a, 186v^5 + 1767v^4 + \dots + 385b + 306, v^6 + 10v^5 + 95v^4 + 48v^3 + 15v^2 + 5v + 1 \rangle$$

(i) Arc colorings

$$\begin{aligned} a_8 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} v \\ 0 \end{pmatrix} \\ a_3 &= \begin{pmatrix} 0 \\ -0.483117v^5 - 4.58961v^4 + \dots - 0.241558v - 0.794805 \end{pmatrix} \\ a_7 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_4 &= \begin{pmatrix} 0.483117v^5 + 4.58961v^4 + \dots + 0.241558v + 0.794805 \\ -0.483117v^5 - 4.58961v^4 + \dots - 0.241558v - 0.794805 \end{pmatrix} \\ a_6 &= \begin{pmatrix} 1 \\ -0.207792v^5 - 1.97403v^4 + \dots - 0.103896v + 1.41299 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} 0.103896v^5 + 1.01558v^4 + \dots + 3.45195v + 0.207792 \\ 0.345455v^5 + 3.38182v^4 + \dots + 5.07273v + 0.690909 \end{pmatrix} \\ a_5 &= \begin{pmatrix} 0.207792v^5 + 1.97403v^4 + \dots + 0.103896v - 0.412987 \\ -0.207792v^5 - 1.97403v^4 + \dots - 0.103896v + 1.41299 \end{pmatrix} \\ a_2 &= \begin{pmatrix} -1 \\ -0.207792v^5 - 1.97403v^4 + \dots - 0.103896v + 1.41299 \end{pmatrix} \\ a_1 &= \begin{pmatrix} -1 \\ 0 \end{pmatrix} \\ a_9 &= \begin{pmatrix} -0.241558v^5 - 2.36623v^4 + \dots - 1.62078v - 0.483117 \\ 0.345455v^5 + 3.38182v^4 + \dots + 5.07273v + 0.690909 \end{pmatrix} \\ a_{12} &= \begin{pmatrix} 0.244156v^5 + 2.34805v^4 + \dots + 3.52208v + 0.174026 \\ 0.345455v^5 + 3.38182v^4 + \dots + 5.07273v + 1.69091 \end{pmatrix} \end{aligned}$$

(ii) Obstruction class = 1

$$(iii) \text{ Cusp Shapes} = \frac{2881}{385}v^5 + \frac{28101}{385}v^4 + \frac{266701}{385}v^3 + \frac{72274}{385}v^2 + \frac{18419}{385}v + \frac{4464}{385}$$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1, c_3	$(u^3 - u^2 + 2u - 1)^2$
c_2	$(u^3 + u^2 - 1)^2$
c_4	$(u^3 - u^2 + 1)^2$
c_5	$(u^3 + 3u^2 + 2u - 1)^2$
c_6	$(u^3 + u^2 + 2u + 1)^2$
c_7	u^6
c_8, c_{12}	$(u^2 - u + 1)^3$
c_9, c_{10}	$u^6 - 2u^5 + 7u^4 + 8u^3 + 7u^2 + 3u + 1$
c_{11}	$(u^2 + u + 1)^3$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1, c_3, c_6	$(y^3 + 3y^2 + 2y - 1)^2$
c_2, c_4	$(y^3 - y^2 + 2y - 1)^2$
c_5	$(y^3 - 5y^2 + 10y - 1)^2$
c_7	y^6
c_8, c_{11}, c_{12}	$(y^2 + y + 1)^3$
c_9, c_{10}	$y^6 + 10y^5 + 95y^4 + 48y^3 + 15y^2 + 5y + 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_1^v	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$v = 0.041684 + 0.322031I$ $a = 0$ $b = -0.215080 + 1.307140I$	$3.02413 + 0.79824I$	$-13.76355 - 1.90324I$
$v = 0.041684 - 0.322031I$ $a = 0$ $b = -0.215080 - 1.307140I$	$3.02413 - 0.79824I$	$-13.76355 + 1.90324I$
$v = -0.299729 + 0.124916I$ $a = 0$ $b = -0.215080 - 1.307140I$	$3.02413 - 4.85801I$	$2.26089 + 13.10391I$
$v = -0.299729 - 0.124916I$ $a = 0$ $b = -0.215080 + 1.307140I$	$3.02413 + 4.85801I$	$2.26089 - 13.10391I$
$v = -4.74195 + 8.21331I$ $a = 0$ $b = -0.569840$	$-1.11345 - 2.02988I$	$-55.9973 - 74.4205I$
$v = -4.74195 - 8.21331I$ $a = 0$ $b = -0.569840$	$-1.11345 + 2.02988I$	$-55.9973 + 74.4205I$

V. u-Polynomials

Crossings	u-Polynomials at each crossing
c_1	$((u-1)^{10})(u^3-u^2+2u-1)^2(u^{62}+71u^{61}+\dots+267u+1)$
c_2	$((u-1)^{10})(u^3+u^2-1)^2(u^{62}-13u^{61}+\dots+15u-1)$
c_3	$u^{10}(u^3-u^2+2u-1)^2(u^{62}+3u^{61}+\dots-8192u-1024)$
c_4	$((u+1)^{10})(u^3-u^2+1)^2(u^{62}-13u^{61}+\dots+15u-1)$
c_5	$((u^3+3u^2+2u-1)^2)(u^4+2u^3+3u^2+u+1)(u^6+3u^5+\dots+2u^3+1)$ $\cdot (u^{62}+4u^{61}+\dots-10u^2+1)$
c_6	$u^{10}(u^3+u^2+2u+1)^2(u^{62}+3u^{61}+\dots-8192u-1024)$
c_7	$u^6(u^4+u^2-u+1)(u^6+u^5+2u^4+2u^3+2u^2+2u+1)$ $\cdot (u^{62}-6u^{61}+\dots-1248u+64)$
c_8	$(u^2-u+1)^3(u^4+u^2-u+1)(u^6+u^5+2u^4+2u^3+2u^2+2u+1)$ $\cdot (u^{62}-5u^{61}+\dots+113u+1)$
c_9	$(u^3-u^2+1)^2(u^4+3u^3+4u^2+3u+2)$ $\cdot (u^6-2u^5+\dots+3u+1)(u^{62}+44u^{60}+\dots+9664u+824)$
c_{10}	$(u^4+u^2+u+1)(u^6-2u^5+7u^4+8u^3+7u^2+3u+1)$ $\cdot (u^6-u^5+2u^4-2u^3+2u^2-2u+1)$ $\cdot (u^{62}+4u^{61}+\dots-3025807u+537503)$
c_{11}	$(u^2+u+1)^3(u^4+u^2+u+1)(u^6-u^5+2u^4-2u^3+2u^2-2u+1)$ $\cdot (u^{62}-5u^{61}+\dots+113u+1)$
c_{12}	$(u^2-u+1)^3(u^4-2u^3+3u^2-u+1)(u^6-3u^5+4u^4-2u^3+1)$ $\cdot (u^{62}-21u^{61}+\dots+12769u+1)$

VI. Riley Polynomials

Crossings	Riley Polynomials at each crossing
c_1	$((y-1)^{10})(y^3+3y^2+2y-1)^2(y^{62}-147y^{61}+\dots-20183y+1)$
c_2, c_4	$((y-1)^{10})(y^3-y^2+2y-1)^2(y^{62}-71y^{61}+\dots-267y+1)$
c_3, c_6	$y^{10}(y^3+3y^2+2y-1)^2(y^{62}-57y^{61}+\dots+9961472y+1048576)$
c_5	$(y^3-5y^2+10y-1)^2(y^4+2y^3+7y^2+5y+1)$ $\cdot (y^6-y^5+4y^4-2y^3+8y^2+1)(y^{62}-4y^{61}+\dots-20y+1)$
c_7	$y^6(y^4+2y^3+3y^2+y+1)(y^6+3y^5+4y^4+2y^3+1)$ $\cdot (y^{62}-30y^{61}+\dots-185344y+4096)$
c_8, c_{11}	$(y^2+y+1)^3(y^4+2y^3+3y^2+y+1)(y^6+3y^5+4y^4+2y^3+1)$ $\cdot (y^{62}+21y^{61}+\dots-12769y+1)$
c_9	$(y^3-y^2+2y-1)^2(y^4-y^3+2y^2+7y+4)$ $\cdot (y^6+10y^5+95y^4+48y^3+15y^2+5y+1)$ $\cdot (y^{62}+88y^{61}+\dots+13013520y+678976)$
c_{10}	$(y^4+2y^3+3y^2+y+1)(y^6+3y^5+4y^4+2y^3+1)$ $\cdot (y^6+10y^5+95y^4+48y^3+15y^2+5y+1)$ $\cdot (y^{62}+16y^{61}+\dots-11200434939731y+288909475009)$
c_{12}	$((y^2+y+1)^3)(y^4+2y^3+\dots+5y+1)(y^6-y^5+\dots+8y^2+1)$ $\cdot (y^{62}+45y^{61}+\dots-163345321y+1)$