



11a₂₈₃ (K11a₂₈₃)



A knot diagram¹

Linearized knot diagram



Solving Sequence

$$2,9 \xrightarrow{c_2} 3,6 \xrightarrow{c_1} 1 \xrightarrow{c_3} 4 \xrightarrow{c_5} 5 \xrightarrow{c_9} 10 \xrightarrow{c_8} 8 \xrightarrow{c_7} 7 \xrightarrow{c_{11}} 11 \rightsquigarrow c_4, c_6, c_{10}$$

Ideals for irreducible components² of X_{par}

$$I_1^u = \langle -3.41985 \times 10^{252} u^{85} + 4.09833 \times 10^{252} u^{84} + \dots + 1.22301 \times 10^{255} b - 6.27945 \times 10^{254}, \\ -1.71138 \times 10^{256} u^{85} + 1.63229 \times 10^{256} u^{84} + \dots + 1.02611 \times 10^{258} a + 4.21212 \times 10^{259}, \\ u^{86} - u^{85} + \dots - 4313u + 839 \rangle$$

$$I_2^u = \langle 6846u^{19} - 8204u^{18} + \dots + 20003b - 10945, \\ -1034553u^{19} - 1458425u^{18} + \dots + 1180177a - 4013026, u^{20} + 8u^{18} + \dots - 3u + 1 \rangle$$

$$I_3^u = \langle u^2 + b, a - 1, u^7 + u^5 + u + 1 \rangle$$

* 3 irreducible components of $\dim_{\mathbb{C}} = 0$, with total 113 representations.

¹The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/maths/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

²All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

$$\mathbf{I. } I_1^u = \langle -3.42 \times 10^{252} u^{85} + 4.10 \times 10^{252} u^{84} + \dots + 1.22 \times 10^{255} b - 6.28 \times 10^{254}, -1.71 \times 10^{256} u^{85} + 1.63 \times 10^{256} u^{84} + \dots + 1.03 \times 10^{258} a + 4.21 \times 10^{259}, u^{86} - u^{85} + \dots - 4313u + 839 \rangle$$

(i) Arc colorings

$$a_2 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 0.0166784u^{85} - 0.0159077u^{84} + \dots + 114.699u - 41.0496 \\ 0.00279626u^{85} - 0.00335102u^{84} + \dots + 16.6837u + 0.513442 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} 0.00695378u^{85} - 0.000700898u^{84} + \dots + 21.3589u + 9.44845 \\ -0.0173378u^{85} + 0.0147297u^{84} + \dots - 102.814u + 31.6226 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} -0.00332478u^{85} + 0.000929287u^{84} + \dots - 42.6202u + 8.23376 \\ 0.00603896u^{85} - 0.00447428u^{84} + \dots + 28.7233u - 4.85824 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 0.0138821u^{85} - 0.0125566u^{84} + \dots + 98.0158u - 41.5631 \\ 0.00279626u^{85} - 0.00335102u^{84} + \dots + 16.6837u + 0.513442 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} -0.00463099u^{85} - 0.00234483u^{84} + \dots - 22.7331u - 11.9767 \\ 0.00886090u^{85} - 0.00901715u^{84} + \dots + 82.5953u - 20.3806 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -u \\ u^3 + u \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 0.00673940u^{85} - 0.00311584u^{84} + \dots + 1.27697u + 5.88708 \\ 0.00790831u^{85} - 0.0112601u^{84} + \dots + 23.7107u - 8.85273 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0.0104754u^{85} - 0.00701084u^{84} + \dots + 43.4674u + 6.56795 \\ -0.0169282u^{85} + 0.0130534u^{84} + \dots - 109.942u + 32.1637 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0.0104754u^{85} - 0.00701084u^{84} + \dots + 43.4674u + 6.56795 \\ -0.0169282u^{85} + 0.0130534u^{84} + \dots - 109.942u + 32.1637 \end{pmatrix}$$

(ii) Obstruction class = -1

(iii) Cusp Shapes = $-0.0966063u^{85} + 0.0534792u^{84} + \dots - 636.168u + 175.613$

(iv) u-Polynomials at the component

| Crossings | u-Polynomials at each crossing |
|---------------|--|
| c_1, c_5 | $u^{86} - 2u^{85} + \dots + 4061u + 367$ |
| c_2, c_8 | $u^{86} + u^{85} + \dots + 4313u + 839$ |
| c_3 | $u^{86} - 10u^{85} + \dots - 578u + 79$ |
| c_4 | $u^{86} - 5u^{85} + \dots + 16u + 1$ |
| c_6, c_{10} | $u^{86} + 6u^{85} + \dots - 2700u + 200$ |
| c_7 | $u^{86} + 4u^{85} + \dots + 379u + 169$ |
| c_9 | $u^{86} + u^{85} + \dots + 760266u + 130321$ |
| c_{11} | $u^{86} + 5u^{85} + \dots + 690u + 179$ |

(v) Riley Polynomials at the component

| Crossings | Riley Polynomials at each crossing |
|---------------|--|
| c_1, c_5 | $y^{86} + 58y^{85} + \dots - 1366917y + 134689$ |
| c_2, c_8 | $y^{86} + 73y^{85} + \dots - 7899685y + 703921$ |
| c_3 | $y^{86} - 14y^{85} + \dots - 153964y + 6241$ |
| c_4 | $y^{86} - 5y^{85} + \dots + 200y + 1$ |
| c_6, c_{10} | $y^{86} - 58y^{85} + \dots - 4211600y + 40000$ |
| c_7 | $y^{86} + 14y^{85} + \dots + 1122169y + 28561$ |
| c_9 | $y^{86} + 15y^{85} + \dots + 56388593490y + 16983563041$ |
| c_{11} | $y^{86} - 19y^{85} + \dots - 1161312y + 32041$ |

(vi) Complex Volumes and Cusp Shapes

| Solutions to I_1^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|--|---------------------------------------|------------|
| $u = -0.171045 + 0.950486I$ $a = 1.09878 + 2.26346I$ $b = 0.131608 + 0.877201I$ | $1.71658 + 1.70443I$ | 0 |
| $u = -0.171045 - 0.950486I$ $a = 1.09878 - 2.26346I$ $b = 0.131608 - 0.877201I$ | $1.71658 - 1.70443I$ | 0 |
| $u = -0.138042 + 1.039980I$ $a = 0.718636 + 0.240255I$ $b = -0.712835 + 0.801059I$ | $1.54553 - 2.70454I$ | 0 |
| $u = -0.138042 - 1.039980I$ $a = 0.718636 - 0.240255I$ $b = -0.712835 - 0.801059I$ | $1.54553 + 2.70454I$ | 0 |
| $u = -0.942410 + 0.113313I$ $a = 0.158648 + 0.099081I$ $b = 0.455331 + 1.100300I$ | $2.54751 + 4.69288I$ | 0 |
| $u = -0.942410 - 0.113313I$ $a = 0.158648 - 0.099081I$ $b = 0.455331 - 1.100300I$ | $2.54751 - 4.69288I$ | 0 |
| $u = 1.066980 + 0.013369I$ $a = 0.510040 - 0.562808I$ $b = -0.334819 - 1.068070I$ | $-1.17731 + 3.15707I$ | 0 |
| $u = 1.066980 - 0.013369I$ $a = 0.510040 + 0.562808I$ $b = -0.334819 + 1.068070I$ | $-1.17731 - 3.15707I$ | 0 |
| $u = 0.597375 + 0.937187I$ $a = 0.251462 + 0.325322I$ $b = 0.177390 - 0.920746I$ | $0.43505 + 5.35734I$ | 0 |
| $u = 0.597375 - 0.937187I$ $a = 0.251462 - 0.325322I$ $b = 0.177390 + 0.920746I$ | $0.43505 - 5.35734I$ | 0 |

| Solutions to I_1^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|--|---------------------------------------|-----------------------|
| $u = 0.139913 + 1.108380I$ $a = -0.618464 + 0.196975I$ $b = -1.38818 + 0.35705I$ | $2.56807 + 2.29900I$ | 0 |
| $u = 0.139913 - 1.108380I$ $a = -0.618464 - 0.196975I$ $b = -1.38818 - 0.35705I$ | $2.56807 - 2.29900I$ | 0 |
| $u = -0.499950 + 1.009240I$ $a = 0.185257 - 0.499774I$ $b = 0.305862 + 0.044581I$ | $-0.75390 - 3.34791I$ | 0 |
| $u = -0.499950 - 1.009240I$ $a = 0.185257 + 0.499774I$ $b = 0.305862 - 0.044581I$ | $-0.75390 + 3.34791I$ | 0 |
| $u = -0.821993 + 0.102956I$ $a = -0.655973 + 0.796214I$ $b = 0.798776 + 0.329650I$ | $4.82477 - 6.81993I$ | $10.08009 + 4.71115I$ |
| $u = -0.821993 - 0.102956I$ $a = -0.655973 - 0.796214I$ $b = 0.798776 - 0.329650I$ | $4.82477 + 6.81993I$ | $10.08009 - 4.71115I$ |
| $u = -0.199723 + 1.160210I$ $a = -0.01752 - 3.29341I$ $b = 0.083947 - 0.961969I$ | $0.51451 - 6.45826I$ | 0 |
| $u = -0.199723 - 1.160210I$ $a = -0.01752 + 3.29341I$ $b = 0.083947 + 0.961969I$ | $0.51451 + 6.45826I$ | 0 |
| $u = -0.512127 + 0.559479I$ $a = 1.93509 - 0.19891I$ $b = -0.484188 - 0.707780I$ | $2.45089 + 3.89737I$ | $6.40177 - 6.57898I$ |
| $u = -0.512127 - 0.559479I$ $a = 1.93509 + 0.19891I$ $b = -0.484188 + 0.707780I$ | $2.45089 - 3.89737I$ | $6.40177 + 6.57898I$ |

| Solutions to I_1^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|--|---------------------------------------|-----------------------|
| $u = 0.057454 + 1.246560I$ $a = 0.37475 - 1.69448I$ $b = -0.60933 - 1.42722I$ | $-7.29903 + 0.31589I$ | 0 |
| $u = 0.057454 - 1.246560I$ $a = 0.37475 + 1.69448I$ $b = -0.60933 + 1.42722I$ | $-7.29903 - 0.31589I$ | 0 |
| $u = 0.412211 + 1.181190I$ $a = 0.60682 - 1.66020I$ $b = -0.23005 - 1.40830I$ | $-4.58690 + 2.56469I$ | 0 |
| $u = 0.412211 - 1.181190I$ $a = 0.60682 + 1.66020I$ $b = -0.23005 + 1.40830I$ | $-4.58690 - 2.56469I$ | 0 |
| $u = -0.163970 + 1.241080I$ $a = -1.07090 - 2.17182I$ $b = 0.44077 - 1.34783I$ | $-4.48521 - 6.86672I$ | 0 |
| $u = -0.163970 - 1.241080I$ $a = -1.07090 + 2.17182I$ $b = 0.44077 + 1.34783I$ | $-4.48521 + 6.86672I$ | 0 |
| $u = 1.203600 + 0.344486I$ $a = -0.387817 + 0.567429I$ $b = 0.500645 + 1.141340I$ | $2.30617 + 11.65450I$ | 0 |
| $u = 1.203600 - 0.344486I$ $a = -0.387817 - 0.567429I$ $b = 0.500645 - 1.141340I$ | $2.30617 - 11.65450I$ | 0 |
| $u = -0.662167 + 0.294205I$ $a = 0.461786 + 0.309921I$ $b = -0.610997 + 1.105130I$ | $2.64706 - 4.13307I$ | $10.06650 + 7.67107I$ |
| $u = -0.662167 - 0.294205I$ $a = 0.461786 - 0.309921I$ $b = -0.610997 - 1.105130I$ | $2.64706 + 4.13307I$ | $10.06650 - 7.67107I$ |

| Solutions to I_1^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|--|---------------------------------------|----------------------|
| $u = 0.297470 + 1.255920I$ $a = -0.254293 - 0.144773I$ $b = -1.077280 - 0.185503I$ | $-3.52274 + 6.07547I$ | 0 |
| $u = 0.297470 - 1.255920I$ $a = -0.254293 + 0.144773I$ $b = -1.077280 + 0.185503I$ | $-3.52274 - 6.07547I$ | 0 |
| $u = 0.689327 + 0.123250I$ $a = 0.062912 + 1.059920I$ $b = 0.395529 + 0.164925I$ | $0.06236 - 2.46466I$ | $6.83396 + 3.77647I$ |
| $u = 0.689327 - 0.123250I$ $a = 0.062912 - 1.059920I$ $b = 0.395529 - 0.164925I$ | $0.06236 + 2.46466I$ | $6.83396 - 3.77647I$ |
| $u = 0.226747 + 1.282130I$ $a = -0.093690 - 0.200426I$ $b = 0.679000 - 0.036087I$ | $-4.40326 + 0.41121I$ | 0 |
| $u = 0.226747 - 1.282130I$ $a = -0.093690 + 0.200426I$ $b = 0.679000 + 0.036087I$ | $-4.40326 - 0.41121I$ | 0 |
| $u = -0.366588 + 1.260050I$ $a = 0.098420 - 0.273942I$ $b = 0.880454 + 0.085541I$ | $-2.11426 - 4.00334I$ | 0 |
| $u = -0.366588 - 1.260050I$ $a = 0.098420 + 0.273942I$ $b = 0.880454 - 0.085541I$ | $-2.11426 + 4.00334I$ | 0 |
| $u = -0.099264 + 1.314460I$ $a = 0.406154 + 0.976917I$ $b = 0.732172 + 0.382522I$ | $0.50203 + 2.48920I$ | 0 |
| $u = -0.099264 - 1.314460I$ $a = 0.406154 - 0.976917I$ $b = 0.732172 - 0.382522I$ | $0.50203 - 2.48920I$ | 0 |

| Solutions to I_1^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|--|---------------------------------------|----------------------|
| $u = 0.173406 + 1.315340I$ $a = -0.96739 + 1.70783I$ $b = 0.294787 + 1.239180I$ | $-8.25891 + 3.00812I$ | 0 |
| $u = 0.173406 - 1.315340I$ $a = -0.96739 - 1.70783I$ $b = 0.294787 - 1.239180I$ | $-8.25891 - 3.00812I$ | 0 |
| $u = -0.409443 + 1.263900I$ $a = 0.49046 + 1.63199I$ $b = -0.65824 + 1.38913I$ | $-1.10942 - 9.46579I$ | 0 |
| $u = -0.409443 - 1.263900I$ $a = 0.49046 - 1.63199I$ $b = -0.65824 - 1.38913I$ | $-1.10942 + 9.46579I$ | 0 |
| $u = 0.050986 + 1.328260I$ $a = 0.22173 + 1.98084I$ $b = -0.21254 + 1.53110I$ | $-6.21226 + 5.37580I$ | 0 |
| $u = 0.050986 - 1.328260I$ $a = 0.22173 - 1.98084I$ $b = -0.21254 - 1.53110I$ | $-6.21226 - 5.37580I$ | 0 |
| $u = 0.232857 + 1.345360I$ $a = -0.25117 + 2.15847I$ $b = 0.313690 + 1.368680I$ | $-5.14196 + 5.75508I$ | 0 |
| $u = 0.232857 - 1.345360I$ $a = -0.25117 - 2.15847I$ $b = 0.313690 - 1.368680I$ | $-5.14196 - 5.75508I$ | 0 |
| $u = -0.500434 + 0.387851I$ $a = 0.492345 + 0.241918I$ $b = -0.431811 + 0.295599I$ | $0.948430 - 0.603776I$ | $9.01347 + 4.18465I$ |
| $u = -0.500434 - 0.387851I$ $a = 0.492345 - 0.241918I$ $b = -0.431811 - 0.295599I$ | $0.948430 + 0.603776I$ | $9.01347 - 4.18465I$ |

| Solutions to I_1^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|---|---------------------------------------|-----------------------|
| $u = 0.042870 + 1.391350I$ $a = -0.08872 - 1.61352I$ $b = 0.455918 - 1.278250I$ | $-6.14811 - 0.65193I$ | 0 |
| $u = 0.042870 - 1.391350I$ $a = -0.08872 + 1.61352I$ $b = 0.455918 + 1.278250I$ | $-6.14811 + 0.65193I$ | 0 |
| $u = -0.359631 + 1.348720I$ $a = -0.470643 + 0.056389I$ $b = -1.242270 - 0.193872I$ | $0.23737 - 11.07660I$ | 0 |
| $u = -0.359631 - 1.348720I$ $a = -0.470643 - 0.056389I$ $b = -1.242270 + 0.193872I$ | $0.23737 + 11.07660I$ | 0 |
| $u = 0.596230 + 0.035731I$ $a = 0.684599 + 0.947731I$ $b = -0.411492 + 0.980008I$ | $-0.80790 - 2.80909I$ | $5.98332 - 0.21201I$ |
| $u = 0.596230 - 0.035731I$ $a = 0.684599 - 0.947731I$ $b = -0.411492 - 0.980008I$ | $-0.80790 + 2.80909I$ | $5.98332 + 0.21201I$ |
| $u = 0.417303 + 0.405708I$ $a = 0.14693 + 2.04390I$ $b = 0.765463 + 0.496537I$ | $4.56662 - 0.11637I$ | $12.84009 - 2.25680I$ |
| $u = 0.417303 - 0.405708I$ $a = 0.14693 - 2.04390I$ $b = 0.765463 - 0.496537I$ | $4.56662 + 0.11637I$ | $12.84009 + 2.25680I$ |
| $u = -0.26413 + 1.40109I$ $a = -0.28448 - 1.99461I$ $b = 0.66711 - 1.46071I$ | $-2.71748 - 7.52821I$ | 0 |
| $u = -0.26413 - 1.40109I$ $a = -0.28448 + 1.99461I$ $b = 0.66711 + 1.46071I$ | $-2.71748 + 7.52821I$ | 0 |

| Solutions to I_1^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|-----------------------------|---------------------------------------|------------|
| $u = 0.10686 + 1.50124I$ | | |
| $a = -0.245884 + 1.141140I$ | $-5.72875 + 3.11452I$ | 0 |
| $b = 0.783069 + 1.067070I$ | | |
| $u = 0.10686 - 1.50124I$ | | |
| $a = -0.245884 - 1.141140I$ | $-5.72875 - 3.11452I$ | 0 |
| $b = 0.783069 - 1.067070I$ | | |
| $u = -0.22724 + 1.49618I$ | | |
| $a = -0.81530 - 1.31196I$ | $-3.17742 + 0.08844I$ | 0 |
| $b = -0.020931 - 0.994862I$ | | |
| $u = -0.22724 - 1.49618I$ | | |
| $a = -0.81530 + 1.31196I$ | $-3.17742 - 0.08844I$ | 0 |
| $b = -0.020931 + 0.994862I$ | | |
| $u = 0.54898 + 1.41093I$ | | |
| $a = -0.82747 + 1.53406I$ | $-5.61570 + 9.08985I$ | 0 |
| $b = 0.517955 + 1.251330I$ | | |
| $u = 0.54898 - 1.41093I$ | | |
| $a = -0.82747 - 1.53406I$ | $-5.61570 - 9.08985I$ | 0 |
| $b = 0.517955 - 1.251330I$ | | |
| $u = -1.41382 + 0.54274I$ | | |
| $a = -0.150367 - 0.669536I$ | $-2.09582 - 4.89045I$ | 0 |
| $b = 0.207903 - 1.033730I$ | | |
| $u = -1.41382 - 0.54274I$ | | |
| $a = -0.150367 + 0.669536I$ | $-2.09582 + 4.89045I$ | 0 |
| $b = 0.207903 + 1.033730I$ | | |
| $u = -0.68545 + 1.36638I$ | | |
| $a = 0.30951 + 1.38848I$ | $1.18894 + 2.12493I$ | 0 |
| $b = -0.088050 + 0.737680I$ | | |
| $u = -0.68545 - 1.36638I$ | | |
| $a = 0.30951 - 1.38848I$ | $1.18894 - 2.12493I$ | 0 |
| $b = -0.088050 - 0.737680I$ | | |

| Solutions to I_1^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|--|---------------------------------------|-----------------------|
| $u = 0.48985 + 1.50866I$ $a = 0.52759 - 1.65020I$ $b = -0.63184 - 1.35216I$ | $-3.4892 + 17.6295I$ | 0 |
| $u = 0.48985 - 1.50866I$ $a = 0.52759 + 1.65020I$ $b = -0.63184 + 1.35216I$ | $-3.4892 - 17.6295I$ | 0 |
| $u = 0.386003 + 0.111568I$ $a = 0.72617 - 1.21676I$ $b = -1.015930 - 0.376348I$ | $4.95207 + 1.65937I$ | $17.2147 - 3.6067I$ |
| $u = 0.386003 - 0.111568I$ $a = 0.72617 + 1.21676I$ $b = -1.015930 + 0.376348I$ | $4.95207 - 1.65937I$ | $17.2147 + 3.6067I$ |
| $u = -0.48750 + 1.53880I$ $a = 0.43487 + 1.58941I$ $b = -0.44392 + 1.36956I$ | $-8.42324 - 11.27470I$ | 0 |
| $u = -0.48750 - 1.53880I$ $a = 0.43487 - 1.58941I$ $b = -0.44392 - 1.36956I$ | $-8.42324 + 11.27470I$ | 0 |
| $u = 1.29645 + 0.97439I$ $a = -0.150528 + 0.680017I$ $b = -0.180507 + 0.936717I$ | $0.43071 - 3.88005I$ | 0 |
| $u = 1.29645 - 0.97439I$ $a = -0.150528 - 0.680017I$ $b = -0.180507 - 0.936717I$ | $0.43071 + 3.88005I$ | 0 |
| $u = 0.360463 + 0.104511I$ $a = 1.71701 + 1.38281I$ $b = 0.099604 - 1.152090I$ | $-3.81257 + 0.89485I$ | $-2.25949 - 1.18834I$ |
| $u = 0.360463 - 0.104511I$ $a = 1.71701 - 1.38281I$ $b = 0.099604 + 1.152090I$ | $-3.81257 - 0.89485I$ | $-2.25949 + 1.18834I$ |

| Solutions to I_1^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|---|---------------------------------------|----------------------|
| $u = 0.67498 + 1.51204I$ $a = 0.37015 - 1.38509I$ $b = -0.106244 - 1.278550I$ | $-5.01653 + 3.29033I$ | 0 |
| $u = 0.67498 - 1.51204I$ $a = 0.37015 + 1.38509I$ $b = -0.106244 + 1.278550I$ | $-5.01653 - 3.29033I$ | 0 |
| $u = -0.46654 + 1.63346I$ $a = -0.45448 - 1.42613I$ $b = 0.380524 - 1.198130I$ | $-7.86731 - 4.29450I$ | 0 |
| $u = -0.46654 - 1.63346I$ $a = -0.45448 + 1.42613I$ $b = 0.380524 + 1.198130I$ | $-7.86731 + 4.29450I$ | 0 |
| $u = -0.176850 + 0.211457I$ $a = -0.89004 + 2.77259I$ $b = -0.176063 - 1.280020I$ | $-1.21164 + 5.29604I$ | $2.45054 - 8.48280I$ |
| $u = -0.176850 - 0.211457I$ $a = -0.89004 - 2.77259I$ $b = -0.176063 + 1.280020I$ | $-1.21164 - 5.29604I$ | $2.45054 + 8.48280I$ |

$$\text{II. } I_2^u = \langle 6846u^{19} - 8204u^{18} + \dots + 20003b - 10945, -1.03 \times 10^6 u^{19} - 1.46 \times 10^6 u^{18} + \dots + 1.18 \times 10^6 a - 4.01 \times 10^6, u^{20} + 8u^{18} + \dots - 3u + 1 \rangle$$

(i) Arc colorings

$$a_2 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 0.876608u^{19} + 1.23577u^{18} + \dots + 8.53335u + 3.40036 \\ -0.342249u^{19} + 0.410138u^{18} + \dots - 6.46158u + 0.547168 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -1.40383u^{19} - 0.0923734u^{18} + \dots - 20.8719u + 3.90800 \\ 0.167425u^{19} - 0.0554417u^{18} + \dots + 6.79533u - 1.60261 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 1.36417u^{19} + 0.513748u^{18} + \dots + 15.8727u + 4.11256 \\ -0.305317u^{19} - 0.405635u^{18} + \dots - 3.25843u - 1.02408 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 1.21886u^{19} + 0.825630u^{18} + \dots + 14.9949u + 2.85319 \\ -0.342249u^{19} + 0.410138u^{18} + \dots - 6.46158u + 0.547168 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 0.174699u^{19} - 0.367753u^{18} + \dots + 16.3113u - 10.5613 \\ -0.0369317u^{19} - 0.184227u^{18} + \dots + 0.796852u + 1.57125 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -u \\ u^3 + u \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 1.94985u^{19} - 0.957305u^{18} + \dots + 31.9571u - 11.4011 \\ -0.576662u^{19} + 0.967471u^{18} + \dots - 7.65168u + 3.29611 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -1.29989u^{19} - 0.143133u^{18} + \dots - 20.2101u + 4.10267 \\ -0.0511322u^{19} - 0.298609u^{18} + \dots + 6.38976u - 1.84804 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -1.29989u^{19} - 0.143133u^{18} + \dots - 20.2101u + 4.10267 \\ -0.0511322u^{19} - 0.298609u^{18} + \dots + 6.38976u - 1.84804 \end{pmatrix}$$

(ii) Obstruction class = 1

$$\text{(iii) Cusp Shapes} = \frac{296410}{1180177}u^{19} - \frac{1621082}{1180177}u^{18} + \dots - \frac{15966826}{1180177}u + \frac{14861551}{1180177}$$

(iv) u-Polynomials at the component

| Crossings | u-Polynomials at each crossing |
|-----------|---------------------------------------|
| c_1 | $u^{20} - u^{19} + \dots + 3u + 1$ |
| c_2 | $u^{20} + 8u^{18} + \dots - 3u + 1$ |
| c_3 | $u^{20} + 3u^{19} + \dots - 2u + 1$ |
| c_4 | $u^{20} - 7u^{18} + \dots - 4u + 1$ |
| c_5 | $u^{20} + u^{19} + \dots - 3u + 1$ |
| c_6 | $u^{20} - 8u^{18} + \dots + 2u + 3$ |
| c_7 | $u^{20} - u^{19} + \dots - 3u + 1$ |
| c_8 | $u^{20} + 8u^{18} + \dots + 3u + 1$ |
| c_9 | $u^{20} - 3u^{18} + \dots - 6u + 1$ |
| c_{10} | $u^{20} - 8u^{18} + \dots - 2u + 3$ |
| c_{11} | $u^{20} - 4u^{17} + \dots - 2u^2 + 1$ |

(v) Riley Polynomials at the component

| Crossings | Riley Polynomials at each crossing |
|---------------|--|
| c_1, c_5 | $y^{20} + 9y^{19} + \cdots + 15y + 1$ |
| c_2, c_8 | $y^{20} + 16y^{19} + \cdots + 27y + 1$ |
| c_3 | $y^{20} - 11y^{19} + \cdots + 16y + 1$ |
| c_4 | $y^{20} - 14y^{19} + \cdots - 4y + 1$ |
| c_6, c_{10} | $y^{20} - 16y^{19} + \cdots + 62y + 9$ |
| c_7 | $y^{20} + 5y^{19} + \cdots + 5y + 1$ |
| c_9 | $y^{20} - 6y^{19} + \cdots - 26y + 1$ |
| c_{11} | $y^{20} + 12y^{18} + \cdots - 4y + 1$ |

(vi) Complex Volumes and Cusp Shapes

| Solutions to I_2^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|-----------------------------|---------------------------------------|-----------------------|
| $u = 0.946175 + 0.385588I$ | | |
| $a = 0.214235 + 0.558661I$ | $-0.64266 - 3.90221I$ | $3.24651 + 7.37049I$ |
| $b = -0.269177 + 1.077330I$ | | |
| $u = 0.946175 - 0.385588I$ | | |
| $a = 0.214235 - 0.558661I$ | $-0.64266 + 3.90221I$ | $3.24651 - 7.37049I$ |
| $b = -0.269177 - 1.077330I$ | | |
| $u = -0.310493 + 0.924049I$ | | |
| $a = -0.38415 - 1.67139I$ | $1.71598 - 6.19605I$ | $8.61255 + 6.55788I$ |
| $b = -0.122898 + 0.479259I$ | | |
| $u = -0.310493 - 0.924049I$ | | |
| $a = -0.38415 + 1.67139I$ | $1.71598 + 6.19605I$ | $8.61255 - 6.55788I$ |
| $b = -0.122898 - 0.479259I$ | | |
| $u = 0.591462 + 0.713970I$ | | |
| $a = -0.402644 - 0.443888I$ | $-1.58446 + 3.70556I$ | $-0.94050 - 4.83089I$ |
| $b = -0.208294 - 0.706719I$ | | |
| $u = 0.591462 - 0.713970I$ | | |
| $a = -0.402644 + 0.443888I$ | $-1.58446 - 3.70556I$ | $-0.94050 + 4.83089I$ |
| $b = -0.208294 + 0.706719I$ | | |
| $u = 0.002874 + 1.212570I$ | | |
| $a = 0.870653 - 0.229034I$ | $1.65051 - 1.14565I$ | $6.04640 + 4.20488I$ |
| $b = 1.42573 + 0.06190I$ | | |
| $u = 0.002874 - 1.212570I$ | | |
| $a = 0.870653 + 0.229034I$ | $1.65051 + 1.14565I$ | $6.04640 - 4.20488I$ |
| $b = 1.42573 - 0.06190I$ | | |
| $u = -0.002126 + 0.708303I$ | | |
| $a = -0.640262 + 0.910371I$ | $3.67242 + 1.15933I$ | $9.29729 - 1.48128I$ |
| $b = -0.901962 + 0.053941I$ | | |
| $u = -0.002126 - 0.708303I$ | | |
| $a = -0.640262 - 0.910371I$ | $3.67242 - 1.15933I$ | $9.29729 + 1.48128I$ |
| $b = -0.901962 - 0.053941I$ | | |

| Solutions to I_2^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|---|---------------------------------------|-----------------------|
| $u = 0.273746 + 1.297500I$ $a = -0.66833 + 2.18325I$ $b = 0.48471 + 1.43675I$ | $-3.70849 + 7.77575I$ | $1.98042 - 8.91503I$ |
| $u = 0.273746 - 1.297500I$ $a = -0.66833 - 2.18325I$ $b = 0.48471 - 1.43675I$ | $-3.70849 - 7.77575I$ | $1.98042 + 8.91503I$ |
| $u = -0.15872 + 1.40819I$ $a = -0.46639 - 1.33897I$ $b = 0.520872 - 1.129990I$ | $-7.04665 - 2.30270I$ | $-1.55456 + 0.79605I$ |
| $u = -0.15872 - 1.40819I$ $a = -0.46639 + 1.33897I$ $b = 0.520872 + 1.129990I$ | $-7.04665 + 2.30270I$ | $-1.55456 - 0.79605I$ |
| $u = -0.85387 + 1.18820I$ $a = 0.71330 + 1.27008I$ $b = -0.028808 + 0.787340I$ | $0.96215 + 2.51362I$ | $0.64139 - 9.41977I$ |
| $u = -0.85387 - 1.18820I$ $a = 0.71330 - 1.27008I$ $b = -0.028808 - 0.787340I$ | $0.96215 - 2.51362I$ | $0.64139 + 9.41977I$ |
| $u = -0.56839 + 1.35898I$ $a = -0.46559 - 1.52661I$ $b = 0.125964 - 1.327280I$ | $-4.70501 - 3.26631I$ | $10.94198 + 7.13391I$ |
| $u = -0.56839 - 1.35898I$ $a = -0.46559 + 1.52661I$ $b = 0.125964 + 1.327280I$ | $-4.70501 + 3.26631I$ | $10.94198 - 7.13391I$ |
| $u = 0.079342 + 0.301023I$ $a = 2.72917 + 2.48490I$ $b = -0.526131 - 0.810997I$ | $3.10647 + 2.21537I$ | $10.72853 - 2.81043I$ |
| $u = 0.079342 - 0.301023I$ $a = 2.72917 - 2.48490I$ $b = -0.526131 + 0.810997I$ | $3.10647 - 2.21537I$ | $10.72853 + 2.81043I$ |

$$\text{III. } I_3^u = \langle u^2 + b, a - 1, u^7 + u^5 + u + 1 \rangle$$

(i) Arc colorings

$$a_2 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -u^2 + 1 \\ u^4 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} -u^4 + u^2 + 1 \\ u^6 - u^2 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} u^2 + 1 \\ -u^2 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} u^5 + 2u^3 + u \\ -u^5 - u^3 + u \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -u \\ u^3 + u \end{pmatrix}$$

$$a_7 = \begin{pmatrix} u^5 + 2u^3 + u + 1 \\ -u^5 - u^3 - u^2 + u \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

(ii) Obstruction class = -1

(iii) Cusp Shapes = 6

(iv) u-Polynomials at the component

| Crossings | u-Polynomials at each crossing |
|--------------------|---|
| c_1, c_3, c_5 | $u^7 + 2u^6 + u^5 + 2u^4 + 2u^3 + u - 1$ |
| c_2, c_8, c_{11} | $u^7 + u^5 + u - 1$ |
| c_4 | $u^7 + 2u^6 - 3u^5 - 2u^4 + 10u^3 - 8u^2 + u + 1$ |
| c_6, c_{10} | $(u - 1)^7$ |
| c_7, c_9 | $u^7 + 3u^5 - 4u^4 + 4u^3 - 6u^2 + 3u - 2$ |

(v) Riley Polynomials at the component

| Crossings | Riley Polynomials at each crossing |
|--------------------|---|
| c_1, c_3, c_5 | $y^7 - 2y^6 - 3y^5 + 2y^4 + 10y^3 + 8y^2 + y - 1$ |
| c_2, c_8, c_{11} | $y^7 + 2y^6 + y^5 + 2y^4 + 2y^3 + y - 1$ |
| c_4 | $y^7 - 10y^6 + 37y^5 - 30y^4 + 58y^3 - 40y^2 + 17y - 1$ |
| c_6, c_{10} | $(y - 1)^7$ |
| c_7, c_9 | $y^7 + 6y^6 + 17y^5 + 14y^4 - 14y^3 - 28y^2 - 15y - 4$ |

(vi) Complex Volumes and Cusp Shapes

| Solutions to I_3^u | $\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$ | Cusp shape |
|--|---------------------------------------|------------|
| $u = 0.862570 + 0.551757I$ $a = 1.00000$ $b = -0.439591 - 0.951858I$ | 1.64493 | 6.00000 |
| $u = 0.862570 - 0.551757I$ $a = 1.00000$ $b = -0.439591 + 0.951858I$ | 1.64493 | 6.00000 |
| $u = -0.588920 + 0.721443I$ $a = 1.00000$ $b = 0.173654 + 0.849744I$ | 1.64493 | 6.00000 |
| $u = -0.588920 - 0.721443I$ $a = 1.00000$ $b = 0.173654 - 0.849744I$ | 1.64493 | 6.00000 |
| $u = 0.084251 + 1.236620I$ $a = 1.00000$ $b = 1.52212 - 0.20837I$ | 1.64493 | 6.00000 |
| $u = 0.084251 - 1.236620I$ $a = 1.00000$ $b = 1.52212 + 0.20837I$ | 1.64493 | 6.00000 |
| $u = -0.715802$ $a = 1.00000$ $b = -0.512372$ | 1.64493 | 6.00000 |

IV. u-Polynomials

| Crossings | u-Polynomials at each crossing |
|-----------|---|
| c_1 | $(u^7 + 2u^6 + u^5 + 2u^4 + 2u^3 + u - 1)(u^{20} - u^{19} + \dots + 3u + 1)$ $\cdot (u^{86} - 2u^{85} + \dots + 4061u + 367)$ |
| c_2 | $(u^7 + u^5 + u - 1)(u^{20} + 8u^{18} + \dots - 3u + 1)$ $\cdot (u^{86} + u^{85} + \dots + 4313u + 839)$ |
| c_3 | $(u^7 + 2u^6 + u^5 + 2u^4 + 2u^3 + u - 1)(u^{20} + 3u^{19} + \dots - 2u + 1)$ $\cdot (u^{86} - 10u^{85} + \dots - 578u + 79)$ |
| c_4 | $(u^7 + 2u^6 + \dots + u + 1)(u^{20} - 7u^{18} + \dots - 4u + 1)$ $\cdot (u^{86} - 5u^{85} + \dots + 16u + 1)$ |
| c_5 | $(u^7 + 2u^6 + u^5 + 2u^4 + 2u^3 + u - 1)(u^{20} + u^{19} + \dots - 3u + 1)$ $\cdot (u^{86} - 2u^{85} + \dots + 4061u + 367)$ |
| c_6 | $((u - 1)^7)(u^{20} - 8u^{18} + \dots + 2u + 3)(u^{86} + 6u^{85} + \dots - 2700u + 200)$ |
| c_7 | $(u^7 + 3u^5 + \dots + 3u - 2)(u^{20} - u^{19} + \dots - 3u + 1)$ $\cdot (u^{86} + 4u^{85} + \dots + 379u + 169)$ |
| c_8 | $(u^7 + u^5 + u - 1)(u^{20} + 8u^{18} + \dots + 3u + 1)$ $\cdot (u^{86} + u^{85} + \dots + 4313u + 839)$ |
| c_9 | $(u^7 + 3u^5 + \dots + 3u - 2)(u^{20} - 3u^{18} + \dots - 6u + 1)$ $\cdot (u^{86} + u^{85} + \dots + 760266u + 130321)$ |
| c_{10} | $((u - 1)^7)(u^{20} - 8u^{18} + \dots - 2u + 3)(u^{86} + 6u^{85} + \dots - 2700u + 200)$ |
| c_{11} | $(u^7 + u^5 + u - 1)(u^{20} - 4u^{17} + \dots - 2u^2 + 1)$ $\cdot (u^{86} + 5u^{85} + \dots + 690u + 179)$ |

V. Riley Polynomials

| Crossings | Riley Polynomials at each crossing |
|---------------|--|
| c_1, c_5 | $(y^7 - 2y^6 + \dots + y - 1)(y^{20} + 9y^{19} + \dots + 15y + 1)$ $\cdot (y^{86} + 58y^{85} + \dots - 1366917y + 134689)$ |
| c_2, c_8 | $(y^7 + 2y^6 + y^5 + 2y^4 + 2y^3 + y - 1)(y^{20} + 16y^{19} + \dots + 27y + 1)$ $\cdot (y^{86} + 73y^{85} + \dots - 7899685y + 703921)$ |
| c_3 | $(y^7 - 2y^6 - 3y^5 + 2y^4 + 10y^3 + 8y^2 + y - 1)$ $\cdot (y^{20} - 11y^{19} + \dots + 16y + 1)(y^{86} - 14y^{85} + \dots - 153964y + 6241)$ |
| c_4 | $(y^7 - 10y^6 + 37y^5 - 30y^4 + 58y^3 - 40y^2 + 17y - 1)$ $\cdot (y^{20} - 14y^{19} + \dots - 4y + 1)(y^{86} - 5y^{85} + \dots + 200y + 1)$ |
| c_6, c_{10} | $((y - 1)^7)(y^{20} - 16y^{19} + \dots + 62y + 9)$ $\cdot (y^{86} - 58y^{85} + \dots - 4211600y + 40000)$ |
| c_7 | $(y^7 + 6y^6 + 17y^5 + 14y^4 - 14y^3 - 28y^2 - 15y - 4)$ $\cdot (y^{20} + 5y^{19} + \dots + 5y + 1)(y^{86} + 14y^{85} + \dots + 1122169y + 28561)$ |
| c_9 | $(y^7 + 6y^6 + 17y^5 + 14y^4 - 14y^3 - 28y^2 - 15y - 4)$ $\cdot (y^{20} - 6y^{19} + \dots - 26y + 1)$ $\cdot (y^{86} + 15y^{85} + \dots + 56388593490y + 16983563041)$ |
| c_{11} | $(y^7 + 2y^6 + y^5 + 2y^4 + 2y^3 + y - 1)(y^{20} + 12y^{18} + \dots - 4y + 1)$ $\cdot (y^{86} - 19y^{85} + \dots - 1161312y + 32041)$ |