



12a<sub>0351</sub> (K12a<sub>0351</sub>)




A knot diagram<sup>1</sup>

**Linearized knot diagram**



**Solving Sequence**



**Ideals for irreducible components<sup>2</sup> of  $X_{\text{par}}$**

$$I_1^u = \langle 8.22708 \times 10^{260} u^{115} + 5.90473 \times 10^{259} u^{114} + \dots + 7.11945 \times 10^{261} b + 7.95379 \times 10^{261},$$

$$5.48204 \times 10^{262} u^{115} + 3.62166 \times 10^{262} u^{114} + \dots + 9.25529 \times 10^{262} a - 1.21893 \times 10^{263}, u^{116} + u^{115} + \dots - 1 \rangle$$

$$I_2^u = \langle -3au + 7b + 12a - 5u + 13, 18a^2 - 3au + 48a - u + 39, u^2 - 2 \rangle$$

$$I_1^v = \langle a, b - v, v^2 + v + 1 \rangle$$

\* 3 irreducible components of  $\dim_{\mathbb{C}} = 0$ , with total 122 representations.

<sup>1</sup>The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/maths/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

<sup>2</sup>All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

$$\text{I. } I_1^u = \langle 8.23 \times 10^{260} u^{115} + 5.90 \times 10^{259} u^{114} + \dots + 7.12 \times 10^{261} b + 7.95 \times 10^{261}, 5.48 \times 10^{262} u^{115} + 3.62 \times 10^{262} u^{114} + \dots + 9.26 \times 10^{262} a - 1.22 \times 10^{263}, u^{116} + u^{115} + \dots - 12u + 4 \rangle$$

(i) Arc colorings

$$a_3 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} -0.592314u^{115} - 0.391307u^{114} + \dots + 4.00136u + 1.31701 \\ -0.115558u^{115} - 0.00829380u^{114} + \dots + 6.41816u - 1.11719 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} u \\ -u^3 + u \end{pmatrix}$$

$$a_2 = \begin{pmatrix} -0.0576376u^{115} - 0.341529u^{114} + \dots + 2.70043u + 6.41023 \\ -0.109926u^{115} - 0.000292556u^{114} + \dots + 5.86706u - 2.13299 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} -0.624496u^{115} - 0.335359u^{114} + \dots + 13.6484u + 4.37568 \\ 0.130256u^{115} + 0.108791u^{114} + \dots + 2.77584u - 1.42974 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 0.918893u^{115} + 0.826941u^{114} + \dots + 5.11609u - 0.840015 \\ 0.278228u^{115} + 0.0809501u^{114} + \dots - 9.46479u + 0.173513 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -0.167564u^{115} - 0.341822u^{114} + \dots + 8.56749u + 4.27725 \\ -0.109926u^{115} - 0.000292556u^{114} + \dots + 5.86706u - 2.13299 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -u^3 \\ u^5 - u^3 + u \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} -0.105593u^{115} - 0.334986u^{114} + \dots + 6.85446u + 4.76672 \\ -0.132149u^{115} + 0.0239453u^{114} + \dots + 5.21273u - 2.20714 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0.453168u^{115} + 0.309762u^{114} + \dots - 5.33012u - 6.99372 \\ -0.199402u^{115} - 0.129061u^{114} + \dots + 1.83081u + 0.396491 \end{pmatrix}$$

(ii) Obstruction class = -1

(iii) Cusp Shapes =  $1.30353u^{115} + 0.380419u^{114} + \dots - 48.9228u + 9.39672$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
$c_1$	$u^{116} + 52u^{115} + \dots - 5438u + 289$
$c_2, c_6$	$u^{116} - 2u^{115} + \dots + 44u + 17$
$c_3, c_9$	$u^{116} + u^{115} + \dots - 12u + 4$
$c_4$	$28561(28561u^{116} - 153790u^{115} + \dots - 8.25675 \times 10^8u + 3.49024 \times 10^7)$
$c_5, c_{11}$	$u^{116} + u^{115} + \dots + 44u + 4$
$c_7, c_{12}$	$u^{116} + 3u^{115} + \dots - 989u + 343$
$c_8$	$u^{116} - 51u^{115} + \dots - 304u + 16$
$c_{10}$	$28561(28561u^{116} + 173563u^{115} + \dots - 6624257u + 463351)$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
$c_1$	$y^{116} + 28y^{115} + \dots - 20164894y + 83521$
$c_2, c_6$	$y^{116} + 52y^{115} + \dots - 5438y + 289$
$c_3, c_9$	$y^{116} - 51y^{115} + \dots - 304y + 16$
$c_4$	$815730721$ $\cdot (8.16 \times 10^8 y^{116} - 2.56 \times 10^{10} y^{115} + \dots + 3.19 \times 10^{16} y + 1.22 \times 10^{15})$
$c_5, c_{11}$	$y^{116} + 69y^{115} + \dots + 80y + 16$
$c_7, c_{12}$	$y^{116} - 93y^{115} + \dots - 1659319y + 117649$
$c_8$	$y^{116} + 33y^{115} + \dots - 4864y + 256$
$c_{10}$	$815730721$ $\cdot (8.16 \times 10^8 y^{116} - 5.43 \times 10^{10} y^{115} + \dots - 1.02 \times 10^{13} y + 2.15 \times 10^{11})$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.466716 + 0.884426I$		
$a = -0.783595 - 0.126337I$	$-2.67219 + 1.89988I$	0
$b = 0.653585 - 0.363267I$		
$u = -0.466716 - 0.884426I$		
$a = -0.783595 + 0.126337I$	$-2.67219 - 1.89988I$	0
$b = 0.653585 + 0.363267I$		
$u = 0.833896 + 0.554451I$		
$a = -0.727306 - 0.756093I$	$-2.32060 + 0.05845I$	0
$b = 0.541090 - 1.019580I$		
$u = 0.833896 - 0.554451I$		
$a = -0.727306 + 0.756093I$	$-2.32060 - 0.05845I$	0
$b = 0.541090 + 1.019580I$		
$u = 0.515699 + 0.858960I$		
$a = 0.768671 + 0.054540I$	$-6.86951 + 3.26307I$	0
$b = -0.664056 + 0.147665I$		
$u = 0.515699 - 0.858960I$		
$a = 0.768671 - 0.054540I$	$-6.86951 - 3.26307I$	0
$b = -0.664056 - 0.147665I$		
$u = -0.796622 + 0.599234I$		
$a = -0.234219 + 0.406414I$	$-5.98756 + 0.45829I$	0
$b = -0.68922 - 1.38197I$		
$u = -0.796622 - 0.599234I$		
$a = -0.234219 - 0.406414I$	$-5.98756 - 0.45829I$	0
$b = -0.68922 + 1.38197I$		
$u = 0.496277 + 0.882378I$		
$a = 0.683895 - 0.105274I$	$-6.72237 - 7.44661I$	0
$b = -0.921430 - 0.377905I$		
$u = 0.496277 - 0.882378I$		
$a = 0.683895 + 0.105274I$	$-6.72237 + 7.44661I$	0
$b = -0.921430 + 0.377905I$		

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.821230 + 0.618768I$		
$a = -0.794720 - 1.140120I$	$-2.04215 - 2.50988I$	0
$b = 0.261743 - 0.895424I$		
$u = -0.821230 - 0.618768I$		
$a = -0.794720 + 1.140120I$	$-2.04215 + 2.50988I$	0
$b = 0.261743 + 0.895424I$		
$u = 0.872725 + 0.555380I$		
$a = 2.93230 - 0.92577I$	$-2.19443 + 4.38805I$	0
$b = -0.622964 - 0.983728I$		
$u = 0.872725 - 0.555380I$		
$a = 2.93230 + 0.92577I$	$-2.19443 - 4.38805I$	0
$b = -0.622964 + 0.983728I$		
$u = -0.314014 + 0.987232I$		
$a = 0.779419 - 0.361334I$	$-10.48240 + 0.02403I$	0
$b = -0.337968 - 1.111900I$		
$u = -0.314014 - 0.987232I$		
$a = 0.779419 + 0.361334I$	$-10.48240 - 0.02403I$	0
$b = -0.337968 + 1.111900I$		
$u = -0.835930 + 0.617038I$		
$a = -0.597118 - 0.860842I$	$-2.00858 - 2.35815I$	0
$b = -0.061420 - 0.822216I$		
$u = -0.835930 - 0.617038I$		
$a = -0.597118 + 0.860842I$	$-2.00858 + 2.35815I$	0
$b = -0.061420 + 0.822216I$		
$u = 0.838690 + 0.617546I$		
$a = 1.269560 - 0.256708I$	$-6.41289 + 2.42988I$	0
$b = -0.09071 - 1.52895I$		
$u = 0.838690 - 0.617546I$		
$a = 1.269560 + 0.256708I$	$-6.41289 - 2.42988I$	0
$b = -0.09071 + 1.52895I$		

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.041140 + 0.185992I$ $a = -1.83112 - 0.13921I$ $b = 0.815154 + 0.555869I$	$3.19024 - 0.63993I$	0
$u = 1.041140 - 0.185992I$ $a = -1.83112 + 0.13921I$ $b = 0.815154 - 0.555869I$	$3.19024 + 0.63993I$	0
$u = -0.640644 + 0.848844I$ $a = 0.735683 + 0.692782I$ $b = -0.112380 + 1.305980I$	$-12.68570 + 4.21380I$	0
$u = -0.640644 - 0.848844I$ $a = 0.735683 - 0.692782I$ $b = -0.112380 - 1.305980I$	$-12.68570 - 4.21380I$	0
$u = -0.883251 + 0.602570I$ $a = -2.08121 - 0.54168I$ $b = 0.83111 - 1.31723I$	$-5.71767 - 5.21650I$	0
$u = -0.883251 - 0.602570I$ $a = -2.08121 + 0.54168I$ $b = 0.83111 + 1.31723I$	$-5.71767 + 5.21650I$	0
$u = -0.995874 + 0.401809I$ $a = -0.71960 - 2.00101I$ $b = 0.329550 + 0.745071I$	$-1.73973 - 1.33290I$	0
$u = -0.995874 - 0.401809I$ $a = -0.71960 + 2.00101I$ $b = 0.329550 - 0.745071I$	$-1.73973 + 1.33290I$	0
$u = -0.495701 + 0.956635I$ $a = 0.742573 - 0.406437I$ $b = -0.634931 - 1.162860I$	$-9.1087 + 13.1311I$	0
$u = -0.495701 - 0.956635I$ $a = 0.742573 + 0.406437I$ $b = -0.634931 + 1.162860I$	$-9.1087 - 13.1311I$	0

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.775905 + 0.497045I$ $a = -0.165278 - 0.775090I$ $b = -0.238451 - 0.070476I$	$-1.78328 - 2.08266I$	0
$u = -0.775905 - 0.497045I$ $a = -0.165278 + 0.775090I$ $b = -0.238451 + 0.070476I$	$-1.78328 + 2.08266I$	0
$u = 0.494221 + 0.759596I$ $a = 0.307685 + 0.600397I$ $b = -0.590578 + 1.186130I$	$-3.60510 - 7.79415I$	0
$u = 0.494221 - 0.759596I$ $a = 0.307685 - 0.600397I$ $b = -0.590578 - 1.186130I$	$-3.60510 + 7.79415I$	0
$u = -0.779427 + 0.450974I$ $a = 0.39113 + 1.97543I$ $b = -0.670300 - 0.709245I$	$-1.32894 + 0.70219I$	0
$u = -0.779427 - 0.450974I$ $a = 0.39113 - 1.97543I$ $b = -0.670300 + 0.709245I$	$-1.32894 - 0.70219I$	0
$u = -0.957835 + 0.541099I$ $a = -0.955456 + 0.073183I$ $b = 0.723527 - 0.452906I$	$-0.57651 - 4.79475I$	0
$u = -0.957835 - 0.541099I$ $a = -0.955456 - 0.073183I$ $b = 0.723527 + 0.452906I$	$-0.57651 + 4.79475I$	0
$u = 0.713321 + 0.547036I$ $a = -0.287533 + 1.169400I$ $b = 1.054150 - 0.828225I$	$-4.19877 - 2.44712I$	0
$u = 0.713321 - 0.547036I$ $a = -0.287533 - 1.169400I$ $b = 1.054150 + 0.828225I$	$-4.19877 + 2.44712I$	0



Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.943567 + 0.584400I$ $a = 1.68583 - 0.51157I$ $b = -1.159030 - 0.663749I$	$-3.47234 + 7.03624I$	0
$u = 0.943567 - 0.584400I$ $a = 1.68583 + 0.51157I$ $b = -1.159030 + 0.663749I$	$-3.47234 - 7.03624I$	0
$u = 0.942127 + 0.604306I$ $a = 1.162640 - 0.293149I$ $b = 0.439750 - 0.953612I$	$-2.77882 - 0.58975I$	0
$u = 0.942127 - 0.604306I$ $a = 1.162640 + 0.293149I$ $b = 0.439750 + 0.953612I$	$-2.77882 + 0.58975I$	0
$u = -1.117360 + 0.069621I$ $a = -1.28817 - 1.08342I$ $b = 0.642708 + 1.046490I$	$1.70184 + 6.08053I$	0
$u = -1.117360 - 0.069621I$ $a = -1.28817 + 1.08342I$ $b = 0.642708 - 1.046490I$	$1.70184 - 6.08053I$	0
$u = 0.832789 + 0.225789I$ $a = -0.601053 + 0.233524I$ $b = 0.550015 + 0.084883I$	$1.292750 + 0.325346I$	0
$u = 0.832789 - 0.225789I$ $a = -0.601053 - 0.233524I$ $b = 0.550015 - 0.084883I$	$1.292750 - 0.325346I$	0
$u = 0.670876 + 0.535881I$ $a = 0.90736 + 2.57743I$ $b = -0.366397 + 0.954160I$	$-3.79397 - 0.49844I$	0
$u = 0.670876 - 0.535881I$ $a = 0.90736 - 2.57743I$ $b = -0.366397 - 0.954160I$	$-3.79397 + 0.49844I$	0

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.484795 + 1.034740I$ $a = -0.722748 - 0.354639I$ $b = 0.551009 - 1.081070I$	$-4.70990 - 6.59407I$	0
$u = 0.484795 - 1.034740I$ $a = -0.722748 + 0.354639I$ $b = 0.551009 + 1.081070I$	$-4.70990 + 6.59407I$	0
$u = 0.555186 + 0.644462I$ $a = 0.004936 - 0.922208I$ $b = -0.449425 - 1.037710I$	$-3.82491 + 5.40390I$	0
$u = 0.555186 - 0.644462I$ $a = 0.004936 + 0.922208I$ $b = -0.449425 + 1.037710I$	$-3.82491 - 5.40390I$	0
$u = 1.016380 + 0.540681I$ $a = -3.12129 + 0.64540I$ $b = 0.461647 + 0.967079I$	$-2.64987 + 4.84972I$	0
$u = 1.016380 - 0.540681I$ $a = -3.12129 - 0.64540I$ $b = 0.461647 - 0.967079I$	$-2.64987 - 4.84972I$	0
$u = -1.024480 + 0.567357I$ $a = -0.768018 - 1.100840I$ $b = 1.056100 + 0.312277I$	$0.82781 - 7.00319I$	0
$u = -1.024480 - 0.567357I$ $a = -0.768018 + 1.100840I$ $b = 1.056100 - 0.312277I$	$0.82781 + 7.00319I$	0
$u = -0.592343 + 1.011110I$ $a = 0.918671 + 0.496773I$ $b = -0.481119 + 1.110180I$	$-9.55063 - 7.53106I$	0
$u = -0.592343 - 1.011110I$ $a = 0.918671 - 0.496773I$ $b = -0.481119 - 1.110180I$	$-9.55063 + 7.53106I$	0

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.054510 + 0.527628I$ $a = 0.612085 - 1.147380I$ $b = -0.787200 + 0.516832I$	$3.25793 + 3.13597I$	0
$u = 1.054510 - 0.527628I$ $a = 0.612085 + 1.147380I$ $b = -0.787200 - 0.516832I$	$3.25793 - 3.13597I$	0
$u = -1.151090 + 0.257276I$ $a = 1.87268 - 0.39708I$ $b = -0.691766 + 0.756944I$	$4.99239 - 4.08939I$	0
$u = -1.151090 - 0.257276I$ $a = 1.87268 + 0.39708I$ $b = -0.691766 - 0.756944I$	$4.99239 + 4.08939I$	0
$u = 0.736999 + 0.921312I$ $a = -1.021070 + 0.667460I$ $b = 0.245911 + 1.047670I$	$-6.68894 + 0.36281I$	0
$u = 0.736999 - 0.921312I$ $a = -1.021070 - 0.667460I$ $b = 0.245911 - 1.047670I$	$-6.68894 - 0.36281I$	0
$u = -0.416152 + 0.702982I$ $a = -0.657214 + 0.652284I$ $b = 0.550081 + 1.020460I$	$-0.25960 + 3.42242I$	0
$u = -0.416152 - 0.702982I$ $a = -0.657214 - 0.652284I$ $b = 0.550081 - 1.020460I$	$-0.25960 - 3.42242I$	0
$u = 1.190070 + 0.157741I$ $a = 1.33756 - 0.93877I$ $b = -0.634540 + 0.887405I$	$4.59187 - 1.01993I$	0
$u = 1.190070 - 0.157741I$ $a = 1.33756 + 0.93877I$ $b = -0.634540 - 0.887405I$	$4.59187 + 1.01993I$	0

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.075010 + 0.604590I$ $a = 2.23506 + 0.54337I$ $b = -0.625953 + 1.067030I$	$1.59755 - 8.45756I$	0
$u = -1.075010 - 0.604590I$ $a = 2.23506 - 0.54337I$ $b = -0.625953 - 1.067030I$	$1.59755 + 8.45756I$	0
$u = -0.755200 + 0.125730I$ $a = 0.54008 + 1.48819I$ $b = -0.787063 - 0.237062I$	$-1.07137 + 2.52393I$	$3.16937 - 4.49551I$
$u = -0.755200 - 0.125730I$ $a = 0.54008 - 1.48819I$ $b = -0.787063 + 0.237062I$	$-1.07137 - 2.52393I$	$3.16937 + 4.49551I$
$u = 1.203200 + 0.280770I$ $a = -0.617584 + 0.816387I$ $b = 0.118500 - 0.988627I$	$-5.27584 + 3.81255I$	0
$u = 1.203200 - 0.280770I$ $a = -0.617584 - 0.816387I$ $b = 0.118500 + 0.988627I$	$-5.27584 - 3.81255I$	0
$u = -1.239360 + 0.011306I$ $a = -1.72127 + 0.47650I$ $b = 0.754990 - 0.485834I$	$-0.39657 + 5.22699I$	0
$u = -1.239360 - 0.011306I$ $a = -1.72127 - 0.47650I$ $b = 0.754990 + 0.485834I$	$-0.39657 - 5.22699I$	0
$u = 1.067530 + 0.631606I$ $a = -2.14334 + 0.54583I$ $b = 0.656745 + 1.212430I$	$-1.92381 + 13.07300I$	0
$u = 1.067530 - 0.631606I$ $a = -2.14334 - 0.54583I$ $b = 0.656745 - 1.212430I$	$-1.92381 - 13.07300I$	0

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.985981 + 0.756728I$ $a = -0.260236 + 0.487469I$ $b = -0.096176 + 1.081310I$	$-5.88877 + 5.77264I$	0
$u = 0.985981 - 0.756728I$ $a = -0.260236 - 0.487469I$ $b = -0.096176 - 1.081310I$	$-5.88877 - 5.77264I$	0
$u = -1.031980 + 0.710550I$ $a = 0.884175 + 0.148388I$ $b = 0.038755 + 1.349030I$	$-11.4894 - 10.0129I$	0
$u = -1.031980 - 0.710550I$ $a = 0.884175 - 0.148388I$ $b = 0.038755 - 1.349030I$	$-11.4894 + 10.0129I$	0
$u = 1.092310 + 0.648197I$ $a = -1.064780 + 0.605997I$ $b = 0.519866 - 0.069837I$	$-5.11265 + 2.34089I$	0
$u = 1.092310 - 0.648197I$ $a = -1.064780 - 0.605997I$ $b = 0.519866 + 0.069837I$	$-5.11265 - 2.34089I$	0
$u = 1.110740 + 0.671729I$ $a = -0.748880 + 1.141040I$ $b = 0.972089 - 0.432265I$	$-4.85981 + 13.19030I$	0
$u = 1.110740 - 0.671729I$ $a = -0.748880 - 1.141040I$ $b = 0.972089 + 0.432265I$	$-4.85981 - 13.19030I$	0
$u = -1.121050 + 0.670941I$ $a = 0.699124 + 0.904242I$ $b = -0.783809 - 0.455402I$	$-0.70851 - 7.64661I$	0
$u = -1.121050 - 0.670941I$ $a = 0.699124 - 0.904242I$ $b = -0.783809 + 0.455402I$	$-0.70851 + 7.64661I$	0

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.422603 + 0.538929I$ $a = 0.225851 + 0.641616I$ $b = -0.854397 + 0.188053I$	$-0.74861 + 2.47173I$	$0.57968 - 3.86930I$
$u = -0.422603 - 0.538929I$ $a = 0.225851 - 0.641616I$ $b = -0.854397 - 0.188053I$	$-0.74861 - 2.47173I$	$0.57968 + 3.86930I$
$u = -1.139660 + 0.696578I$ $a = -2.22336 - 0.45953I$ $b = 0.671975 - 1.167110I$	$-7.1260 - 19.1636I$	0
$u = -1.139660 - 0.696578I$ $a = -2.22336 + 0.45953I$ $b = 0.671975 + 1.167110I$	$-7.1260 + 19.1636I$	0
$u = 1.339520 + 0.019185I$ $a = -1.53348 - 0.82587I$ $b = 0.609430 + 1.074170I$	$-2.15349 + 10.41260I$	0
$u = 1.339520 - 0.019185I$ $a = -1.53348 + 0.82587I$ $b = 0.609430 - 1.074170I$	$-2.15349 - 10.41260I$	0
$u = 1.163830 + 0.723777I$ $a = 1.99794 - 0.40565I$ $b = -0.614263 - 1.092660I$	$-2.60839 + 12.91820I$	0
$u = 1.163830 - 0.723777I$ $a = 1.99794 + 0.40565I$ $b = -0.614263 + 1.092660I$	$-2.60839 - 12.91820I$	0
$u = -0.616361 + 0.117547I$ $a = -0.631662 - 0.993118I$ $b = 0.385313 - 0.950143I$	$-0.95525 - 2.77494I$	$4.16705 + 7.27073I$
$u = -0.616361 - 0.117547I$ $a = -0.631662 + 0.993118I$ $b = 0.385313 + 0.950143I$	$-0.95525 + 2.77494I$	$4.16705 - 7.27073I$

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.108530 + 0.821412I$ $a = -0.122967 - 0.159962I$ $b = 0.396192 + 1.068680I$	$-7.99961 + 0.94403I$	0
$u = -1.108530 - 0.821412I$ $a = -0.122967 + 0.159962I$ $b = 0.396192 - 1.068680I$	$-7.99961 - 0.94403I$	0
$u = 0.181878 + 0.591925I$ $a = -0.490273 + 0.249127I$ $b = 0.581289 + 0.577000I$	$1.10147 + 1.10758I$	$4.88695 - 3.86624I$
$u = 0.181878 - 0.591925I$ $a = -0.490273 - 0.249127I$ $b = 0.581289 - 0.577000I$	$1.10147 - 1.10758I$	$4.88695 + 3.86624I$
$u = -1.24962 + 0.66959I$ $a = -1.86159 - 0.03426I$ $b = 0.450242 - 1.071500I$	$-7.64422 - 6.06435I$	0
$u = -1.24962 - 0.66959I$ $a = -1.86159 + 0.03426I$ $b = 0.450242 + 1.071500I$	$-7.64422 + 6.06435I$	0
$u = 1.41551 + 0.14998I$ $a = 1.42035 + 0.40663I$ $b = -0.451135 - 0.719052I$	$3.52152 + 1.19712I$	0
$u = 1.41551 - 0.14998I$ $a = 1.42035 - 0.40663I$ $b = -0.451135 + 0.719052I$	$3.52152 - 1.19712I$	0
$u = -0.173548 + 0.435678I$ $a = -1.77580 - 0.00885I$ $b = -0.281662 - 0.593654I$	$-1.84260 + 1.06316I$	$-2.87257 + 1.74785I$
$u = -0.173548 - 0.435678I$ $a = -1.77580 + 0.00885I$ $b = -0.281662 + 0.593654I$	$-1.84260 - 1.06316I$	$-2.87257 - 1.74785I$

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.54440 + 0.09700I$		
$a = 1.188900 + 0.578674I$	$2.68981 + 2.67919I$	0
$b = -0.480566 - 0.964286I$		
$u = -1.54440 - 0.09700I$		
$a = 1.188900 - 0.578674I$	$2.68981 - 2.67919I$	0
$b = -0.480566 + 0.964286I$		
$u = 0.026779 + 0.320029I$		
$a = 1.91460 - 1.84893I$	$-4.03516 - 1.34228I$	$-3.61078 + 0.66174I$
$b = -0.389926 + 1.065330I$		
$u = 0.026779 - 0.320029I$		
$a = 1.91460 + 1.84893I$	$-4.03516 + 1.34228I$	$-3.61078 - 0.66174I$
$b = -0.389926 - 1.065330I$		
$u = 0.221346 + 0.109152I$		
$a = 0.17931 - 5.05439I$	$-3.45719 + 2.69856I$	$-2.19132 - 3.25247I$
$b = 0.706323 + 0.848981I$		
$u = 0.221346 - 0.109152I$		
$a = 0.17931 + 5.05439I$	$-3.45719 - 2.69856I$	$-2.19132 + 3.25247I$
$b = 0.706323 - 0.848981I$		



$$\text{II. } I_2^u = \langle -3au + 7b + 12a - 5u + 13, 18a^2 - 3au + 48a - u + 39, u^2 - 2 \rangle$$

(i) Arc colorings

$$a_3 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 1 \\ -2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} a \\ \frac{3}{7}au - \frac{12}{7}a + \frac{5}{7}u - \frac{13}{7} \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} u \\ -u \end{pmatrix}$$

$$a_2 = \begin{pmatrix} -0.714286au + 2.85714a - 1.02381u + 4.76190 \\ \frac{3}{7}au - \frac{12}{7}a + \frac{5}{7}u - \frac{20}{7} \end{pmatrix}$$

$$a_7 = \begin{pmatrix} -0.285714au + 1.14286a - 0.309524u + 1.90476 \\ \frac{3}{7}au - \frac{12}{7}a + \frac{5}{7}u - \frac{20}{7} \end{pmatrix}$$

$$a_5 = \begin{pmatrix} \frac{8}{21}au + \frac{1}{7}a + \frac{40}{63}u + \frac{71}{63} \\ -\frac{3}{7}au - \frac{2}{7}a - \frac{5}{7}u - \frac{15}{7} \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -0.285714au + 1.14286a - 0.309524u + 1.90476 \\ \frac{3}{7}au - \frac{12}{7}a + \frac{5}{7}u - \frac{20}{7} \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -2u \\ 3u \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} -0.285714au + 1.14286a + 1.69048u + 1.90476 \\ \frac{3}{7}au - \frac{12}{7}a - \frac{16}{7}u - \frac{20}{7} \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -0.428571au + 0.380952a + 0.563492u + 0.634921 \\ \frac{5}{7}au - \frac{6}{7}a - \frac{1}{7}u - \frac{10}{7} \end{pmatrix}$$

(ii) Obstruction class = 1

$$\text{(iii) Cusp Shapes} = -\frac{12}{7}au + \frac{48}{7}a - \frac{20}{7}u + \frac{80}{7}$$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
$c_1, c_2$	$(u^2 - u + 1)^2$
$c_3, c_5, c_9$ $c_{11}$	$(u^2 - 2)^2$
$c_4$	$81(81u^4 - 54u^3 - 9u^2 + 6u + 7)$
$c_6$	$(u^2 + u + 1)^2$
$c_7$	$(u + 1)^4$
$c_8$	$(u + 2)^4$
$c_{10}$	$81(81u^4 - 108u^3 + 72u^2 - 24u + 7)$
$c_{12}$	$(u - 1)^4$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
$c_1, c_2, c_6$	$(y^2 + y + 1)^2$
$c_3, c_5, c_9$ $c_{11}$	$(y - 2)^4$
$c_4$	$6561(6561y^4 - 4374y^3 + 1863y^2 - 162y + 49)$
$c_7, c_{12}$	$(y - 1)^4$
$c_8$	$(y - 4)^4$
$c_{10}$	$6561(6561y^4 + 1134y^2 + 432y + 49)$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.41421$ $a = -1.21548 + 0.78147I$ $b = 0.500000 - 0.866025I$	$3.28987 - 2.02988I$	$2.00000 + 3.46410I$
$u = 1.41421$ $a = -1.21548 - 0.78147I$ $b = 0.500000 + 0.866025I$	$3.28987 + 2.02988I$	$2.00000 - 3.46410I$
$u = -1.41421$ $a = -1.45118 + 0.37323I$ $b = 0.500000 - 0.866025I$	$3.28987 - 2.02988I$	$2.00000 + 3.46410I$
$u = -1.41421$ $a = -1.45118 - 0.37323I$ $b = 0.500000 + 0.866025I$	$3.28987 + 2.02988I$	$2.00000 - 3.46410I$

$$\text{III. } I_1^v = \langle a, b - v, v^2 + v + 1 \rangle$$

(i) Arc colorings

$$a_3 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 0 \\ v \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 1 \\ -v - 1 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} v \\ v + 1 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 0 \\ v \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -v \\ -v - 1 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} 0 \\ -v - 1 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0 \\ -v - 1 \end{pmatrix}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes =  $4v + 2$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
$c_1, c_4, c_6$	$u^2 - u + 1$
$c_2$	$u^2 + u + 1$
$c_3, c_5, c_8$ $c_9, c_{11}$	$u^2$
$c_7, c_{10}$	$(u - 1)^2$
$c_{12}$	$(u + 1)^2$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
$c_1, c_2, c_4$ $c_6$	$y^2 + y + 1$
$c_3, c_5, c_8$ $c_9, c_{11}$	$y^2$
$c_7, c_{10}, c_{12}$	$(y - 1)^2$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_1^v$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$v = -0.500000 + 0.866025I$	$-1.64493 - 2.02988I$	$0. + 3.46410I$
$a = 0$		
$b = -0.500000 + 0.866025I$		
$v = -0.500000 - 0.866025I$	$-1.64493 + 2.02988I$	$0. - 3.46410I$
$a = 0$		
$b = -0.500000 - 0.866025I$		



#### IV. u-Polynomials

Crossings	u-Polynomials at each crossing
$c_1$	$((u^2 - u + 1)^3)(u^{116} + 52u^{115} + \dots - 5438u + 289)$
$c_2$	$((u^2 - u + 1)^2)(u^2 + u + 1)(u^{116} - 2u^{115} + \dots + 44u + 17)$
$c_3, c_9$	$u^2(u^2 - 2)^2(u^{116} + u^{115} + \dots - 12u + 4)$
$c_4$	$2313441(u^2 - u + 1)(81u^4 - 54u^3 - 9u^2 + 6u + 7)$ $\cdot (28561u^{116} - 153790u^{115} + \dots - 825674530u + 34902367)$
$c_5, c_{11}$	$u^2(u^2 - 2)^2(u^{116} + u^{115} + \dots + 44u + 4)$
$c_6$	$(u^2 - u + 1)(u^2 + u + 1)^2(u^{116} - 2u^{115} + \dots + 44u + 17)$
$c_7$	$((u - 1)^2)(u + 1)^4(u^{116} + 3u^{115} + \dots - 989u + 343)$
$c_8$	$u^2(u + 2)^4(u^{116} - 51u^{115} + \dots - 304u + 16)$
$c_{10}$	$2313441(u - 1)^2(81u^4 - 108u^3 + 72u^2 - 24u + 7)$ $\cdot (28561u^{116} + 173563u^{115} + \dots - 6624257u + 463351)$
$c_{12}$	$((u - 1)^4)(u + 1)^2(u^{116} + 3u^{115} + \dots - 989u + 343)$

## V. Riley Polynomials

Crossings	Riley Polynomials at each crossing
$c_1$	$((y^2 + y + 1)^3)(y^{116} + 28y^{115} + \dots - 2.01649 \times 10^7 y + 83521)$
$c_2, c_6$	$((y^2 + y + 1)^3)(y^{116} + 52y^{115} + \dots - 5438y + 289)$
$c_3, c_9$	$y^2(y - 2)^4(y^{116} - 51y^{115} + \dots - 304y + 16)$
$c_4$	$5352009260481(y^2 + y + 1)$ $\cdot (6561y^4 - 4374y^3 + 1863y^2 - 162y + 49)$ $\cdot (8.16 \times 10^8 y^{116} - 2.56 \times 10^{10} y^{115} + \dots + 3.19 \times 10^{16} y + 1.22 \times 10^{15})$
$c_5, c_{11}$	$y^2(y - 2)^4(y^{116} + 69y^{115} + \dots + 80y + 16)$
$c_7, c_{12}$	$((y - 1)^6)(y^{116} - 93y^{115} + \dots - 1659319y + 117649)$
$c_8$	$y^2(y - 4)^4(y^{116} + 33y^{115} + \dots - 4864y + 256)$
$c_{10}$	$5352009260481(y - 1)^2(6561y^4 + 1134y^2 + 432y + 49)$ $\cdot (8.16 \times 10^8 y^{116} - 5.43 \times 10^{10} y^{115} + \dots - 1.02 \times 10^{13} y + 2.15 \times 10^{11})$