



12a₀₅₇₁ (K12a₀₅₇₁)



A knot diagram¹

Linearized knot diagram



Solving Sequence

$$2,6 \xrightarrow{c_6} 7 \xrightarrow{c_2} 3,11 \xrightarrow{c_{11}} 12 \xrightarrow{c_1} 1 \xrightarrow{c_5} 5 \xrightarrow{c_7} 8 \xrightarrow{c_8} 9 \xrightarrow{c_{10}} 10 \xrightarrow{c_4} 4 \rightsquigarrow c_3, c_9, c_{12}$$

Ideals for irreducible components² of X_{par}

$$I_1^u = \langle 3.95686 \times 10^{684} u^{182} - 3.08751 \times 10^{684} u^{181} + \dots + 4.57143 \times 10^{684} b - 1.11694 \times 10^{685}, \\ - 3.33768 \times 10^{683} u^{182} + 9.09273 \times 10^{683} u^{181} + \dots + 4.57143 \times 10^{684} a + 1.34804 \times 10^{685}, \\ u^{183} - u^{182} + \dots - 26u + 1 \rangle$$

$$I_2^u = \langle -58996829294u^{42} + 102880855500u^{41} + \dots + 11325634063b - 92288392095, \\ - 198008949584u^{42} + 286910003657u^{41} + \dots + 11325634063a - 224634503866, \\ u^{43} - u^{42} + \dots + u + 1 \rangle$$

$$I_3^u = \langle b, a - 1, u + 1 \rangle$$

* 3 irreducible components of $\dim_{\mathbb{C}} = 0$, with total 227 representations.

¹The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/maths/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

²All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

$$\mathbf{I. } J_1^u = \langle 3.96 \times 10^{684} u^{182} - 3.09 \times 10^{684} u^{181} + \dots + 4.57 \times 10^{684} b - 1.12 \times 10^{685}, -3.34 \times 10^{683} u^{182} + 9.09 \times 10^{683} u^{181} + \dots + 4.57 \times 10^{684} a + 1.35 \times 10^{685}, u^{183} - u^{182} + \dots - 26u + 1 \rangle$$

(i) Arc colorings

$$a_2 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 1 \\ u^2 \end{pmatrix}$$

$$a_3 = \begin{pmatrix} -u \\ -u^3 + u \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0.0730118u^{182} - 0.198904u^{181} + \dots + 90.5142u - 2.94884 \\ -0.865563u^{182} + 0.675393u^{181} + \dots - 82.7947u + 2.44331 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} 0.938575u^{182} - 0.874297u^{181} + \dots + 173.309u - 5.39215 \\ -0.865563u^{182} + 0.675393u^{181} + \dots - 82.7947u + 2.44331 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} u^3 \\ u^5 - u^3 + u \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 1.98433u^{182} - 1.70198u^{181} + \dots + 256.368u - 7.59514 \\ -0.881093u^{182} + 0.671278u^{181} + \dots - 69.2985u + 1.52425 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -1.97660u^{182} + 1.44326u^{181} + \dots - 46.7057u - 5.66718 \\ -0.730808u^{182} + 0.708014u^{181} + \dots - 163.139u + 9.24102 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} -4.30363u^{182} + 3.58723u^{181} + \dots - 503.736u + 16.0646 \\ -0.912461u^{182} + 0.810284u^{181} + \dots - 164.734u + 10.5737 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} -4.31508u^{182} + 3.59217u^{181} + \dots - 504.738u + 16.1070 \\ -1.02164u^{182} + 0.890038u^{181} + \dots - 177.623u + 11.2268 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} -1.13902u^{182} + 0.855105u^{181} + \dots - 104.038u - 2.14870 \\ 0.627441u^{182} - 0.503619u^{181} + \dots + 38.3100u + 0.604035 \end{pmatrix}$$

(ii) Obstruction class = -1

(iii) Cusp Shapes = $-1.55871u^{182} + 1.98436u^{181} + \dots - 601.882u + 26.8946$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$u^{183} + 73u^{182} + \dots + 140u + 1$
c_2, c_6	$u^{183} - u^{182} + \dots - 26u + 1$
c_3	$u^{183} + 16u^{181} + \dots + 13120u - 6587$
c_4	$u^{183} + 3u^{182} + \dots + 23844880676u + 2117995963$
c_5, c_{11}	$u^{183} - 59u^{181} + \dots + 49924u + 6638$
c_7	$u^{183} - 4u^{182} + \dots - 79u + 1$
c_8	$u^{183} + u^{182} + \dots - 49629456462u + 10428858667$
c_9	$u^{183} + 11u^{182} + \dots - 25134u + 3142$
c_{10}	$u^{183} - 7u^{182} + \dots - 7u - 1$
c_{12}	$u^{183} + 17u^{182} + \dots + 3u + 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$y^{183} + 71y^{182} + \dots - 14140y - 1$
c_2, c_6	$y^{183} - 73y^{182} + \dots + 140y - 1$
c_3	$y^{183} + 32y^{182} + \dots - 197765172y - 43388569$
c_4	$y^{183} - 97y^{182} + \dots + 5.30 \times 10^{20}y - 4.49 \times 10^{18}$
c_5, c_{11}	$y^{183} - 118y^{182} + \dots + 4475548104y - 44063044$
c_7	$y^{183} + 4y^{182} + \dots + 1331y - 1$
c_8	$y^{183} - 73y^{182} + \dots + 3.70 \times 10^{21}y - 1.09 \times 10^{20}$
c_9	$y^{183} + 47y^{182} + \dots + 8565230252y - 9872164$
c_{10}	$y^{183} - 17y^{182} + \dots + 23y - 1$
c_{12}	$y^{183} - 49y^{182} + \dots - 71y - 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.804086 + 0.597313I$ $a = -1.88182 - 1.85240I$ $b = -1.51604 + 0.72956I$	$0.78321 + 5.97914I$	0
$u = -0.804086 - 0.597313I$ $a = -1.88182 + 1.85240I$ $b = -1.51604 - 0.72956I$	$0.78321 - 5.97914I$	0
$u = -0.968465 + 0.204179I$ $a = 0.681431 - 0.690236I$ $b = 0.254549 - 1.090810I$	$-2.78855 + 0.17947I$	0
$u = -0.968465 - 0.204179I$ $a = 0.681431 + 0.690236I$ $b = 0.254549 + 1.090810I$	$-2.78855 - 0.17947I$	0
$u = 0.784543 + 0.583880I$ $a = -1.35379 + 1.73904I$ $b = -0.967185 - 0.955823I$	$-0.075537 + 0.190930I$	0
$u = 0.784543 - 0.583880I$ $a = -1.35379 - 1.73904I$ $b = -0.967185 + 0.955823I$	$-0.075537 - 0.190930I$	0
$u = 0.771537 + 0.677709I$ $a = -0.219574 + 0.755952I$ $b = -0.471848 - 0.886299I$	$4.28626 + 0.70719I$	0
$u = 0.771537 - 0.677709I$ $a = -0.219574 - 0.755952I$ $b = -0.471848 + 0.886299I$	$4.28626 - 0.70719I$	0
$u = -0.615624 + 0.744589I$ $a = 0.206463 + 0.385144I$ $b = -1.158630 - 0.701322I$	$-1.26582 - 6.65398I$	0
$u = -0.615624 - 0.744589I$ $a = 0.206463 - 0.385144I$ $b = -1.158630 + 0.701322I$	$-1.26582 + 6.65398I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.945595 + 0.185636I$ $a = -0.374523 - 0.991767I$ $b = 0.192487 + 0.021372I$	$-2.72218 - 3.83344I$	0
$u = 0.945595 - 0.185636I$ $a = -0.374523 + 0.991767I$ $b = 0.192487 - 0.021372I$	$-2.72218 + 3.83344I$	0
$u = 0.957428 + 0.082830I$ $a = 1.35226 - 1.44806I$ $b = 1.090440 + 0.388673I$	$-2.41546 - 5.59132I$	0
$u = 0.957428 - 0.082830I$ $a = 1.35226 + 1.44806I$ $b = 1.090440 - 0.388673I$	$-2.41546 + 5.59132I$	0
$u = 1.044680 + 0.083571I$ $a = 2.64047 - 0.64175I$ $b = 1.085590 - 0.408152I$	$-2.41862 + 5.61416I$	0
$u = 1.044680 - 0.083571I$ $a = 2.64047 + 0.64175I$ $b = 1.085590 + 0.408152I$	$-2.41862 - 5.61416I$	0
$u = -0.659362 + 0.686197I$ $a = -0.448274 + 0.614066I$ $b = -1.130220 - 0.617602I$	$2.20599 - 6.27476I$	0
$u = -0.659362 - 0.686197I$ $a = -0.448274 - 0.614066I$ $b = -1.130220 + 0.617602I$	$2.20599 + 6.27476I$	0
$u = 0.667868 + 0.659329I$ $a = -1.401060 - 0.059418I$ $b = -1.269760 + 0.374151I$	$-1.39366 + 5.27272I$	0
$u = 0.667868 - 0.659329I$ $a = -1.401060 + 0.059418I$ $b = -1.269760 - 0.374151I$	$-1.39366 - 5.27272I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.832572 + 0.659769I$ $a = -0.798710 - 0.102024I$ $b = -0.127155 + 1.264060I$	$5.11906 + 0.42514I$	0
$u = -0.832572 - 0.659769I$ $a = -0.798710 + 0.102024I$ $b = -0.127155 - 1.264060I$	$5.11906 - 0.42514I$	0
$u = -0.721508 + 0.781473I$ $a = 1.150080 + 0.773882I$ $b = -0.913552 - 0.200853I$	$3.37130 - 4.99253I$	0
$u = -0.721508 - 0.781473I$ $a = 1.150080 - 0.773882I$ $b = -0.913552 + 0.200853I$	$3.37130 + 4.99253I$	0
$u = -1.061230 + 0.074993I$ $a = 2.81778 + 1.07027I$ $b = 1.193020 + 0.134541I$	$-5.88372 - 4.47978I$	0
$u = -1.061230 - 0.074993I$ $a = 2.81778 - 1.07027I$ $b = 1.193020 - 0.134541I$	$-5.88372 + 4.47978I$	0
$u = 0.729768 + 0.580809I$ $a = -2.01374 + 3.77134I$ $b = -0.875001 - 0.160538I$	$3.59621 + 3.18555I$	0
$u = 0.729768 - 0.580809I$ $a = -2.01374 - 3.77134I$ $b = -0.875001 + 0.160538I$	$3.59621 - 3.18555I$	0
$u = 0.775056 + 0.741065I$ $a = 0.468878 + 0.589716I$ $b = -0.574447 - 0.328403I$	$4.07080 - 1.71524I$	0
$u = 0.775056 - 0.741065I$ $a = 0.468878 - 0.589716I$ $b = -0.574447 + 0.328403I$	$4.07080 + 1.71524I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.855253 + 0.647139I$ $a = 0.734078 - 0.607230I$ $b = 0.095770 + 0.753563I$	$2.37109 - 2.52576I$	0
$u = 0.855253 - 0.647139I$ $a = 0.734078 + 0.607230I$ $b = 0.095770 - 0.753563I$	$2.37109 + 2.52576I$	0
$u = -0.890607 + 0.602506I$ $a = 0.257989 + 0.377581I$ $b = 1.27916 + 0.78291I$	$0.491769 - 1.227750I$	0
$u = -0.890607 - 0.602506I$ $a = 0.257989 - 0.377581I$ $b = 1.27916 - 0.78291I$	$0.491769 + 1.227750I$	0
$u = -1.073610 + 0.089757I$ $a = 2.26071 + 0.88250I$ $b = 1.275060 + 0.359848I$	$-3.01048 - 5.23037I$	0
$u = -1.073610 - 0.089757I$ $a = 2.26071 - 0.88250I$ $b = 1.275060 - 0.359848I$	$-3.01048 + 5.23037I$	0
$u = -0.650827 + 0.646025I$ $a = -1.10330 + 1.14170I$ $b = -0.906991 - 0.382241I$	$3.12157 - 1.56300I$	0
$u = -0.650827 - 0.646025I$ $a = -1.10330 - 1.14170I$ $b = -0.906991 + 0.382241I$	$3.12157 + 1.56300I$	0
$u = -0.579718 + 0.707338I$ $a = 0.440010 - 0.100121I$ $b = 1.171120 + 0.371476I$	$-1.07062 - 1.30229I$	0
$u = -0.579718 - 0.707338I$ $a = 0.440010 + 0.100121I$ $b = 1.171120 - 0.371476I$	$-1.07062 + 1.30229I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.627576 + 0.889503I$		
$a = 0.613731 + 0.583837I$	$6.86968 - 8.72601I$	0
$b = 0.201181 - 1.124280I$		
$u = -0.627576 - 0.889503I$		
$a = 0.613731 - 0.583837I$	$6.86968 + 8.72601I$	0
$b = 0.201181 + 1.124280I$		
$u = 1.089170 + 0.004309I$		
$a = 2.29605 - 0.19777I$	$-6.71040 + 5.77636I$	0
$b = 1.34165 - 0.51669I$		
$u = 1.089170 - 0.004309I$		
$a = 2.29605 + 0.19777I$	$-6.71040 - 5.77636I$	0
$b = 1.34165 + 0.51669I$		
$u = -0.845242 + 0.688470I$		
$a = 0.272507 - 0.178473I$	$-0.668854 + 0.328108I$	0
$b = 0.868210 + 0.212625I$		
$u = -0.845242 - 0.688470I$		
$a = 0.272507 + 0.178473I$	$-0.668854 - 0.328108I$	0
$b = 0.868210 - 0.212625I$		
$u = -0.871720 + 0.659803I$		
$a = -1.149790 + 0.097355I$	$4.99782 + 4.69561I$	0
$b = -0.079998 + 1.289210I$		
$u = -0.871720 - 0.659803I$		
$a = -1.149790 - 0.097355I$	$4.99782 - 4.69561I$	0
$b = -0.079998 - 1.289210I$		
$u = -0.904516 + 0.053439I$		
$a = 0.640466 + 1.121410I$	$-0.28611 + 1.59809I$	0
$b = 0.389672 + 0.665385I$		
$u = -0.904516 - 0.053439I$		
$a = 0.640466 - 1.121410I$	$-0.28611 - 1.59809I$	0
$b = 0.389672 - 0.665385I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.622313 + 0.653580I$ $a = -0.305034 + 0.132693I$ $b = -1.28668 + 0.68962I$	$1.57573 + 6.31832I$	0
$u = 0.622313 - 0.653580I$ $a = -0.305034 - 0.132693I$ $b = -1.28668 - 0.68962I$	$1.57573 - 6.31832I$	0
$u = -0.836262 + 0.715392I$ $a = -0.881213 - 0.326547I$ $b = -0.610782 + 0.802006I$	$3.47032 + 6.94246I$	0
$u = -0.836262 - 0.715392I$ $a = -0.881213 + 0.326547I$ $b = -0.610782 - 0.802006I$	$3.47032 - 6.94246I$	0
$u = 0.581389 + 0.936165I$ $a = 0.646479 - 0.595519I$ $b = 0.167723 + 1.025120I$	$6.68101 + 0.05061I$	0
$u = 0.581389 - 0.936165I$ $a = 0.646479 + 0.595519I$ $b = 0.167723 - 1.025120I$	$6.68101 - 0.05061I$	0
$u = 0.931243 + 0.599868I$ $a = -0.682656 - 0.275411I$ $b = 0.808521 - 1.117020I$	$-0.56324 - 4.88976I$	0
$u = 0.931243 - 0.599868I$ $a = -0.682656 + 0.275411I$ $b = 0.808521 + 1.117020I$	$-0.56324 + 4.88976I$	0
$u = 1.107390 + 0.045773I$ $a = -2.49976 + 0.23421I$ $b = -1.259940 + 0.064021I$	$-6.26958 + 0.10015I$	0
$u = 1.107390 - 0.045773I$ $a = -2.49976 - 0.23421I$ $b = -1.259940 - 0.064021I$	$-6.26958 - 0.10015I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.774080 + 0.797223I$ $a = 0.897507 - 0.250365I$ $b = -0.588803 + 0.436380I$	$3.87932 - 2.29960I$	0
$u = 0.774080 - 0.797223I$ $a = 0.897507 + 0.250365I$ $b = -0.588803 - 0.436380I$	$3.87932 + 2.29960I$	0
$u = -0.684988 + 0.565576I$ $a = -1.217240 + 0.438700I$ $b = -0.768663 - 0.508050I$	$3.54233 + 2.09873I$	0
$u = -0.684988 - 0.565576I$ $a = -1.217240 - 0.438700I$ $b = -0.768663 + 0.508050I$	$3.54233 - 2.09873I$	0
$u = 0.786078 + 0.787473I$ $a = -0.078362 + 0.381478I$ $b = -0.854273 - 0.355693I$	$3.35990 - 5.71800I$	0
$u = 0.786078 - 0.787473I$ $a = -0.078362 - 0.381478I$ $b = -0.854273 + 0.355693I$	$3.35990 + 5.71800I$	0
$u = -0.690384 + 0.549588I$ $a = -2.12381 - 4.03693I$ $b = -0.894453 + 0.251188I$	$3.35823 + 5.37464I$	0
$u = -0.690384 - 0.549588I$ $a = -2.12381 + 4.03693I$ $b = -0.894453 - 0.251188I$	$3.35823 - 5.37464I$	0
$u = -0.859618 + 0.716217I$ $a = -0.089129 + 0.288175I$ $b = 0.370265 + 0.757502I$	$3.39992 - 1.47988I$	0
$u = -0.859618 - 0.716217I$ $a = -0.089129 - 0.288175I$ $b = 0.370265 - 0.757502I$	$3.39992 + 1.47988I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.075302 + 0.868974I$ $a = 1.365680 - 0.359231I$ $b = 0.050464 + 0.310642I$	$4.27203 + 4.69198I$	0
$u = -0.075302 - 0.868974I$ $a = 1.365680 + 0.359231I$ $b = 0.050464 - 0.310642I$	$4.27203 - 4.69198I$	0
$u = -0.727939 + 0.461758I$ $a = -1.50335 - 1.58092I$ $b = -1.130880 - 0.380737I$	$-0.72886 + 2.94415I$	0
$u = -0.727939 - 0.461758I$ $a = -1.50335 + 1.58092I$ $b = -1.130880 + 0.380737I$	$-0.72886 - 2.94415I$	0
$u = 0.639216 + 0.570367I$ $a = -0.115708 - 0.172824I$ $b = -0.669171 + 0.759190I$	$3.35772 - 1.25907I$	0
$u = 0.639216 - 0.570367I$ $a = -0.115708 + 0.172824I$ $b = -0.669171 - 0.759190I$	$3.35772 + 1.25907I$	0
$u = -1.146440 + 0.063129I$ $a = -0.308983 + 0.148588I$ $b = 0.308825 - 0.627728I$	$-0.19824 - 1.63291I$	0
$u = -1.146440 - 0.063129I$ $a = -0.308983 - 0.148588I$ $b = 0.308825 + 0.627728I$	$-0.19824 + 1.63291I$	0
$u = 0.927993 + 0.676423I$ $a = -0.960077 - 0.279359I$ $b = 0.363758 - 0.892240I$	$3.80950 - 5.94710I$	0
$u = 0.927993 - 0.676423I$ $a = -0.960077 + 0.279359I$ $b = 0.363758 + 0.892240I$	$3.80950 + 5.94710I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.686652 + 0.500534I$ $a = -0.95150 + 2.41807I$ $b = -1.81120 + 0.22305I$	$-0.08217 + 3.42918I$	0
$u = 0.686652 - 0.500534I$ $a = -0.95150 - 2.41807I$ $b = -1.81120 - 0.22305I$	$-0.08217 - 3.42918I$	0
$u = 0.975940 + 0.609702I$ $a = 0.207008 + 1.318360I$ $b = 0.789006 - 0.337870I$	$2.78038 - 7.93575I$	0
$u = 0.975940 - 0.609702I$ $a = 0.207008 - 1.318360I$ $b = 0.789006 + 0.337870I$	$2.78038 + 7.93575I$	0
$u = -0.823980 + 0.807894I$ $a = -0.661366 - 1.182780I$ $b = -1.074960 + 0.309302I$	$-0.68075 + 5.27880I$	0
$u = -0.823980 - 0.807894I$ $a = -0.661366 + 1.182780I$ $b = -1.074960 - 0.309302I$	$-0.68075 - 5.27880I$	0
$u = -1.139910 + 0.213951I$ $a = 1.91706 + 0.32380I$ $b = 1.66770 - 0.79542I$	$-3.55957 - 1.18556I$	0
$u = -1.139910 - 0.213951I$ $a = 1.91706 - 0.32380I$ $b = 1.66770 + 0.79542I$	$-3.55957 + 1.18556I$	0
$u = 1.013210 + 0.568393I$ $a = 1.62756 - 0.95953I$ $b = 0.830652 + 0.499639I$	$2.20875 - 3.36417I$	0
$u = 1.013210 - 0.568393I$ $a = 1.62756 + 0.95953I$ $b = 0.830652 - 0.499639I$	$2.20875 + 3.36417I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.151840 + 0.154662I$ $a = 0.010016 + 0.398685I$ $b = 0.209573 + 0.978495I$	$-0.26884 - 7.85265I$	0
$u = 1.151840 - 0.154662I$ $a = 0.010016 - 0.398685I$ $b = 0.209573 - 0.978495I$	$-0.26884 + 7.85265I$	0
$u = -1.009310 + 0.577692I$ $a = 2.07833 + 0.93833I$ $b = 0.890024 - 0.287554I$	$2.49438 + 2.50944I$	0
$u = -1.009310 - 0.577692I$ $a = 2.07833 - 0.93833I$ $b = 0.890024 + 0.287554I$	$2.49438 - 2.50944I$	0
$u = 1.010010 + 0.582201I$ $a = 1.26803 - 1.31464I$ $b = 1.97259 - 0.08099I$	$-1.22638 - 7.91000I$	0
$u = 1.010010 - 0.582201I$ $a = 1.26803 + 1.31464I$ $b = 1.97259 + 0.08099I$	$-1.22638 + 7.91000I$	0
$u = 0.602125 + 1.010350I$ $a = 0.436257 + 0.244031I$ $b = 1.28843 - 0.60858I$	$3.4487 + 14.8188I$	0
$u = 0.602125 - 1.010350I$ $a = 0.436257 - 0.244031I$ $b = 1.28843 + 0.60858I$	$3.4487 - 14.8188I$	0
$u = 1.18146$ $a = 2.68363$ $b = 0.963202$	-1.54825	0
$u = 0.942284 + 0.716877I$ $a = -0.666318 - 0.369851I$ $b = 0.520947 - 0.232184I$	$3.56771 - 3.83933I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.942284 - 0.716877I$ $a = -0.666318 + 0.369851I$ $b = 0.520947 + 0.232184I$	$3.56771 + 3.83933I$	0
$u = 0.994283 + 0.644562I$ $a = 2.27949 - 1.45447I$ $b = 1.334210 + 0.319655I$	$-2.38828 - 10.38320I$	0
$u = 0.994283 - 0.644562I$ $a = 2.27949 + 1.45447I$ $b = 1.334210 - 0.319655I$	$-2.38828 + 10.38320I$	0
$u = 0.474515 + 0.656195I$ $a = 0.406059 + 0.098625I$ $b = -1.079700 + 0.698453I$	$1.91142 + 2.58746I$	0
$u = 0.474515 - 0.656195I$ $a = 0.406059 - 0.098625I$ $b = -1.079700 - 0.698453I$	$1.91142 - 2.58746I$	0
$u = -1.008370 + 0.638657I$ $a = 2.12903 + 1.73560I$ $b = 1.018580 - 0.326923I$	$2.02276 + 6.62718I$	0
$u = -1.008370 - 0.638657I$ $a = 2.12903 - 1.73560I$ $b = 1.018580 + 0.326923I$	$2.02276 - 6.62718I$	0
$u = 1.009840 + 0.636828I$ $a = 1.95063 - 1.37133I$ $b = 1.41880 + 0.63898I$	$0.41909 - 11.39740I$	0
$u = 1.009840 - 0.636828I$ $a = 1.95063 + 1.37133I$ $b = 1.41880 - 0.63898I$	$0.41909 + 11.39740I$	0
$u = -1.000030 + 0.652330I$ $a = 1.95082 + 1.70847I$ $b = 1.201080 - 0.593735I$	$1.17604 + 11.47750I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.000030 - 0.652330I$		
$a = 1.95082 - 1.70847I$	$1.17604 - 11.47750I$	0
$b = 1.201080 + 0.593735I$		
$u = -1.029430 + 0.610628I$		
$a = 0.177299 - 0.854499I$	$2.20342 - 0.69220I$	0
$b = 0.886085 + 0.520489I$		
$u = -1.029430 - 0.610628I$		
$a = 0.177299 + 0.854499I$	$2.20342 + 0.69220I$	0
$b = 0.886085 - 0.520489I$		
$u = 1.152990 + 0.326753I$		
$a = -2.31475 + 0.67023I$	$-7.65124 - 4.86256I$	0
$b = -1.308180 - 0.403673I$		
$u = 1.152990 - 0.326753I$		
$a = -2.31475 - 0.67023I$	$-7.65124 + 4.86256I$	0
$b = -1.308180 + 0.403673I$		
$u = 0.678139 + 0.412615I$		
$a = 0.06485 - 1.54051I$	$1.68800 - 2.53652I$	0
$b = -0.287578 + 0.138657I$		
$u = 0.678139 - 0.412615I$		
$a = 0.06485 + 1.54051I$	$1.68800 + 2.53652I$	0
$b = -0.287578 - 0.138657I$		
$u = 0.451630 + 1.120280I$		
$a = 0.808467 + 0.128403I$	$4.96751 + 5.36441I$	0
$b = 0.788966 - 0.329452I$		
$u = 0.451630 - 1.120280I$		
$a = 0.808467 - 0.128403I$	$4.96751 - 5.36441I$	0
$b = 0.788966 + 0.329452I$		
$u = 0.958960 + 0.737063I$		
$a = 0.001012 - 0.791515I$	$3.31100 - 3.47789I$	0
$b = 0.451592 + 0.495719I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.958960 - 0.737063I$		
$a = 0.001012 + 0.791515I$	$3.31100 + 3.47789I$	0
$b = 0.451592 - 0.495719I$		
$u = -1.027550 + 0.650918I$		
$a = -1.64691 - 1.47643I$	$-2.37351 + 6.55222I$	0
$b = -1.320130 + 0.382087I$		
$u = -1.027550 - 0.650918I$		
$a = -1.64691 + 1.47643I$	$-2.37351 - 6.55222I$	0
$b = -1.320130 - 0.382087I$		
$u = 0.724913 + 0.977792I$		
$a = -0.487917 - 0.307792I$	$0.93457 - 4.23267I$	0
$b = -0.856062 + 0.007898I$		
$u = 0.724913 - 0.977792I$		
$a = -0.487917 + 0.307792I$	$0.93457 + 4.23267I$	0
$b = -0.856062 - 0.007898I$		
$u = -0.987883 + 0.715023I$		
$a = -0.29672 + 1.92682I$	$2.55809 + 10.65380I$	0
$b = 0.895427 - 0.263517I$		
$u = -0.987883 - 0.715023I$		
$a = -0.29672 - 1.92682I$	$2.55809 - 10.65380I$	0
$b = 0.895427 + 0.263517I$		
$u = -1.156980 + 0.391399I$		
$a = -1.69844 - 0.96971I$	$-7.25441 + 3.06984I$	0
$b = -1.223180 - 0.156221I$		
$u = -1.156980 - 0.391399I$		
$a = -1.69844 + 0.96971I$	$-7.25441 - 3.06984I$	0
$b = -1.223180 + 0.156221I$		
$u = 0.945774 + 0.773344I$		
$a = 0.019925 - 0.699707I$	$2.89248 - 0.14439I$	0
$b = 0.821639 - 0.199132I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.945774 - 0.773344I$ $a = 0.019925 + 0.699707I$ $b = 0.821639 + 0.199132I$	$2.89248 + 0.14439I$	0
$u = -1.026270 + 0.668797I$ $a = 1.51971 + 1.52275I$ $b = 1.25354 - 0.76172I$	$-2.48909 + 12.05940I$	0
$u = -1.026270 - 0.668797I$ $a = 1.51971 - 1.52275I$ $b = 1.25354 + 0.76172I$	$-2.48909 - 12.05940I$	0
$u = -0.774246$ $a = 0.387812$ $b = 0.533669$	-1.12460	0
$u = -0.061535 + 0.770664I$ $a = 0.482902 + 0.202147I$ $b = 1.159890 - 0.320033I$	$-3.87589 + 1.10816I$	0
$u = -0.061535 - 0.770664I$ $a = 0.482902 - 0.202147I$ $b = 1.159890 + 0.320033I$	$-3.87589 - 1.10816I$	0
$u = 1.056670 + 0.626358I$ $a = 1.59362 - 1.11314I$ $b = 1.38531 + 0.77992I$	$0.28250 - 7.65382I$	0
$u = 1.056670 - 0.626358I$ $a = 1.59362 + 1.11314I$ $b = 1.38531 - 0.77992I$	$0.28250 + 7.65382I$	0
$u = -0.718495 + 0.999023I$ $a = 0.583288 + 0.432455I$ $b = 0.740289 - 0.388543I$	$5.05636 - 2.06416I$	0
$u = -0.718495 - 0.999023I$ $a = 0.583288 - 0.432455I$ $b = 0.740289 + 0.388543I$	$5.05636 + 2.06416I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.101840 + 0.618661I$		
$a = 1.155310 + 0.703711I$	$-2.31671 + 1.03980I$	0
$b = 1.308720 + 0.109977I$		
$u = -1.101840 - 0.618661I$		
$a = 1.155310 - 0.703711I$	$-2.31671 - 1.03980I$	0
$b = 1.308720 - 0.109977I$		
$u = -0.567882 + 1.138330I$		
$a = 0.464957 - 0.226214I$	$3.22536 - 5.65535I$	0
$b = 1.271600 + 0.553031I$		
$u = -0.567882 - 1.138330I$		
$a = 0.464957 + 0.226214I$	$3.22536 + 5.65535I$	0
$b = 1.271600 - 0.553031I$		
$u = -0.890872 + 0.922827I$		
$a = -0.824566 - 0.991480I$	$-0.65137 + 5.29406I$	0
$b = -1.102060 + 0.260318I$		
$u = -0.890872 - 0.922827I$		
$a = -0.824566 + 0.991480I$	$-0.65137 - 5.29406I$	0
$b = -1.102060 - 0.260318I$		
$u = -1.066560 + 0.724803I$		
$a = 0.779754 - 0.127469I$	$5.5148 + 14.7014I$	0
$b = -0.159945 - 1.245650I$		
$u = -1.066560 - 0.724803I$		
$a = 0.779754 + 0.127469I$	$5.5148 - 14.7014I$	0
$b = -0.159945 + 1.245650I$		
$u = 1.094810 + 0.683544I$		
$a = 1.24038 - 1.41328I$	$-0.64896 - 2.02587I$	0
$b = 0.929503 + 0.148461I$		
$u = 1.094810 - 0.683544I$		
$a = 1.24038 + 1.41328I$	$-0.64896 + 2.02587I$	0
$b = 0.929503 - 0.148461I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.29607$ $a = 1.66723$ $b = 1.43415$	-3.28486	0
$u = -1.049840 + 0.795112I$ $a = -0.254218 - 0.214298I$ $b = -0.541359 - 0.415729I$	$3.98360 + 8.56154I$	0
$u = -1.049840 - 0.795112I$ $a = -0.254218 + 0.214298I$ $b = -0.541359 + 0.415729I$	$3.98360 - 8.56154I$	0
$u = 1.105210 + 0.737439I$ $a = 0.647621 + 0.045276I$ $b = -0.128943 + 1.208340I$	$5.07166 - 6.19256I$	0
$u = 1.105210 - 0.737439I$ $a = 0.647621 - 0.045276I$ $b = -0.128943 - 1.208340I$	$5.07166 + 6.19256I$	0
$u = -0.604599 + 0.250642I$ $a = 0.644588 + 0.211384I$ $b = 0.817836 - 0.129222I$	$-1.259980 + 0.149484I$	0
$u = -0.604599 - 0.250642I$ $a = 0.644588 - 0.211384I$ $b = 0.817836 + 0.129222I$	$-1.259980 - 0.149484I$	0
$u = 1.126000 + 0.757651I$ $a = -1.61331 + 1.32110I$ $b = -1.34030 - 0.63840I$	$1.7933 - 21.2356I$	0
$u = 1.126000 - 0.757651I$ $a = -1.61331 - 1.32110I$ $b = -1.34030 + 0.63840I$	$1.7933 + 21.2356I$	0
$u = -1.361780 + 0.223856I$ $a = -1.93804 - 0.21787I$ $b = -1.318710 + 0.435351I$	$-4.93300 + 12.66270I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.361780 - 0.223856I$ $a = -1.93804 + 0.21787I$ $b = -1.318710 - 0.435351I$	$-4.93300 - 12.66270I$	0
$u = 0.238913 + 1.374860I$ $a = 0.566919 - 0.233375I$ $b = 1.165150 + 0.319347I$	$1.17300 - 7.49088I$	0
$u = 0.238913 - 1.374860I$ $a = 0.566919 + 0.233375I$ $b = 1.165150 - 0.319347I$	$1.17300 + 7.49088I$	0
$u = -1.164170 + 0.792697I$ $a = -1.50375 - 1.23961I$ $b = -1.32265 + 0.61317I$	$1.34112 + 12.49530I$	0
$u = -1.164170 - 0.792697I$ $a = -1.50375 + 1.23961I$ $b = -1.32265 - 0.61317I$	$1.34112 - 12.49530I$	0
$u = 1.193730 + 0.756530I$ $a = -1.48142 + 0.81141I$ $b = -0.976705 - 0.382751I$	$2.70277 - 12.00940I$	0
$u = 1.193730 - 0.756530I$ $a = -1.48142 - 0.81141I$ $b = -0.976705 + 0.382751I$	$2.70277 + 12.00940I$	0
$u = 0.086498 + 0.530594I$ $a = 1.93928 + 0.64244I$ $b = -1.321440 - 0.082297I$	$0.26773 + 3.86278I$	$-6.74413 - 2.57295I$
$u = 0.086498 - 0.530594I$ $a = 1.93928 - 0.64244I$ $b = -1.321440 + 0.082297I$	$0.26773 - 3.86278I$	$-6.74413 + 2.57295I$
$u = 1.55238 + 0.20933I$ $a = -1.47493 + 0.24262I$ $b = -1.147340 + 0.211201I$	$-4.69493 + 0.59225I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.55238 - 0.20933I$ $a = -1.47493 - 0.24262I$ $b = -1.147340 - 0.211201I$	$-4.69493 - 0.59225I$	0
$u = 0.017857 + 0.388441I$ $a = 1.387040 + 0.196354I$ $b = -0.228211 - 0.528489I$	$-0.14403 + 1.80274I$	$-1.56449 - 3.52200I$
$u = 0.017857 - 0.388441I$ $a = 1.387040 - 0.196354I$ $b = -0.228211 + 0.528489I$	$-0.14403 - 1.80274I$	$-1.56449 + 3.52200I$
$u = 0.376641 + 0.013225I$ $a = 1.62685 - 1.65575I$ $b = -0.641836 - 0.556086I$	$1.90579 - 2.18432I$	$0.54507 + 4.60290I$
$u = 0.376641 - 0.013225I$ $a = 1.62685 + 1.65575I$ $b = -0.641836 + 0.556086I$	$1.90579 + 2.18432I$	$0.54507 - 4.60290I$
$u = -1.76996$ $a = -1.43688$ $b = -0.870610$	-3.12003	0
$u = -0.102990 + 0.168780I$ $a = 4.10234 + 1.25167I$ $b = -1.102290 + 0.413864I$	$-2.45392 + 5.61938I$	$-4.22238 - 7.36188I$
$u = -0.102990 - 0.168780I$ $a = 4.10234 - 1.25167I$ $b = -1.102290 - 0.413864I$	$-2.45392 - 5.61938I$	$-4.22238 + 7.36188I$
$u = 0.163447 + 0.035203I$ $a = 1.80523 - 0.22659I$ $b = -0.430116 - 0.711070I$	$2.67064 + 1.18964I$	$-2.53117 + 2.81460I$
$u = 0.163447 - 0.035203I$ $a = 1.80523 + 0.22659I$ $b = -0.430116 + 0.711070I$	$2.67064 - 1.18964I$	$-2.53117 - 2.81460I$

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.0821362 + 0.0591797I$ $a = 3.18202 + 1.14042I$ $b = -1.072260 + 0.597795I$	$0.79590 + 6.19968I$	$-13.0969 - 6.6181I$
$u = 0.0821362 - 0.0591797I$ $a = 3.18202 - 1.14042I$ $b = -1.072260 - 0.597795I$	$0.79590 - 6.19968I$	$-13.0969 + 6.6181I$
$u = 1.99860$ $a = -1.24617$ $b = -1.41036$	-5.42551	0

II.

$$I_2^u = \langle -5.90 \times 10^{10} u^{42} + 1.03 \times 10^{11} u^{41} + \dots + 1.13 \times 10^{10} b - 9.23 \times 10^{10}, -1.98 \times 10^{11} u^{42} + 2.87 \times 10^{11} u^{41} + \dots + 1.13 \times 10^{10} a - 2.25 \times 10^{11}, u^{43} - u^{42} + \dots + u + 1 \rangle$$

(i) Arc colorings

$$\begin{aligned} a_2 &= \begin{pmatrix} 0 \\ u \end{pmatrix} \\ a_6 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_7 &= \begin{pmatrix} 1 \\ u^2 \end{pmatrix} \\ a_3 &= \begin{pmatrix} -u \\ -u^3 + u \end{pmatrix} \\ a_{11} &= \begin{pmatrix} 17.4833u^{42} - 25.3328u^{41} + \dots - 15.4109u + 19.8342 \\ 5.20914u^{42} - 9.08389u^{41} + \dots - 1.50955u + 8.14863 \end{pmatrix} \\ a_{12} &= \begin{pmatrix} 12.2741u^{42} - 16.2489u^{41} + \dots - 13.9014u + 11.6855 \\ 5.20914u^{42} - 9.08389u^{41} + \dots - 1.50955u + 8.14863 \end{pmatrix} \\ a_1 &= \begin{pmatrix} u^3 \\ u^5 - u^3 + u \end{pmatrix} \\ a_5 &= \begin{pmatrix} -7.60086u^{42} + 14.9417u^{41} + \dots - 2.42487u - 14.1116 \\ -5.24001u^{42} + 4.27286u^{41} + \dots + 7.92517u - 4.03630 \end{pmatrix} \\ a_8 &= \begin{pmatrix} 4.84118u^{42} - 13.2897u^{41} + \dots + 3.15399u + 12.9360 \\ 8.22349u^{42} - 7.83110u^{41} + \dots - 12.2461u + 1.07351 \end{pmatrix} \\ a_9 &= \begin{pmatrix} 7.49761u^{42} - 15.2102u^{41} + \dots - 3.56011u + 14.7565 \\ 10.2413u^{42} - 14.5955u^{41} + \dots - 4.94828u + 8.90173 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} 10.3626u^{42} - 20.7186u^{41} + \dots - 2.00541u + 19.2742 \\ 9.71604u^{42} - 16.2519u^{41} + \dots - 2.18273u + 12.8880 \end{pmatrix} \\ a_4 &= \begin{pmatrix} -7.86332u^{42} + 10.5696u^{41} + \dots + 3.42284u - 14.7404 \\ 0.596849u^{42} - 6.10319u^{41} + \dots + 8.35468u + 7.79430 \end{pmatrix} \end{aligned}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes

$$= -\frac{117890973818}{11325634063} u^{42} + \frac{593240466599}{11325634063} u^{41} + \dots - \frac{278122520224}{11325634063} u - \frac{949600266536}{11325634063}$$

(iv) u -Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$u^{43} - 23u^{42} + \dots + 13u - 1$
c_2	$u^{43} + u^{42} + \dots + u - 1$
c_3	$u^{43} + 5u^{41} + \dots - 5u - 1$
c_4	$u^{43} + u^{42} + \dots + 7u - 1$
c_5	$u^{43} + u^{42} + \dots + 83u^2 - 6$
c_6	$u^{43} - u^{42} + \dots + u + 1$
c_7	$u^{43} + 6u^{42} + \dots + 14u - 1$
c_8	$u^{43} - 5u^{42} + \dots + 19u + 1$
c_9	$u^{43} - 4u^{42} + \dots - 54u + 6$
c_{10}	$u^{43} - 11u^{42} + \dots - 2u - 1$
c_{11}	$u^{43} - u^{42} + \dots - 83u^2 + 6$
c_{12}	$u^{43} - 3u^{42} + \dots - 8u - 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$y^{43} - 11y^{42} + \dots - 11y - 1$
c_2, c_6	$y^{43} - 23y^{42} + \dots + 13y - 1$
c_3	$y^{43} + 10y^{42} + \dots + 73y - 1$
c_4	$y^{43} - 31y^{42} + \dots - 23y - 1$
c_5, c_{11}	$y^{43} - 37y^{42} + \dots + 996y - 36$
c_7	$y^{43} + 6y^{42} + \dots + 44y - 1$
c_8	$y^{43} - 19y^{42} + \dots + 21y - 1$
c_9	$y^{43} + 20y^{42} + \dots + 1176y - 36$
c_{10}	$y^{43} - 23y^{42} + \dots - 4y - 1$
c_{12}	$y^{43} - 31y^{42} + \dots + 30y - 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.593704 + 0.772143I$ $a = 0.05909 - 1.65495I$ $b = 0.797889 + 0.124251I$	$3.78678 - 4.28642I$	$0.87277 + 2.85849I$
$u = -0.593704 - 0.772143I$ $a = 0.05909 + 1.65495I$ $b = 0.797889 - 0.124251I$	$3.78678 + 4.28642I$	$0.87277 - 2.85849I$
$u = 0.786997 + 0.665602I$ $a = -0.322398 + 0.298474I$ $b = -0.238482 - 0.892056I$	$4.15090 - 0.08237I$	$1.04840 + 1.75387I$
$u = 0.786997 - 0.665602I$ $a = -0.322398 - 0.298474I$ $b = -0.238482 + 0.892056I$	$4.15090 + 0.08237I$	$1.04840 - 1.75387I$
$u = 0.945937 + 0.090678I$ $a = 2.84013 - 1.16301I$ $b = 1.237470 - 0.331297I$	$-4.19210 + 5.16579I$	$-11.11302 - 5.77828I$
$u = 0.945937 - 0.090678I$ $a = 2.84013 + 1.16301I$ $b = 1.237470 + 0.331297I$	$-4.19210 - 5.16579I$	$-11.11302 + 5.77828I$
$u = -0.935928 + 0.493953I$ $a = 2.17752 + 1.40150I$ $b = 0.917797 - 0.387230I$	$1.52579 + 4.00998I$	$-4.00000 - 8.03137I$
$u = -0.935928 - 0.493953I$ $a = 2.17752 - 1.40150I$ $b = 0.917797 + 0.387230I$	$1.52579 - 4.00998I$	$-4.00000 + 8.03137I$
$u = -0.939773 + 0.499011I$ $a = -0.073023 + 0.547692I$ $b = -0.802635 - 0.610792I$	$1.52089 - 0.04613I$	$-2.17015 - 1.56886I$
$u = -0.939773 - 0.499011I$ $a = -0.073023 - 0.547692I$ $b = -0.802635 + 0.610792I$	$1.52089 + 0.04613I$	$-2.17015 + 1.56886I$

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.587833 + 0.717675I$		
$a = 0.49817 + 1.73103I$	$0.52375 + 5.04710I$	$-2.85683 - 6.13110I$
$b = 1.309910 - 0.327155I$		
$u = -0.587833 - 0.717675I$		
$a = 0.49817 - 1.73103I$	$0.52375 - 5.04710I$	$-2.85683 + 6.13110I$
$b = 1.309910 + 0.327155I$		
$u = 0.879713 + 0.691057I$		
$a = 0.136099 - 0.225063I$	$3.33633 - 4.57776I$	$0. + 6.71220I$
$b = -0.486803 - 0.163267I$		
$u = 0.879713 - 0.691057I$		
$a = 0.136099 + 0.225063I$	$3.33633 + 4.57776I$	$0. - 6.71220I$
$b = -0.486803 + 0.163267I$		
$u = 0.678810 + 0.543511I$		
$a = 0.93349 - 1.80077I$	$0.24440 + 3.44569I$	$5.46029 - 6.46156I$
$b = 1.65060 - 0.39327I$		
$u = 0.678810 - 0.543511I$		
$a = 0.93349 + 1.80077I$	$0.24440 - 3.44569I$	$5.46029 + 6.46156I$
$b = 1.65060 + 0.39327I$		
$u = -1.126780 + 0.157029I$		
$a = -1.86203 - 0.23615I$	$-3.49950 - 1.03555I$	$-2.8077 - 13.8904I$
$b = -1.46901 + 0.72495I$		
$u = -1.126780 - 0.157029I$		
$a = -1.86203 + 0.23615I$	$-3.49950 + 1.03555I$	$-2.8077 + 13.8904I$
$b = -1.46901 - 0.72495I$		
$u = 0.893449 + 0.704673I$		
$a = 0.197321 - 0.976881I$	$3.29761 - 0.78228I$	$1.96085 + 1.47809I$
$b = 0.559152 - 0.089820I$		
$u = 0.893449 - 0.704673I$		
$a = 0.197321 + 0.976881I$	$3.29761 + 0.78228I$	$1.96085 - 1.47809I$
$b = 0.559152 + 0.089820I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.313653 + 0.787485I$ $a = -0.550529 + 0.303905I$ $b = -1.038130 - 0.473348I$	$1.41456 - 6.33950I$	$0.41745 + 8.96807I$
$u = 0.313653 - 0.787485I$ $a = -0.550529 - 0.303905I$ $b = -1.038130 + 0.473348I$	$1.41456 + 6.33950I$	$0.41745 - 8.96807I$
$u = 0.930246 + 0.682309I$ $a = -0.822579 - 0.164924I$ $b = 0.098857 - 0.871878I$	$3.70614 - 5.13803I$	$0. + 4.55606I$
$u = 0.930246 - 0.682309I$ $a = -0.822579 + 0.164924I$ $b = 0.098857 + 0.871878I$	$3.70614 + 5.13803I$	$0. - 4.55606I$
$u = -0.583377 + 0.605798I$ $a = -0.319372 + 0.220817I$ $b = -1.176130 - 0.651951I$	$1.32646 - 5.72703I$	$-3.22085 - 1.02388I$
$u = -0.583377 - 0.605798I$ $a = -0.319372 - 0.220817I$ $b = -1.176130 + 0.651951I$	$1.32646 + 5.72703I$	$-3.22085 + 1.02388I$
$u = 1.013920 + 0.589783I$ $a = -1.60012 + 1.16308I$ $b = -1.80153 - 0.25787I$	$-0.88177 - 8.04919I$	$0. + 15.0415I$
$u = 1.013920 - 0.589783I$ $a = -1.60012 - 1.16308I$ $b = -1.80153 + 0.25787I$	$-0.88177 + 8.04919I$	$0. - 15.0415I$
$u = 0.802046 + 0.052722I$ $a = -0.455494 + 1.009480I$ $b = -1.042860 - 0.426223I$	$-3.56490 - 5.78777I$	$-13.3027 + 8.6088I$
$u = 0.802046 - 0.052722I$ $a = -0.455494 - 1.009480I$ $b = -1.042860 + 0.426223I$	$-3.56490 + 5.78777I$	$-13.3027 - 8.6088I$

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.029030 + 0.648834I$ $a = 1.89202 + 1.43001I$ $b = 1.32308 - 0.60763I$	$-0.03524 + 10.81540I$	$0. - 6.53524I$
$u = -1.029030 - 0.648834I$ $a = 1.89202 - 1.43001I$ $b = 1.32308 + 0.60763I$	$-0.03524 - 10.81540I$	$0. + 6.53524I$
$u = -1.033970 + 0.726497I$ $a = -0.38653 - 1.68969I$ $b = -0.828124 + 0.196197I$	$2.53070 + 10.01650I$	0
$u = -1.033970 - 0.726497I$ $a = -0.38653 + 1.68969I$ $b = -0.828124 - 0.196197I$	$2.53070 - 10.01650I$	0
$u = -0.587795 + 0.405890I$ $a = -0.766518 + 0.601073I$ $b = -0.594443 - 0.617518I$	$2.67480 + 1.95669I$	$-2.76871 - 5.11977I$
$u = -0.587795 - 0.405890I$ $a = -0.766518 - 0.601073I$ $b = -0.594443 + 0.617518I$	$2.67480 - 1.95669I$	$-2.76871 + 5.11977I$
$u = -0.659282 + 0.038879I$ $a = 0.36238 + 2.22186I$ $b = 0.623858 + 0.561916I$	$-1.46058 + 1.83864I$	$-11.79157 - 4.08279I$
$u = -0.659282 - 0.038879I$ $a = 0.36238 - 2.22186I$ $b = 0.623858 - 0.561916I$	$-1.46058 - 1.83864I$	$-11.79157 + 4.08279I$
$u = 0.269972 + 0.533438I$ $a = 2.90886 + 3.12500I$ $b = 0.777591 + 0.032790I$	$3.18729 - 4.54113I$	$-2.55007 + 3.28825I$
$u = 0.269972 - 0.533438I$ $a = 2.90886 - 3.12500I$ $b = 0.777591 - 0.032790I$	$3.18729 + 4.54113I$	$-2.55007 - 3.28825I$

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.61508$ $a = -1.36068$ $b = -1.13613$	-4.13305	0
$u = 1.72844$ $a = -1.57010$ $b = -0.922423$	-3.33947	0
$u = 2.01210$ $a = 1.23780$ $b = 1.42244$	-5.39317	0

$$\text{III. } I_3^u = \langle b, a - 1, u + 1 \rangle$$

(i) Arc colorings

$$a_2 = \begin{pmatrix} 0 \\ -1 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -1 \\ -1 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} 0 \\ 1 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 2 \\ 1 \end{pmatrix}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes = 0

(iv) **u**-Polynomials at the component

Crossings	u -Polynomials at each crossing
c_1, c_2, c_3 c_4, c_{10}, c_{12}	$u - 1$
c_5, c_9, c_{11}	u
c_6, c_7, c_8	$u + 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1, c_2, c_3 c_4, c_6, c_7 c_8, c_{10}, c_{12}	$y - 1$
c_5, c_9, c_{11}	y

(vi) Complex Volumes and Cusp Shapes

Solutions to I_3^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.00000$		
$a = 1.00000$	0	0
$b = 0$		

IV. u-Polynomials

Crossings	u-Polynomials at each crossing
c_1	$(u - 1)(u^{43} - 23u^{42} + \dots + 13u - 1)(u^{183} + 73u^{182} + \dots + 140u + 1)$
c_2	$(u - 1)(u^{43} + u^{42} + \dots + u - 1)(u^{183} - u^{182} + \dots - 26u + 1)$
c_3	$(u - 1)(u^{43} + 5u^{41} + \dots - 5u - 1)(u^{183} + 16u^{181} + \dots + 13120u - 6587)$
c_4	$(u - 1)(u^{43} + u^{42} + \dots + 7u - 1)$ $\cdot (u^{183} + 3u^{182} + \dots + 23844880676u + 2117995963)$
c_5	$u(u^{43} + u^{42} + \dots + 83u^2 - 6)(u^{183} - 59u^{181} + \dots + 49924u + 6638)$
c_6	$(u + 1)(u^{43} - u^{42} + \dots + u + 1)(u^{183} - u^{182} + \dots - 26u + 1)$
c_7	$(u + 1)(u^{43} + 6u^{42} + \dots + 14u - 1)(u^{183} - 4u^{182} + \dots - 79u + 1)$
c_8	$(u + 1)(u^{43} - 5u^{42} + \dots + 19u + 1)$ $\cdot (u^{183} + u^{182} + \dots - 49629456462u + 10428858667)$
c_9	$u(u^{43} - 4u^{42} + \dots - 54u + 6)(u^{183} + 11u^{182} + \dots - 25134u + 3142)$
c_{10}	$(u - 1)(u^{43} - 11u^{42} + \dots - 2u - 1)(u^{183} - 7u^{182} + \dots - 7u - 1)$
c_{11}	$u(u^{43} - u^{42} + \dots - 83u^2 + 6)(u^{183} - 59u^{181} + \dots + 49924u + 6638)$
c_{12}	$(u - 1)(u^{43} - 3u^{42} + \dots - 8u - 1)(u^{183} + 17u^{182} + \dots + 3u + 1)$

V. Riley Polynomials

Crossings	Riley Polynomials at each crossing
c_1	$(y - 1)(y^{43} - 11y^{42} + \dots - 11y - 1)(y^{183} + 71y^{182} + \dots - 14140y - 1)$
c_2, c_6	$(y - 1)(y^{43} - 23y^{42} + \dots + 13y - 1)(y^{183} - 73y^{182} + \dots + 140y - 1)$
c_3	$(y - 1)(y^{43} + 10y^{42} + \dots + 73y - 1)$ $\cdot (y^{183} + 32y^{182} + \dots - 197765172y - 43388569)$
c_4	$(y - 1)(y^{43} - 31y^{42} + \dots - 23y - 1)$ $\cdot (y^{183} - 97y^{182} + \dots + 5.30 \times 10^{20}y - 4.49 \times 10^{18})$
c_5, c_{11}	$y(y^{43} - 37y^{42} + \dots + 996y - 36)$ $\cdot (y^{183} - 118y^{182} + \dots + 4475548104y - 44063044)$
c_7	$(y - 1)(y^{43} + 6y^{42} + \dots + 44y - 1)(y^{183} + 4y^{182} + \dots + 1331y - 1)$
c_8	$(y - 1)(y^{43} - 19y^{42} + \dots + 21y - 1)$ $\cdot (y^{183} - 73y^{182} + \dots + 3.70 \times 10^{21}y - 1.09 \times 10^{20})$
c_9	$y(y^{43} + 20y^{42} + \dots + 1176y - 36)$ $\cdot (y^{183} + 47y^{182} + \dots + 8565230252y - 9872164)$
c_{10}	$(y - 1)(y^{43} - 23y^{42} + \dots - 4y - 1)(y^{183} - 17y^{182} + \dots + 23y - 1)$
c_{12}	$(y - 1)(y^{43} - 31y^{42} + \dots + 30y - 1)(y^{183} - 49y^{182} + \dots - 71y - 1)$