


## $12a_{0976}$ ( $K12a_{0976}$ )



### Ideals for irreducible components<sup>2</sup> of $X_{\text{par}}$

$$\begin{aligned}
 I_1^u &= \langle -9.36792 \times 10^{27} u^{40} + 8.13492 \times 10^{26} u^{39} + \dots + 1.40941 \times 10^{28} b + 7.10735 \times 10^{27}, \\
 &\quad - 7.39544 \times 10^{27} u^{40} + 5.79824 \times 10^{27} u^{39} + \dots + 4.69805 \times 10^{27} a - 1.57638 \times 10^{28}, u^{41} - u^{40} + \dots + 16u - 1 \rangle \\
 I_2^u &= \langle 3.76586 \times 10^{963} u^{151} + 1.26628 \times 10^{964} u^{150} + \dots + 6.29219 \times 10^{964} b - 9.83778 \times 10^{965}, \\
 &\quad 3.81143 \times 10^{966} u^{151} + 1.59111 \times 10^{967} u^{150} + \dots + 7.99108 \times 10^{966} a - 5.06361 \times 10^{967}, \\
 &\quad u^{152} + 4u^{151} + \dots + 5344u + 127 \rangle \\
 I_3^u &= \langle -4u^{15} - 2u^{14} + \dots + b + 11, 4u^{15} + 25u^{14} + \dots + 3a + 48, u^{16} + u^{15} + \dots - 3u + 3 \rangle \\
 I_4^u &= \langle 1.46396 \times 10^{31} u^{35} - 5.32684 \times 10^{31} u^{34} + \dots + 6.50328 \times 10^{30} b - 1.74691 \times 10^{32}, \\
 &\quad 2.40645 \times 10^{32} u^{35} - 8.53847 \times 10^{32} u^{34} + \dots + 1.30066 \times 10^{31} a + 2.12996 \times 10^{33}, u^{36} - 5u^{35} + \dots - 24u + 1 \rangle
 \end{aligned}$$

$$I_1^v = \langle a, b + v, v^2 - v + 1 \rangle$$

\* 5 irreducible components of  $\dim_{\mathbb{C}} = 0$ , with total 247 representations.

<sup>1</sup>The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/math/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

<sup>2</sup>All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

I.

$$I_1^u = \langle -9.37 \times 10^{27} u^{40} + 8.13 \times 10^{26} u^{39} + \dots + 1.41 \times 10^{28} b + 7.11 \times 10^{27}, -7.40 \times 10^{27} u^{40} + 5.80 \times 10^{27} u^{39} + \dots + 4.70 \times 10^{27} a - 1.58 \times 10^{28}, u^{41} - u^{40} + \dots + 16u - 4 \rangle$$

(i) Arc colorings

$$a_3 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1.57415u^{40} - 1.23418u^{39} + \dots - 15.1906u + 3.35539 \\ 0.664667u^{40} - 0.0577185u^{39} + \dots - 1.60599u - 0.504277 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} u \\ u \end{pmatrix}$$

$$a_2 = \begin{pmatrix} -1.08851u^{40} + 1.67936u^{39} + \dots + 22.4118u - 4.32639 \\ -0.617870u^{40} + 0.662158u^{39} + \dots + 8.27389u - 1.88526 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 1.85378u^{40} - 2.97661u^{39} + \dots - 44.3273u + 10.8054 \\ 1.40222u^{40} - 1.50444u^{39} + \dots - 19.8467u + 4.01319 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -0.478088u^{40} + 1.13344u^{39} + \dots + 16.8780u - 3.84825 \\ -0.165222u^{40} + 0.391963u^{39} + \dots + 6.86426u - 2.14327 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} 0.0710383u^{40} + 0.170175u^{39} + \dots + 1.05064u + 1.10767 \\ -0.763787u^{40} + 1.64557u^{39} + \dots + 24.2806u - 6.20023 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 1.10180u^{40} - 0.871388u^{39} + \dots - 12.5378u + 3.66997 \\ 0.266978u^{40} + 0.604011u^{39} + \dots + 10.6921u - 3.63794 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 1.34374u^{40} + 0.0709335u^{39} + \dots - 1.23170u - 1.05183 \\ -0.206321u^{40} + 0.857204u^{39} + \dots + 6.30360u - 1.57219 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 0.312866u^{40} - 0.741479u^{39} + \dots - 10.0138u + 1.70498 \\ 0.383904u^{40} - 0.571305u^{39} + \dots - 8.96313u + 2.81265 \end{pmatrix}$$

(ii) Obstruction class = -1

$$(iii) \textbf{Cusp Shapes} = -\frac{3034752482244072423566867802}{1174511702315840550034715077}u^{40} - \frac{142264458706085874111596356}{1174511702315840550034715077}u^{39} + \dots - \frac{38859810324958590784929033798}{1174511702315840550034715077}u + \frac{26045816357872276194720333966}{1174511702315840550034715077}$$

**(iv) u-Polynomials at the component**

Crossings	u-Polynomials at each crossing
$c_1, c_4$	$u^{41} - u^{40} + \cdots + 5u - 1$
$c_2, c_6$	$u^{41} - 18u^{40} + \cdots + 3856u - 272$
$c_3, c_5, c_9$ $c_{11}$	$u^{41} - u^{40} + \cdots + 16u - 4$
$c_7$	$u^{41} - 35u^{40} + \cdots + 9437184u - 524288$
$c_8$	$u^{41} - 28u^{40} + \cdots + 146856u - 11968$
$c_{10}, c_{12}$	$u^{41} + u^{40} + \cdots - u - 1$

**(v) Riley Polynomials at the component**

Crossings	Riley Polynomials at each crossing
$c_1, c_4$	$y^{41} - 17y^{40} + \cdots + 47y - 1$
$c_2, c_6$	$y^{41} + 30y^{40} + \cdots + 474496y - 73984$
$c_3, c_5, c_9$ $c_{11}$	$y^{41} + 29y^{40} + \cdots + 208y^2 - 16$
$c_7$	$y^{41} + 9y^{40} + \cdots + 1649267441664y - 274877906944$
$c_8$	$y^{41} - 8y^{40} + \cdots - 428680128y - 143233024$
$c_{10}, c_{12}$	$y^{41} + 7y^{40} + \cdots + y - 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.355254 + 0.957355I$		
$a = -0.943476 - 0.548882I$	$-1.17120 + 5.93299I$	$4.82099 - 13.25602I$
$b = -0.725619 + 0.128110I$		
$u = 0.355254 - 0.957355I$		
$a = -0.943476 + 0.548882I$	$-1.17120 - 5.93299I$	$4.82099 + 13.25602I$
$b = -0.725619 - 0.128110I$		
$u = 0.182709 + 0.955930I$		
$a = 0.59415 - 2.33874I$	$-3.41939 - 0.61188I$	$-4.06956 + 3.27847I$
$b = -0.78874 - 1.31820I$		
$u = 0.182709 - 0.955930I$		
$a = 0.59415 + 2.33874I$	$-3.41939 + 0.61188I$	$-4.06956 - 3.27847I$
$b = -0.78874 + 1.31820I$		
$u = 0.312542 + 1.016120I$		
$a = -0.170843 + 0.707646I$	$-2.15556 + 2.75564I$	$2.75882 - 3.02176I$
$b = 0.887449 + 0.244109I$		
$u = 0.312542 - 1.016120I$		
$a = -0.170843 - 0.707646I$	$-2.15556 - 2.75564I$	$2.75882 + 3.02176I$
$b = 0.887449 - 0.244109I$		
$u = -0.829768 + 0.414937I$		
$a = 0.401759 + 0.549858I$	$3.84345 + 4.13042I$	$11.18782 - 2.61819I$
$b = -0.795790 + 0.091594I$		
$u = -0.829768 - 0.414937I$		
$a = 0.401759 - 0.549858I$	$3.84345 - 4.13042I$	$11.18782 + 2.61819I$
$b = -0.795790 - 0.091594I$		
$u = 1.057050 + 0.246411I$		
$a = 0.173938 + 0.652642I$	$0.36430 - 8.56808I$	$5.99108 + 6.74347I$
$b = -0.417916 + 1.222970I$		
$u = 1.057050 - 0.246411I$		
$a = 0.173938 - 0.652642I$	$0.36430 + 8.56808I$	$5.99108 - 6.74347I$
$b = -0.417916 - 1.222970I$		

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.282856 + 1.165060I$		
$a = -0.606099 - 0.167833I$	$-5.75137 + 3.96802I$	$-4.24316 - 1.27024I$
$b = -1.38265 + 0.62746I$		
$u = 0.282856 - 1.165060I$		
$a = -0.606099 + 0.167833I$	$-5.75137 - 3.96802I$	$-4.24316 + 1.27024I$
$b = -1.38265 - 0.62746I$		
$u = -0.765233 + 0.027384I$		
$a = 0.544878 + 0.272827I$	$-1.84700 - 2.91345I$	$3.24294 + 4.74634I$
$b = -0.346266 + 1.126520I$		
$u = -0.765233 - 0.027384I$		
$a = 0.544878 - 0.272827I$	$-1.84700 + 2.91345I$	$3.24294 - 4.74634I$
$b = -0.346266 - 1.126520I$		
$u = -0.355013 + 1.204340I$		
$a = -0.592249 + 0.345245I$	$-5.80010 - 0.30487I$	$-4.31941 - 0.73616I$
$b = 0.348655 + 0.463430I$		
$u = -0.355013 - 1.204340I$		
$a = -0.592249 - 0.345245I$	$-5.80010 + 0.30487I$	$-4.31941 + 0.73616I$
$b = 0.348655 - 0.463430I$		
$u = -0.357497 + 1.225470I$		
$a = 0.65659 + 2.23078I$	$-4.91754 - 10.74480I$	$4.64446 + 9.26386I$
$b = -0.481655 + 1.303690I$		
$u = -0.357497 - 1.225470I$		
$a = 0.65659 - 2.23078I$	$-4.91754 + 10.74480I$	$4.64446 - 9.26386I$
$b = -0.481655 - 1.303690I$		
$u = 0.198188 + 0.673749I$		
$a = -1.44436 + 0.31882I$	$-1.58494 + 6.26446I$	$1.10892 - 8.48549I$
$b = -0.520200 - 0.640823I$		
$u = 0.198188 - 0.673749I$		
$a = -1.44436 - 0.31882I$	$-1.58494 - 6.26446I$	$1.10892 + 8.48549I$
$b = -0.520200 + 0.640823I$		

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.470339 + 0.520796I$		
$a = 0.949040 - 0.250865I$	$1.54510 + 1.18608I$	$8.80668 + 0.32091I$
$b = -0.692863 - 0.570833I$		
$u = 0.470339 - 0.520796I$		
$a = 0.949040 + 0.250865I$	$1.54510 - 1.18608I$	$8.80668 - 0.32091I$
$b = -0.692863 + 0.570833I$		
$u = -0.541532 + 0.429703I$		
$a = 0.798167 - 0.298634I$	$0.13834 + 3.71774I$	$8.24552 - 0.59208I$
$b = -0.584304 - 1.023470I$		
$u = -0.541532 - 0.429703I$		
$a = 0.798167 + 0.298634I$	$0.13834 - 3.71774I$	$8.24552 + 0.59208I$
$b = -0.584304 + 1.023470I$		
$u = 0.201344 + 1.294790I$		
$a = -0.60451 + 1.70665I$	$-7.25907 + 6.02782I$	$-24.9299 - 9.4175I$
$b = -0.53100 + 2.37595I$		
$u = 0.201344 - 1.294790I$		
$a = -0.60451 - 1.70665I$	$-7.25907 - 6.02782I$	$-24.9299 + 9.4175I$
$b = -0.53100 - 2.37595I$		
$u = -0.507037 + 1.212430I$		
$a = 0.94888 + 1.67421I$	$-8.9112 - 11.8653I$	$-2.47418 + 10.59886I$
$b = -0.74687 + 1.42147I$		
$u = -0.507037 - 1.212430I$		
$a = 0.94888 - 1.67421I$	$-8.9112 + 11.8653I$	$-2.47418 - 10.59886I$
$b = -0.74687 - 1.42147I$		
$u = -0.652124 + 1.149880I$		
$a = -1.07807 - 1.24272I$	$-7.26445 - 6.58554I$	$0. + 6.24258I$
$b = 0.270848 - 1.313070I$		
$u = -0.652124 - 1.149880I$		
$a = -1.07807 + 1.24272I$	$-7.26445 + 6.58554I$	$0. - 6.24258I$
$b = 0.270848 + 1.313070I$		

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.553913 + 1.274090I$	$-1.6816 - 14.7698I$	$0. + 10.08826I$
$a = -0.220887 + 0.527421I$		
$b = -1.392050 + 0.043136I$		
$u = -0.553913 - 1.274090I$	$-1.6816 + 14.7698I$	$0. - 10.08826I$
$a = -0.220887 - 0.527421I$		
$b = -1.392050 - 0.043136I$		
$u = 0.486851 + 0.244403I$		
$a = 1.85925 - 0.90732I$	$0.022808 - 0.870233I$	$6.94699 + 0.81647I$
$b = -0.273613 - 0.988318I$		
$u = 0.486851 - 0.244403I$		
$a = 1.85925 + 0.90732I$	$0.022808 + 0.870233I$	$6.94699 - 0.81647I$
$b = -0.273613 + 0.988318I$		
$u = -0.05192 + 1.46914I$		
$a = -0.22904 - 1.73436I$	$-13.31590 + 0.60859I$	$0$
$b = -0.21282 - 1.46235I$		
$u = -0.05192 - 1.46914I$		
$a = -0.22904 + 1.73436I$	$-13.31590 - 0.60859I$	$0$
$b = -0.21282 + 1.46235I$		
$u = 0.65516 + 1.35458I$		
$a = -1.01542 + 1.19287I$	$-8.10806 + 2.31475I$	$0$
$b = 0.174557 + 1.168400I$		
$u = 0.65516 - 1.35458I$		
$a = -1.01542 - 1.19287I$	$-8.10806 - 2.31475I$	$0$
$b = 0.174557 - 1.168400I$		
$u = 0.70626 + 1.36288I$		
$a = 0.87484 - 1.51677I$	$-6.3818 + 21.6497I$	$0$
$b = -0.61588 - 1.45307I$		
$u = 0.70626 - 1.36288I$		
$a = 0.87484 + 1.51677I$	$-6.3818 - 21.6497I$	$0$
$b = -0.61588 + 1.45307I$		

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.410975$		
$a = 1.20694$	0.911167	11.2160
$b = -0.346533$		

$$\text{II. } I_2^u = \langle 3.77 \times 10^{963}u^{151} + 1.27 \times 10^{964}u^{150} + \dots + 6.29 \times 10^{964}b - 9.84 \times 10^{965}, 3.81 \times 10^{966}u^{151} + 1.59 \times 10^{967}u^{150} + \dots + 7.99 \times 10^{966}a - 5.06 \times 10^{967}, u^{152} + 4u^{151} + \dots + 5344u + 127 \rangle$$

(i) **Arc colorings**

$$a_3 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} -0.476961u^{151} - 1.99111u^{150} + \dots - 829.800u + 6.33658 \\ -0.0598497u^{151} - 0.201247u^{150} + \dots + 601.956u + 15.6349 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} u \\ u \end{pmatrix}$$

$$a_2 = \begin{pmatrix} -0.550082u^{151} - 1.82843u^{150} + \dots + 1728.55u + 60.0372 \\ -0.286239u^{151} - 0.977703u^{150} + \dots + 1408.59u + 35.6321 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} -0.476089u^{151} - 1.67154u^{150} + \dots + 290.281u + 41.1953 \\ -0.407293u^{151} - 1.47309u^{150} + \dots + 1449.28u + 37.6940 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -0.390488u^{151} - 1.29157u^{150} + \dots + 1219.57u + 48.4380 \\ -0.0987343u^{151} - 0.315899u^{150} + \dots + 886.357u + 22.7394 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} 0.201437u^{151} + 0.956029u^{150} + \dots + 1264.00u + 65.5938 \\ -0.0108564u^{151} - 0.0121123u^{150} + \dots + 553.852u + 14.7828 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0.278529u^{151} + 1.33447u^{150} + \dots + 1926.73u + 80.7029 \\ 0.0662356u^{151} + 0.366329u^{150} + \dots + 1216.58u + 29.8919 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} -0.421507u^{151} - 1.67481u^{150} + \dots - 2145.24u - 39.1653 \\ -0.351584u^{151} - 1.43290u^{150} + \dots + 101.022u + 4.75533 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} -0.475745u^{151} - 1.99625u^{150} + \dots - 2006.72u - 31.0923 \\ -0.563910u^{151} - 2.24307u^{150} + \dots + 90.2285u + 5.33301 \end{pmatrix}$$

(ii) **Obstruction class = -1**

(iii) **Cusp Shapes** =  $-6.75818u^{151} - 30.4274u^{150} + \dots - 15015.3u - 319.503$

**(iv) u-Polynomials at the component**

Crossings	u-Polynomials at each crossing
$c_1, c_4$	$u^{152} - 12u^{151} + \cdots - 8870u + 337$
$c_2, c_6$	$(u^{76} + 8u^{75} + \cdots + 21348u + 1357)^2$
$c_3, c_5, c_9$ $c_{11}$	$u^{152} + 4u^{151} + \cdots + 5344u + 127$
$c_7$	$(u^{76} + 14u^{75} + \cdots + 18u + 1)^2$
$c_8$	$(u^{76} + 11u^{75} + \cdots + 3116u + 157)^2$
$c_{10}, c_{12}$	$u^{152} + 16u^{151} + \cdots + 41u + 1$

**(v) Riley Polynomials at the component**

Crossings	Riley Polynomials at each crossing
$c_1, c_4$	$y^{152} - 10y^{151} + \dots - 12017626y + 113569$
$c_2, c_6$	$(y^{76} + 56y^{75} + \dots + 18480116y + 1841449)^2$
$c_3, c_5, c_9$ $c_{11}$	$y^{152} + 94y^{151} + \dots + 27521308y + 16129$
$c_7$	$(y^{76} + 28y^{75} + \dots - 14y + 1)^2$
$c_8$	$(y^{76} - y^{75} + \dots - 25068y + 24649)^2$
$c_{10}, c_{12}$	$y^{152} - 12y^{151} + \dots + 199y + 1$

**(vi) Complex Volumes and Cusp Shapes**

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.321675 + 0.948571I$		
$a = -0.555763 - 0.631177I$	$-2.38966 + 1.51567I$	0
$b = 0.098447 + 0.825085I$		
$u = 0.321675 - 0.948571I$		
$a = -0.555763 + 0.631177I$	$-2.38966 - 1.51567I$	0
$b = 0.098447 - 0.825085I$		
$u = -0.205022 + 1.014360I$		
$a = -0.901906 + 0.599388I$	$-1.36965 - 5.17554I$	0
$b = -1.52601 + 0.32594I$		
$u = -0.205022 - 1.014360I$		
$a = -0.901906 - 0.599388I$	$-1.36965 + 5.17554I$	0
$b = -1.52601 - 0.32594I$		
$u = 0.134529 + 0.951621I$		
$a = 3.08877 + 2.50158I$	$-1.35819 + 0.58027I$	0
$b = -0.132437 + 1.101920I$		
$u = 0.134529 - 0.951621I$		
$a = 3.08877 - 2.50158I$	$-1.35819 - 0.58027I$	0
$b = -0.132437 - 1.101920I$		
$u = -0.948627 + 0.151897I$		
$a = -0.906818 - 0.940951I$	$1.78749 + 9.29186I$	0
$b = 0.962946 + 0.117211I$		
$u = -0.948627 - 0.151897I$		
$a = -0.906818 + 0.940951I$	$1.78749 - 9.29186I$	0
$b = 0.962946 - 0.117211I$		
$u = 0.677106 + 0.791269I$		
$a = 0.672491 + 0.225401I$	$1.44692 + 2.60945I$	0
$b = -0.153567 - 0.947062I$		
$u = 0.677106 - 0.791269I$		
$a = 0.672491 - 0.225401I$	$1.44692 - 2.60945I$	0
$b = -0.153567 + 0.947062I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.068993 + 0.937182I$		
$a = 0.64758 - 2.46758I$	$0.01967 - 1.55847I$	0
$b = 0.088101 - 1.173320I$		
$u = 0.068993 - 0.937182I$		
$a = 0.64758 + 2.46758I$	$0.01967 + 1.55847I$	0
$b = 0.088101 + 1.173320I$		
$u = 0.022949 + 0.929780I$		
$a = -0.064307 + 0.800528I$	$-2.25254 + 2.60045I$	0
$b = 0.773085 + 0.134427I$		
$u = 0.022949 - 0.929780I$		
$a = -0.064307 - 0.800528I$	$-2.25254 - 2.60045I$	0
$b = 0.773085 - 0.134427I$		
$u = -0.452279 + 0.970743I$		
$a = 0.0858293 - 0.0527863I$	$2.28261 - 3.79252I$	0
$b = -0.780417 + 0.103082I$		
$u = -0.452279 - 0.970743I$		
$a = 0.0858293 + 0.0527863I$	$2.28261 + 3.79252I$	0
$b = -0.780417 - 0.103082I$		
$u = -0.118444 + 0.916031I$		
$a = -0.617624 + 0.906027I$	$-2.50522 - 4.14089I$	0
$b = -1.17122 + 0.90354I$		
$u = -0.118444 - 0.916031I$		
$a = -0.617624 - 0.906027I$	$-2.50522 + 4.14089I$	0
$b = -1.17122 - 0.90354I$		
$u = 0.075286 + 0.909043I$		
$a = -8.26782 + 8.73603I$	$-1.340640 + 0.177537I$	0
$b = 0.026371 + 1.031480I$		
$u = 0.075286 - 0.909043I$		
$a = -8.26782 - 8.73603I$	$-1.340640 - 0.177537I$	0
$b = 0.026371 - 1.031480I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.831746 + 0.354007I$		
$a = -0.281841 + 0.089434I$	$-2.07001 + 7.87140I$	0
$b = 0.401952 + 1.167590I$		
$u = 0.831746 - 0.354007I$		
$a = -0.281841 - 0.089434I$	$-2.07001 - 7.87140I$	0
$b = 0.401952 - 1.167590I$		
$u = -0.597534 + 0.674451I$		
$a = 0.308248 - 1.053050I$	$3.23978 - 0.43349I$	0
$b = 0.436612 - 0.151450I$		
$u = -0.597534 - 0.674451I$		
$a = 0.308248 + 1.053050I$	$3.23978 + 0.43349I$	0
$b = 0.436612 + 0.151450I$		
$u = 0.119306 + 1.117480I$		
$a = 0.226897 + 0.055159I$	$-2.23820 + 2.40729I$	0
$b = 0.640072 + 0.133424I$		
$u = 0.119306 - 1.117480I$		
$a = 0.226897 - 0.055159I$	$-2.23820 - 2.40729I$	0
$b = 0.640072 - 0.133424I$		
$u = -0.165583 + 0.857911I$		
$a = 0.31669 + 3.42620I$	$-4.35700 - 6.39751I$	0
$b = -0.67356 + 2.01674I$		
$u = -0.165583 - 0.857911I$		
$a = 0.31669 - 3.42620I$	$-4.35700 + 6.39751I$	0
$b = -0.67356 - 2.01674I$		
$u = 1.048890 + 0.436709I$		
$a = 0.300540 + 0.319529I$	$-5.14281 + 4.26286I$	0
$b = 0.068044 + 1.150610I$		
$u = 1.048890 - 0.436709I$		
$a = 0.300540 - 0.319529I$	$-5.14281 - 4.26286I$	0
$b = 0.068044 - 1.150610I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.632901 + 0.573670I$		
$a = 0.848775 - 0.143924I$	$1.52205 + 1.28713I$	0
$b = -0.615975 - 0.614978I$		
$u = 0.632901 - 0.573670I$		
$a = 0.848775 + 0.143924I$	$1.52205 - 1.28713I$	0
$b = -0.615975 + 0.614978I$		
$u = -0.689072 + 0.919953I$		
$a = 0.151660 + 0.635912I$	$-5.16537 + 3.34404I$	0
$b = 0.58156 + 1.35705I$		
$u = -0.689072 - 0.919953I$		
$a = 0.151660 - 0.635912I$	$-5.16537 - 3.34404I$	0
$b = 0.58156 - 1.35705I$		
$u = 0.504987 + 1.037680I$		
$a = 0.302256 - 1.050710I$	$-0.477490 - 0.597383I$	0
$b = 0.005795 - 0.617905I$		
$u = 0.504987 - 1.037680I$		
$a = 0.302256 + 1.050710I$	$-0.477490 + 0.597383I$	0
$b = 0.005795 + 0.617905I$		
$u = 0.824830 + 0.185756I$		
$a = -0.131095 + 1.387960I$	$3.23978 - 0.43349I$	0
$b = 0.436612 - 0.151450I$		
$u = 0.824830 - 0.185756I$		
$a = -0.131095 - 1.387960I$	$3.23978 + 0.43349I$	0
$b = 0.436612 + 0.151450I$		
$u = 0.623399 + 0.981915I$		
$a = 0.216002 + 0.611821I$	$0.47029 + 3.49839I$	0
$b = 0.746181 - 0.367556I$		
$u = 0.623399 - 0.981915I$		
$a = 0.216002 - 0.611821I$	$0.47029 - 3.49839I$	0
$b = 0.746181 + 0.367556I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.197928 + 0.813159I$		
$a = 0.744719 + 0.190342I$	$-3.02657 + 2.42547I$	0
$b = 0.556125 - 0.799527I$		
$u = 0.197928 - 0.813159I$		
$a = 0.744719 - 0.190342I$	$-3.02657 - 2.42547I$	0
$b = 0.556125 + 0.799527I$		
$u = 0.568349 + 1.015660I$		
$a = 0.437891 + 0.495743I$	$0.16144 + 3.37593I$	0
$b = 0.727656 - 0.562684I$		
$u = 0.568349 - 1.015660I$		
$a = 0.437891 - 0.495743I$	$0.16144 - 3.37593I$	0
$b = 0.727656 + 0.562684I$		
$u = 1.137130 + 0.308092I$		
$a = 0.760950 - 0.588185I$	$2.28261 + 3.79252I$	0
$b = -0.780417 - 0.103082I$		
$u = 1.137130 - 0.308092I$		
$a = 0.760950 + 0.588185I$	$2.28261 - 3.79252I$	0
$b = -0.780417 + 0.103082I$		
$u = -1.175070 + 0.087388I$		
$a = 0.282190 - 1.133660I$	$1.44692 + 2.60945I$	0
$b = -0.153567 - 0.947062I$		
$u = -1.175070 - 0.087388I$		
$a = 0.282190 + 1.133660I$	$1.44692 - 2.60945I$	0
$b = -0.153567 + 0.947062I$		
$u = 1.179210 + 0.075153I$		
$a = 0.320501 - 0.053469I$	$0.338060 + 1.207040I$	0
$b = -0.275772 + 1.264760I$		
$u = 1.179210 - 0.075153I$		
$a = 0.320501 + 0.053469I$	$0.338060 - 1.207040I$	0
$b = -0.275772 - 1.264760I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.933208 + 0.735273I$		
$a = -0.141827 - 0.551529I$	$0.23222 - 8.03043I$	0
$b = 0.236818 - 0.933476I$		
$u = -0.933208 - 0.735273I$		
$a = -0.141827 + 0.551529I$	$0.23222 + 8.03043I$	0
$b = 0.236818 + 0.933476I$		
$u = -0.182730 + 0.787476I$		
$a = -1.65435 - 5.09329I$	$0.23222 - 8.03043I$	0
$b = 0.236818 - 0.933476I$		
$u = -0.182730 - 0.787476I$		
$a = -1.65435 + 5.09329I$	$0.23222 + 8.03043I$	0
$b = 0.236818 + 0.933476I$		
$u = -0.774872 + 0.184428I$		
$a = 0.084412 - 0.162774I$	$-4.74007 + 1.48070I$	0
$b = 0.067392 - 1.235640I$		
$u = -0.774872 - 0.184428I$		
$a = 0.084412 + 0.162774I$	$-4.74007 - 1.48070I$	0
$b = 0.067392 + 1.235640I$		
$u = -0.553291 + 1.070460I$		
$a = -1.46100 - 2.04931I$	$-1.57137 - 8.24589I$	0
$b = 0.558660 - 1.081100I$		
$u = -0.553291 - 1.070460I$		
$a = -1.46100 + 2.04931I$	$-1.57137 + 8.24589I$	0
$b = 0.558660 + 1.081100I$		
$u = -0.182777 + 0.771916I$		
$a = 0.02458 - 2.43264I$	$0.338060 - 1.207040I$	0
$b = -0.275772 - 1.264760I$		
$u = -0.182777 - 0.771916I$		
$a = 0.02458 + 2.43264I$	$0.338060 + 1.207040I$	0
$b = -0.275772 + 1.264760I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.751421 + 0.222954I$		
$a = 1.10538 + 0.89749I$	$-2.34278 + 6.87328I$	0
$b = -0.152857 - 1.234760I$		
$u = -0.751421 - 0.222954I$		
$a = 1.10538 - 0.89749I$	$-2.34278 - 6.87328I$	0
$b = -0.152857 + 1.234760I$		
$u = 0.070427 + 0.774274I$		
$a = 0.854638 - 0.931139I$	$0.10193 + 3.64056I$	0
$b = 1.149720 - 0.713311I$		
$u = 0.070427 - 0.774274I$		
$a = 0.854638 + 0.931139I$	$0.10193 - 3.64056I$	0
$b = 1.149720 + 0.713311I$		
$u = -0.568940 + 1.082380I$		
$a = 0.177618 - 0.622296I$	$1.78749 - 9.29186I$	0
$b = 0.962946 - 0.117211I$		
$u = -0.568940 - 1.082380I$		
$a = 0.177618 + 0.622296I$	$1.78749 + 9.29186I$	0
$b = 0.962946 + 0.117211I$		
$u = 0.298987 + 0.710773I$		
$a = 0.391992 - 0.122533I$	$0.87113 + 3.12892I$	0
$b = -0.531957 - 0.826362I$		
$u = 0.298987 - 0.710773I$		
$a = 0.391992 + 0.122533I$	$0.87113 - 3.12892I$	0
$b = -0.531957 + 0.826362I$		
$u = -0.326196 + 0.690414I$		
$a = -1.71946 - 1.23894I$	$-6.43178 - 7.09340I$	0
$b = 0.442866 - 1.291260I$		
$u = -0.326196 - 0.690414I$		
$a = -1.71946 + 1.23894I$	$-6.43178 + 7.09340I$	0
$b = 0.442866 + 1.291260I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.547063 + 1.113880I$		
$a = 0.85489 + 1.45057I$	$-4.74007 - 1.48070I$	0
$b = 0.067392 + 1.235640I$		
$u = -0.547063 - 1.113880I$		
$a = 0.85489 - 1.45057I$	$-4.74007 + 1.48070I$	0
$b = 0.067392 - 1.235640I$		
$u = -0.419706 + 1.189910I$		
$a = 0.32864 + 1.88896I$	$-2.38966 + 1.51567I$	0
$b = 0.098447 + 0.825085I$		
$u = -0.419706 - 1.189910I$		
$a = 0.32864 - 1.88896I$	$-2.38966 - 1.51567I$	0
$b = 0.098447 - 0.825085I$		
$u = 0.359863 + 1.222760I$		
$a = -0.151081 + 0.179161I$	$-2.25254 + 2.60045I$	0
$b = 0.773085 + 0.134427I$		
$u = 0.359863 - 1.222760I$		
$a = -0.151081 - 0.179161I$	$-2.25254 - 2.60045I$	0
$b = 0.773085 - 0.134427I$		
$u = -0.313865 + 1.244520I$		
$a = 0.73698 + 2.44494I$	$-3.83204 - 1.68325I$	0
$b = -0.073188 + 1.111480I$		
$u = -0.313865 - 1.244520I$		
$a = 0.73698 - 2.44494I$	$-3.83204 + 1.68325I$	0
$b = -0.073188 - 1.111480I$		
$u = 0.710711 + 0.047613I$		
$a = 0.620803 - 0.896439I$	$0.01967 + 1.55847I$	0
$b = 0.088101 + 1.173320I$		
$u = 0.710711 - 0.047613I$		
$a = 0.620803 + 0.896439I$	$0.01967 - 1.55847I$	0
$b = 0.088101 - 1.173320I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.696970 + 0.146912I$	$-5.75877 + 7.16402I$	0
$a = -0.441601 - 0.508742I$		
$b = 0.534705 + 1.298660I$		
$u = -0.696970 - 0.146912I$	$-5.75877 - 7.16402I$	0
$a = -0.441601 + 0.508742I$		
$b = 0.534705 - 1.298660I$		
$u = 0.118476 + 1.291770I$	$-4.91308 + 3.36425I$	0
$a = 0.08723 + 1.78783I$		
$b = 0.68915 + 1.43767I$		
$u = 0.118476 - 1.291770I$	$-4.91308 - 3.36425I$	0
$a = 0.08723 - 1.78783I$		
$b = 0.68915 - 1.43767I$		
$u = -0.387984 + 1.243590I$	$-5.75877 - 7.16402I$	0
$a = -0.78282 - 1.85719I$		
$b = 0.534705 - 1.298660I$		
$u = -0.387984 - 1.243590I$	$-5.75877 + 7.16402I$	0
$a = -0.78282 + 1.85719I$		
$b = 0.534705 + 1.298660I$		
$u = 0.068459 + 0.692652I$	$0.16144 - 3.37593I$	0
$a = -1.26391 + 0.73690I$		
$b = 0.727656 + 0.562684I$		
$u = 0.068459 - 0.692652I$	$0.16144 + 3.37593I$	0
$a = -1.26391 - 0.73690I$		
$b = 0.727656 - 0.562684I$		
$u = -0.519441 + 1.197880I$	$-5.28119 - 11.70500I$	0
$a = -1.68736 - 0.80676I$		
$b = 0.340055 - 1.089170I$		
$u = -0.519441 - 1.197880I$	$-5.28119 + 11.70500I$	0
$a = -1.68736 + 0.80676I$		
$b = 0.340055 + 1.089170I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.170541 + 0.666481I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = -1.21627 - 2.17305I$	$-0.477490 + 0.597383I$	0
$b = 0.005795 + 0.617905I$		
$u = 0.170541 - 0.666481I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = -1.21627 + 2.17305I$	$-0.477490 - 0.597383I$	0
$b = 0.005795 - 0.617905I$		
$u = 0.320764 + 1.273980I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = 0.21050 - 2.19337I$	$-10.62740 + 8.02859I$	0
$b = -0.19479 - 1.46179I$		
$u = 0.320764 - 1.273980I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = 0.21050 + 2.19337I$	$-10.62740 - 8.02859I$	0
$b = -0.19479 + 1.46179I$		
$u = -0.380548 + 1.263520I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = 0.66246 + 1.86381I$	$-9.03467 - 2.56211I$	0
$b = -0.27603 + 1.56207I$		
$u = -0.380548 - 1.263520I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = 0.66246 - 1.86381I$	$-9.03467 + 2.56211I$	0
$b = -0.27603 - 1.56207I$		
$u = 0.944742 + 0.924204I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = -0.100170 + 0.684097I$	$0.10193 + 3.64056I$	0
$b = 1.149720 - 0.713311I$		
$u = 0.944742 - 0.924204I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = -0.100170 - 0.684097I$	$0.10193 - 3.64056I$	0
$b = 1.149720 + 0.713311I$		
$u = -0.110302 + 0.661355I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = 0.31602 + 3.47547I$	$-3.02657 - 2.42547I$	0
$b = 0.556125 + 0.799527I$		
$u = -0.110302 - 0.661355I$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	
$a = 0.31602 - 3.47547I$	$-3.02657 + 2.42547I$	0
$b = 0.556125 - 0.799527I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.310410 + 1.299070I$		
$a = -0.712524 + 0.198087I$	$-3.35163 + 8.24765I$	0
$b = 0.524640 - 0.458541I$		
$u = 0.310410 - 1.299070I$		
$a = -0.712524 - 0.198087I$	$-3.35163 - 8.24765I$	0
$b = 0.524640 + 0.458541I$		
$u = 0.250751 + 1.312880I$		
$a = -0.30726 + 1.72339I$	$-5.16537 + 3.34404I$	0
$b = 0.58156 + 1.35705I$		
$u = 0.250751 - 1.312880I$		
$a = -0.30726 - 1.72339I$	$-5.16537 - 3.34404I$	0
$b = 0.58156 - 1.35705I$		
$u = -0.566396 + 1.218630I$		
$a = -1.09601 - 1.95439I$	$-2.07001 - 7.87140I$	0
$b = 0.401952 - 1.167590I$		
$u = -0.566396 - 1.218630I$		
$a = -1.09601 + 1.95439I$	$-2.07001 + 7.87140I$	0
$b = 0.401952 + 1.167590I$		
$u = 0.291617 + 1.314840I$		
$a = 0.72871 - 1.89251I$	$-5.14281 - 4.26286I$	0
$b = 0.068044 - 1.150610I$		
$u = 0.291617 - 1.314840I$		
$a = 0.72871 + 1.89251I$	$-5.14281 + 4.26286I$	0
$b = 0.068044 + 1.150610I$		
$u = -0.560916 + 0.312864I$		
$a = 1.34178 - 0.67756I$	$0.87113 + 3.12892I$	0
$b = -0.531957 - 0.826362I$		
$u = -0.560916 - 0.312864I$		
$a = 1.34178 + 0.67756I$	$0.87113 - 3.12892I$	0
$b = -0.531957 + 0.826362I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.903194 + 1.021860I$	$-3.83204 - 1.68325I$	0
$a = -0.482338 + 0.434150I$		
$b = -0.073188 + 1.111480I$		
$u = 0.903194 - 1.021860I$	$-3.83204 + 1.68325I$	0
$a = -0.482338 - 0.434150I$		
$b = -0.073188 - 1.111480I$		
$u = 0.409467 + 1.310280I$	$-6.82693 + 12.09980I$	0
$a = 0.49920 - 1.83799I$		
$b = -0.57261 - 1.48824I$		
$u = 0.409467 - 1.310280I$	$-6.82693 - 12.09980I$	0
$a = 0.49920 + 1.83799I$		
$b = -0.57261 + 1.48824I$		
$u = 1.358860 + 0.291595I$	$-2.8950 - 14.4974I$	0
$a = -0.167748 - 0.416848I$		
$b = 0.47345 - 1.38234I$		
$u = 1.358860 - 0.291595I$	$-2.8950 + 14.4974I$	0
$a = -0.167748 + 0.416848I$		
$b = 0.47345 + 1.38234I$		
$u = -0.508782 + 1.299420I$	$-9.03467 + 2.56211I$	0
$a = -0.621300 - 1.210290I$		
$b = -0.27603 - 1.56207I$		
$u = -0.508782 - 1.299420I$	$-9.03467 - 2.56211I$	0
$a = -0.621300 + 1.210290I$		
$b = -0.27603 + 1.56207I$		
$u = -0.672168 + 1.224180I$	$-3.35163 - 8.24765I$	0
$a = -0.060999 + 0.381160I$		
$b = 0.524640 + 0.458541I$		
$u = -0.672168 - 1.224180I$	$-3.35163 + 8.24765I$	0
$a = -0.060999 - 0.381160I$		
$b = 0.524640 - 0.458541I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.599189 + 1.274080I$		
$a = -0.90287 + 1.82392I$	$-2.8950 + 14.4974I$	0
$b = 0.47345 + 1.38234I$		
$u = 0.599189 - 1.274080I$		
$a = -0.90287 - 1.82392I$	$-2.8950 - 14.4974I$	0
$b = 0.47345 - 1.38234I$		
$u = 0.50634 + 1.34386I$		
$a = 0.63369 - 1.48097I$	$-4.35700 + 6.39751I$	0
$b = -0.67356 - 2.01674I$		
$u = 0.50634 - 1.34386I$		
$a = 0.63369 + 1.48097I$	$-4.35700 - 6.39751I$	0
$b = -0.67356 + 2.01674I$		
$u = 0.65281 + 1.29482I$		
$a = 0.61893 - 1.37048I$	$-2.34278 + 6.87328I$	0
$b = -0.152857 - 1.234760I$		
$u = 0.65281 - 1.29482I$		
$a = 0.61893 + 1.37048I$	$-2.34278 - 6.87328I$	0
$b = -0.152857 + 1.234760I$		
$u = -0.179168 + 0.438917I$		
$a = 0.92123 + 1.72564I$	$-2.23820 + 2.40729I$	$0. - 4.11907I$
$b = 0.640072 + 0.133424I$		
$u = -0.179168 - 0.438917I$		
$a = 0.92123 - 1.72564I$	$-2.23820 - 2.40729I$	$0. + 4.11907I$
$b = 0.640072 - 0.133424I$		
$u = -0.55146 + 1.43162I$		
$a = -0.71053 - 1.46440I$	$-6.43178 - 7.09340I$	0
$b = 0.442866 - 1.291260I$		
$u = -0.55146 - 1.43162I$		
$a = -0.71053 + 1.46440I$	$-6.43178 + 7.09340I$	0
$b = 0.442866 + 1.291260I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.048071 + 0.434921I$		
$a = 1.289930 - 0.516426I$	$1.52205 + 1.28713I$	$6.00000 + 1.19437I$
$b = -0.615975 - 0.614978I$		
$u = 0.048071 - 0.434921I$		
$a = 1.289930 + 0.516426I$	$1.52205 - 1.28713I$	$6.00000 - 1.19437I$
$b = -0.615975 + 0.614978I$		
$u = -0.46307 + 1.52709I$		
$a = 0.103975 - 0.107638I$	$-2.50522 + 4.14089I$	0
$b = -1.17122 - 0.90354I$		
$u = -0.46307 - 1.52709I$		
$a = 0.103975 + 0.107638I$	$-2.50522 - 4.14089I$	0
$b = -1.17122 + 0.90354I$		
$u = 0.65371 + 1.48575I$		
$a = 0.078428 - 0.507422I$	$-1.36965 + 5.17554I$	0
$b = -1.52601 - 0.32594I$		
$u = 0.65371 - 1.48575I$		
$a = 0.078428 + 0.507422I$	$-1.36965 - 5.17554I$	0
$b = -1.52601 + 0.32594I$		
$u = -0.84279 + 1.39794I$		
$a = 0.89286 + 1.32417I$	$-6.82693 - 12.09980I$	0
$b = -0.57261 + 1.48824I$		
$u = -0.84279 - 1.39794I$		
$a = 0.89286 - 1.32417I$	$-6.82693 + 12.09980I$	0
$b = -0.57261 - 1.48824I$		
$u = -0.041405 + 0.359094I$		
$a = -1.058520 - 0.511708I$	$-1.57137 + 8.24589I$	$10.46853 + 4.04249I$
$b = 0.558660 + 1.081100I$		
$u = -0.041405 - 0.359094I$		
$a = -1.058520 + 0.511708I$	$-1.57137 - 8.24589I$	$10.46853 - 4.04249I$
$b = 0.558660 - 1.081100I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.84093 + 1.49867I$	$-5.28119 + 11.70500I$	0
$a = -0.612240 + 1.229630I$		
$b = 0.340055 + 1.089170I$		
$u = 0.84093 - 1.49867I$	$-5.28119 - 11.70500I$	0
$a = -0.612240 - 1.229630I$		
$b = 0.340055 - 1.089170I$		
$u = 0.08032 + 1.79902I$	$-10.62740 - 8.02859I$	0
$a = -0.114327 + 1.345830I$		
$b = -0.19479 + 1.46179I$		
$u = 0.08032 - 1.79902I$	$-10.62740 + 8.02859I$	0
$a = -0.114327 - 1.345830I$		
$b = -0.19479 - 1.46179I$		
$u = -1.21677 + 1.35360I$	$-4.91308 + 3.36425I$	0
$a = -0.168199 + 0.474920I$		
$b = 0.68915 + 1.43767I$		
$u = -1.21677 - 1.35360I$	$-4.91308 - 3.36425I$	0
$a = -0.168199 - 0.474920I$		
$b = 0.68915 - 1.43767I$		
$u = -0.0123626 + 0.0221719I$	$0.47029 + 3.49839I$	$8.25031 - 3.87990I$
$a = 16.5451 - 13.6233I$		
$b = 0.746181 - 0.367556I$		
$u = -0.0123626 - 0.0221719I$	$0.47029 - 3.49839I$	$8.25031 + 3.87990I$
$a = 16.5451 + 13.6233I$		
$b = 0.746181 + 0.367556I$		
$u = -2.00643 + 0.13625I$	$-1.35819 - 0.58027I$	0
$a = 0.110511 - 0.717520I$		
$b = -0.132437 - 1.101920I$		
$u = -2.00643 - 0.13625I$	$-1.35819 + 0.58027I$	0
$a = 0.110511 + 0.717520I$		
$b = -0.132437 + 1.101920I$		

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.31518 + 2.73500I$		
$a = -0.125673 - 1.042310I$	$-1.340640 - 0.177537I$	0
$b = 0.026371 - 1.031480I$		
$u = -1.31518 - 2.73500I$		
$a = -0.125673 + 1.042310I$	$-1.340640 + 0.177537I$	0
$b = 0.026371 + 1.031480I$		

$$\text{III. } I_3^u = \langle -4u^{15} - 2u^{14} + \dots + b + 11, \ 4u^{15} + 25u^{14} + \dots + 3a + 48, \ u^{16} + u^{15} + \dots - 3u + 3 \rangle$$

(i) **Arc colorings**

$$a_3 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} -\frac{4}{3}u^{15} - \frac{25}{3}u^{14} + \dots + \frac{19}{3}u - 16 \\ 4u^{15} + 2u^{14} + \dots + 15u - 11 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} u \\ u \end{pmatrix}$$

$$a_2 = \begin{pmatrix} -\frac{22}{3}u^{15} - \frac{16}{3}u^{14} + \dots - \frac{80}{3}u + 15 \\ -7u^{15} - 9u^{14} + \dots - 18u + 4 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} \frac{19}{3}u^{15} + \frac{1}{3}u^{14} + \dots + \frac{83}{3}u - 22 \\ 8u^{15} + 5u^{14} + \dots + 27u - 16 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -\frac{13}{3}u^{15} - \frac{4}{3}u^{14} + \dots - \frac{50}{3}u + 13 \\ -4u^{15} - 3u^{14} + \dots - 12u + 7 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} \frac{4}{3}u^{15} - \frac{11}{3}u^{14} + \dots + \frac{35}{3}u - 14 \\ 2u^{14} + 3u^{13} + \dots - 4u + 5 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} \frac{19}{3}u^{15} - \frac{14}{3}u^{14} + \dots + \frac{110}{3}u - 35 \\ 5u^{15} + u^{14} + \dots + 21u - 16 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} \frac{29}{3}u^{15} + \frac{47}{3}u^{14} + \dots + \frac{67}{3}u + 3 \\ 8u^{15} + 14u^{14} + \dots + 16u + 4 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} \frac{1}{3}u^{15} - \frac{5}{3}u^{14} + \dots + \frac{14}{3}u - 6 \\ -u^{15} + 2u^{14} + \dots - 7u + 8 \end{pmatrix}$$

(ii) **Obstruction class = 1**

$$(iii) \text{ Cusp Shapes} = 4u^{15} - 13u^{14} - 6u^{13} - 102u^{12} - 96u^{11} - 308u^{10} - 290u^9 - 464u^8 - 436u^7 - 380u^6 - 381u^5 - 166u^4 - 147u^3 - 96u^2 + 24u - 39$$

**(iv) u-Polynomials at the component**

Crossings	u-Polynomials at each crossing
$c_1, c_4$	$u^{16} + 2u^{14} + \cdots + 2u + 1$
$c_2$	$u^{16} + 4u^{15} + \cdots + 9u + 1$
$c_3, c_9$	$u^{16} + u^{15} + \cdots - 3u + 3$
$c_5, c_{11}$	$u^{16} - u^{15} + \cdots + 3u + 3$
$c_6$	$u^{16} - 4u^{15} + \cdots - 9u + 1$
$c_7$	$u^{16} + 4u^{14} + \cdots + 6u + 3$
$c_8$	$u^{16} + 7u^{15} + \cdots + 2u + 7$
$c_{10}, c_{12}$	$u^{16} + 3u^{15} + \cdots + 3u + 1$

**(v) Riley Polynomials at the component**

Crossings	Riley Polynomials at each crossing
$c_1, c_4$	$y^{16} + 4y^{15} + \cdots + 12y + 1$
$c_2, c_6$	$y^{16} + 16y^{15} + \cdots - 3y + 1$
$c_3, c_5, c_9$ $c_{11}$	$y^{16} + 13y^{15} + \cdots + 39y + 9$
$c_7$	$y^{16} + 8y^{15} + \cdots + 30y + 9$
$c_8$	$y^{16} - 5y^{15} + \cdots - 438y + 49$
$c_{10}, c_{12}$	$y^{16} - 7y^{15} + \cdots - 13y + 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_3^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.420917 + 0.909184I$		
$a = -1.002560 - 0.179274I$	$-0.95443 + 4.92787I$	$5.29993 - 6.19457I$
$b = -0.216901 - 0.155989I$		
$u = 0.420917 - 0.909184I$		
$a = -1.002560 + 0.179274I$	$-0.95443 - 4.92787I$	$5.29993 + 6.19457I$
$b = -0.216901 + 0.155989I$		
$u = 0.253785 + 1.063560I$		
$a = -1.24287 + 1.58843I$	$-1.50213 + 0.16965I$	$3.85688 + 0.08312I$
$b = 0.094606 + 0.978685I$		
$u = 0.253785 - 1.063560I$		
$a = -1.24287 - 1.58843I$	$-1.50213 - 0.16965I$	$3.85688 - 0.08312I$
$b = 0.094606 - 0.978685I$		
$u = -0.871520 + 0.213200I$		
$a = -0.424056 + 0.635730I$	$1.26269 - 1.02096I$	$7.85089 + 0.96044I$
$b = -0.193711 + 1.001170I$		
$u = -0.871520 - 0.213200I$		
$a = -0.424056 - 0.635730I$	$1.26269 + 1.02096I$	$7.85089 - 0.96044I$
$b = -0.193711 - 1.001170I$		
$u = 0.252999 + 1.110280I$		
$a = -0.453280 - 0.480405I$	$-1.62134 + 4.42630I$	$2.55682 - 6.41336I$
$b = -1.232950 - 0.359345I$		
$u = 0.252999 - 1.110280I$		
$a = -0.453280 + 0.480405I$	$-1.62134 - 4.42630I$	$2.55682 + 6.41336I$
$b = -1.232950 + 0.359345I$		
$u = 0.195085 + 1.311920I$		
$a = 0.37530 - 1.65337I$	$-7.04489 + 6.02866I$	$12.8971 - 8.8863I$
$b = 0.26508 - 2.17968I$		
$u = 0.195085 - 1.311920I$		
$a = 0.37530 + 1.65337I$	$-7.04489 - 6.02866I$	$12.8971 + 8.8863I$
$b = 0.26508 + 2.17968I$		

Solutions to $I_3^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.514563 + 1.288660I$		
$a = 0.75028 + 1.76511I$	$-6.89878 - 10.55000I$	$1.03549 + 6.62062I$
$b = -0.54840 + 1.45507I$		
$u = -0.514563 - 1.288660I$		
$a = 0.75028 - 1.76511I$	$-6.89878 + 10.55000I$	$1.03549 - 6.62062I$
$b = -0.54840 - 1.45507I$		
$u = 0.412331 + 0.409143I$		
$a = 0.541732 + 0.395711I$	$1.99867 + 1.85862I$	$14.1439 - 7.1748I$
$b = -0.509401 - 0.636353I$		
$u = 0.412331 - 0.409143I$		
$a = 0.541732 - 0.395711I$	$1.99867 - 1.85862I$	$14.1439 + 7.1748I$
$b = -0.509401 + 0.636353I$		
$u = -0.64903 + 1.29387I$		
$a = -1.04455 - 0.99704I$	$-4.97900 - 10.59500I$	$2.85903 + 5.79293I$
$b = 0.341677 - 0.986966I$		
$u = -0.64903 - 1.29387I$		
$a = -1.04455 + 0.99704I$	$-4.97900 + 10.59500I$	$2.85903 - 5.79293I$
$b = 0.341677 + 0.986966I$		

$$\text{IV. } I_4^u = \langle 1.46 \times 10^{31}u^{35} - 5.33 \times 10^{31}u^{34} + \dots + 6.50 \times 10^{30}b - 1.75 \times 10^{32}, 2.41 \times 10^{32}u^{35} - 8.54 \times 10^{32}u^{34} + \dots + 1.30 \times 10^{31}a + 2.13 \times 10^{33}, u^{36} - 5u^{35} + \dots - 24u + 4 \rangle$$

(i) Arc colorings

$$\begin{aligned} a_3 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} 0 \\ u \end{pmatrix} \\ a_4 &= \begin{pmatrix} 1 \\ -u^2 \end{pmatrix} \\ a_6 &= \begin{pmatrix} -18.5018u^{35} + 65.6475u^{34} + \dots + 573.304u - 163.761 \\ -2.25111u^{35} + 8.19101u^{34} + \dots - 130.579u + 26.8620 \end{pmatrix} \\ a_{12} &= \begin{pmatrix} u \\ u \end{pmatrix} \\ a_2 &= \begin{pmatrix} -14.7350u^{35} + 63.3004u^{34} + \dots + 641.306u - 108.998 \\ -0.221617u^{35} - 2.14481u^{34} + \dots + 127.538u - 14.2339 \end{pmatrix} \\ a_7 &= \begin{pmatrix} -26.2162u^{35} + 133.629u^{34} + \dots - 912.832u + 109.935 \\ -4.83673u^{35} + 20.9946u^{34} + \dots + 39.0001u + 2.67084 \end{pmatrix} \\ a_1 &= \begin{pmatrix} 0.945470u^{35} - 9.55906u^{34} + \dots + 578.798u - 81.7339 \\ 10.7980u^{35} - 51.1811u^{34} + \dots + 57.2347u + 7.93694 \end{pmatrix} \\ a_8 &= \begin{pmatrix} 14.7296u^{35} - 77.1699u^{34} + \dots + 427.538u - 32.8406 \\ 6.23078u^{35} - 47.1977u^{34} + \dots + 1154.59u - 194.031 \end{pmatrix} \\ a_9 &= \begin{pmatrix} 17.2085u^{35} - 85.0651u^{34} + \dots + 161.006u + 17.2473 \\ 8.70964u^{35} - 55.0929u^{34} + \dots + 888.062u - 143.943 \end{pmatrix} \\ a_5 &= \begin{pmatrix} -15.5167u^{35} + 73.4948u^{34} + \dots + 297.881u - 89.8827 \\ -25.4887u^{35} + 123.183u^{34} + \dots - 203.537u - 8.68232 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} 1.83728u^{35} - 15.0908u^{34} + \dots + 113.498u - 41.7589 \\ 1.91423u^{35} - 13.8996u^{34} + \dots + 198.997u - 44.9023 \end{pmatrix} \end{aligned}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes =  $-22.3160u^{35} + 213.152u^{34} + \dots - 141.462u - 26.8886$

**(iv) u-Polynomials at the component**

Crossings	u-Polynomials at each crossing
$c_1, c_4$	$u^{36} - 5u^{35} + \cdots + 6u + 1$
$c_2$	$(u^{18} - 3u^{17} + \cdots + u + 1)^2$
$c_3, c_9$	$u^{36} - 5u^{35} + \cdots - 24u + 4$
$c_5, c_{11}$	$u^{36} + 5u^{35} + \cdots + 24u + 4$
$c_6$	$(u^{18} + 3u^{17} + \cdots - u + 1)^2$
$c_7$	$(u^{18} + u^{17} + \cdots + 18u + 4)^2$
$c_8$	$(u^{18} + u^{17} + \cdots - 6u + 1)^2$
$c_{10}, c_{12}$	$u^{36} - 5u^{35} + \cdots - 5u + 1$

**(v) Riley Polynomials at the component**

Crossings	Riley Polynomials at each crossing
$c_1, c_4$	$y^{36} - 15y^{35} + \cdots + 72y + 1$
$c_2, c_6$	$(y^{18} + 13y^{17} + \cdots + 17y + 1)^2$
$c_3, c_5, c_9$ $c_{11}$	$y^{36} + 27y^{35} + \cdots + 512y + 16$
$c_7$	$(y^{18} + 13y^{17} + \cdots - 108y + 16)^2$
$c_8$	$(y^{18} - 15y^{17} + \cdots - 6y + 1)^2$
$c_{10}, c_{12}$	$y^{36} + 5y^{35} + \cdots + 3y + 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_4^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.988164 + 0.061842I$		
$a = 0.263854 - 0.810040I$	$2.47135 + 2.25336I$	$13.59240 - 3.23004I$
$b = -0.137109 - 0.487566I$		
$u = 0.988164 - 0.061842I$		
$a = 0.263854 + 0.810040I$	$2.47135 - 2.25336I$	$13.59240 + 3.23004I$
$b = -0.137109 + 0.487566I$		
$u = 0.551731 + 0.810491I$		
$a = 0.713994 + 0.763040I$	$2.47135 + 2.25336I$	$13.59240 - 3.23004I$
$b = -0.137109 - 0.487566I$		
$u = 0.551731 - 0.810491I$		
$a = 0.713994 - 0.763040I$	$2.47135 - 2.25336I$	$13.59240 + 3.23004I$
$b = -0.137109 + 0.487566I$		
$u = 0.238067 + 0.997970I$		
$a = 0.076200 - 0.985278I$	$-1.81554 + 1.26403I$	$6.00000 + 3.21928I$
$b = -0.160625 + 0.585376I$		
$u = 0.238067 - 0.997970I$		
$a = 0.076200 + 0.985278I$	$-1.81554 - 1.26403I$	$6.00000 - 3.21928I$
$b = -0.160625 - 0.585376I$		
$u = 0.093772 + 0.902059I$		
$a = -5.68276 + 5.88603I$	$-1.312680 + 0.198413I$	$47.0328 - 37.1580I$
$b = 0.044924 + 1.036660I$		
$u = 0.093772 - 0.902059I$		
$a = -5.68276 - 5.88603I$	$-1.312680 - 0.198413I$	$47.0328 + 37.1580I$
$b = 0.044924 - 1.036660I$		
$u = -0.237477 + 1.072500I$		
$a = -0.002463 + 0.252847I$	$-1.85322 + 4.15690I$	0
$b = -0.845619 - 0.639447I$		
$u = -0.237477 - 1.072500I$		
$a = -0.002463 - 0.252847I$	$-1.85322 - 4.15690I$	0
$b = -0.845619 + 0.639447I$		

Solutions to $I_4^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.540271 + 1.018040I$		
$a = -1.64317 - 2.12470I$	$-1.72669 - 8.47761I$	$0. + 19.7333I$
$b = 0.558341 - 1.034540I$		
$u = -0.540271 - 1.018040I$		
$a = -1.64317 + 2.12470I$	$-1.72669 + 8.47761I$	$0. - 19.7333I$
$b = 0.558341 + 1.034540I$		
$u = -0.822236 + 0.836487I$		
$a = -0.026185 + 0.691118I$	$0.69128 - 7.64092I$	0
$b = -0.205774 + 0.690997I$		
$u = -0.822236 - 0.836487I$		
$a = -0.026185 - 0.691118I$	$0.69128 + 7.64092I$	0
$b = -0.205774 - 0.690997I$		
$u = 0.765921 + 0.890126I$		
$a = 0.398563 - 1.354610I$	$-1.81554 - 1.26403I$	0
$b = -0.160625 - 0.585376I$		
$u = 0.765921 - 0.890126I$		
$a = 0.398563 + 1.354610I$	$-1.81554 + 1.26403I$	0
$b = -0.160625 + 0.585376I$		
$u = 0.063294 + 0.822411I$		
$a = -0.231681 + 0.972957I$	$-0.46312 - 3.20443I$	$-0.64989 + 2.25243I$
$b = 0.957692 + 0.626775I$		
$u = 0.063294 - 0.822411I$		
$a = -0.231681 - 0.972957I$	$-0.46312 + 3.20443I$	$-0.64989 - 2.25243I$
$b = 0.957692 - 0.626775I$		
$u = -0.156653 + 0.791505I$		
$a = -0.70708 - 3.30896I$	$-4.25074 - 6.21673I$	$9.17462 - 8.20295I$
$b = 0.56067 - 1.84411I$		
$u = -0.156653 - 0.791505I$		
$a = -0.70708 + 3.30896I$	$-4.25074 + 6.21673I$	$9.17462 + 8.20295I$
$b = 0.56067 + 1.84411I$		

Solutions to $I_4^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.326994 + 0.706183I$		
$a = -0.626759 - 1.267330I$	$-1.85322 + 4.15690I$	$4.50613 - 5.01648I$
$b = -0.845619 - 0.639447I$		
$u = 0.326994 - 0.706183I$		
$a = -0.626759 + 1.267330I$	$-1.85322 - 4.15690I$	$4.50613 + 5.01648I$
$b = -0.845619 + 0.639447I$		
$u = 0.718437 + 1.009760I$		
$a = 0.184805 + 0.583788I$	$-0.46312 + 3.20443I$	0
$b = 0.957692 - 0.626775I$		
$u = 0.718437 - 1.009760I$		
$a = 0.184805 - 0.583788I$	$-0.46312 - 3.20443I$	0
$b = 0.957692 + 0.626775I$		
$u = -0.098128 + 1.303600I$		
$a = 0.12119 - 1.73267I$	$-4.90011 - 3.43557I$	0
$b = 0.72750 - 1.40403I$		
$u = -0.098128 - 1.303600I$		
$a = 0.12119 + 1.73267I$	$-4.90011 + 3.43557I$	0
$b = 0.72750 + 1.40403I$		
$u = 0.53473 + 1.34754I$		
$a = -0.65398 + 1.38571I$	$-4.25074 + 6.21673I$	0
$b = 0.56067 + 1.84411I$		
$u = 0.53473 - 1.34754I$		
$a = -0.65398 - 1.38571I$	$-4.25074 - 6.21673I$	0
$b = 0.56067 - 1.84411I$		
$u = 0.124178 + 0.505233I$		
$a = -0.061672 - 0.283529I$	$-1.72669 + 8.47761I$	$-5.4749 - 19.7333I$
$b = 0.558341 + 1.034540I$		
$u = 0.124178 - 0.505233I$		
$a = -0.061672 + 0.283529I$	$-1.72669 - 8.47761I$	$-5.4749 + 19.7333I$
$b = 0.558341 - 1.034540I$		

Solutions to $I_4^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.071915 + 0.439903I$		
$a = -3.21959 + 5.88770I$	$0.69128 + 7.64092I$	$10.85833 - 3.97496I$
$b = -0.205774 - 0.690997I$		
$u = 0.071915 - 0.439903I$		
$a = -3.21959 - 5.88770I$	$0.69128 - 7.64092I$	$10.85833 + 3.97496I$
$b = -0.205774 + 0.690997I$		
$u = -1.15599 + 1.46510I$		
$a = -0.208122 + 0.470187I$	$-4.90011 + 3.43557I$	0
$b = 0.72750 + 1.40403I$		
$u = -1.15599 - 1.46510I$		
$a = -0.208122 - 0.470187I$	$-4.90011 - 3.43557I$	0
$b = 0.72750 - 1.40403I$		
$u = 1.03355 + 2.17921I$		
$a = -0.195147 + 1.065590I$	$-1.312680 + 0.198413I$	0
$b = 0.044924 + 1.036660I$		
$u = 1.03355 - 2.17921I$		
$a = -0.195147 - 1.065590I$	$-1.312680 - 0.198413I$	0
$b = 0.044924 - 1.036660I$		

$$\mathbf{V. } I_1^v = \langle a, b+v, v^2 - v + 1 \rangle$$

(i) Arc colorings

$$a_3 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 0 \\ -v \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 1 \\ v-1 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} -v \\ -v+1 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} v \\ v-1 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -v \\ -v+1 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ -v+1 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 0 \\ -v \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 0 \\ -v+1 \end{pmatrix}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes =  $-4v + 14$

**(iv) u-Polynomials at the component**

Crossings	u-Polynomials at each crossing
$c_1, c_4, c_6$	$u^2 - u + 1$
$c_2$	$u^2 + u + 1$
$c_3, c_5, c_7$ $c_9, c_{11}$	$u^2$
$c_8$	$(u + 1)^2$
$c_{10}, c_{12}$	$(u - 1)^2$

**(v) Riley Polynomials at the component**

Crossings	Riley Polynomials at each crossing
$c_1, c_2, c_4$ $c_6$	$y^2 + y + 1$
$c_3, c_5, c_7$ $c_9, c_{11}$	$y^2$
$c_8, c_{10}, c_{12}$	$(y - 1)^2$

**(vi) Complex Volumes and Cusp Shapes**

Solutions to $I_1^v$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$v = 0.500000 + 0.866025I$		
$a = 0$	$1.64493 + 2.02988I$	$12.00000 - 3.46410I$
$b = -0.500000 - 0.866025I$		
$v = 0.500000 - 0.866025I$		
$a = 0$	$1.64493 - 2.02988I$	$12.00000 + 3.46410I$
$b = -0.500000 + 0.866025I$		

## VI. u-Polynomials

Crossings	u-Polynomials at each crossing
$c_1, c_4$	$(u^2 - u + 1)(u^{16} + 2u^{14} + \dots + 2u + 1)(u^{36} - 5u^{35} + \dots + 6u + 1)$ $\cdot (u^{41} - u^{40} + \dots + 5u - 1)(u^{152} - 12u^{151} + \dots - 8870u + 337)$
$c_2$	$(u^2 + u + 1)(u^{16} + 4u^{15} + \dots + 9u + 1)(u^{18} - 3u^{17} + \dots + u + 1)^2$ $\cdot (u^{41} - 18u^{40} + \dots + 3856u - 272)$ $\cdot (u^{76} + 8u^{75} + \dots + 21348u + 1357)^2$
$c_3, c_9$	$u^2(u^{16} + u^{15} + \dots - 3u + 3)(u^{36} - 5u^{35} + \dots - 24u + 4)$ $\cdot (u^{41} - u^{40} + \dots + 16u - 4)(u^{152} + 4u^{151} + \dots + 5344u + 127)$
$c_5, c_{11}$	$u^2(u^{16} - u^{15} + \dots + 3u + 3)(u^{36} + 5u^{35} + \dots + 24u + 4)$ $\cdot (u^{41} - u^{40} + \dots + 16u - 4)(u^{152} + 4u^{151} + \dots + 5344u + 127)$
$c_6$	$(u^2 - u + 1)(u^{16} - 4u^{15} + \dots - 9u + 1)(u^{18} + 3u^{17} + \dots - u + 1)^2$ $\cdot (u^{41} - 18u^{40} + \dots + 3856u - 272)$ $\cdot (u^{76} + 8u^{75} + \dots + 21348u + 1357)^2$
$c_7$	$u^2(u^{16} + 4u^{14} + \dots + 6u + 3)(u^{18} + u^{17} + \dots + 18u + 4)^2$ $\cdot (u^{41} - 35u^{40} + \dots + 9437184u - 524288)$ $\cdot (u^{76} + 14u^{75} + \dots + 18u + 1)^2$
$c_8$	$((u + 1)^2)(u^{16} + 7u^{15} + \dots + 2u + 7)(u^{18} + u^{17} + \dots - 6u + 1)^2$ $\cdot (u^{41} - 28u^{40} + \dots + 146856u - 11968)$ $\cdot (u^{76} + 11u^{75} + \dots + 3116u + 157)^2$
$c_{10}, c_{12}$	$((u - 1)^2)(u^{16} + 3u^{15} + \dots + 3u + 1)(u^{36} - 5u^{35} + \dots - 5u + 1)$ $\cdot (u^{41} + u^{40} + \dots - u - 1)(u^{152} + 16u^{151} + \dots + 41u + 1)$

## VII. Riley Polynomials

Crossings	Riley Polynomials at each crossing
$c_1, c_4$	$(y^2 + y + 1)(y^{16} + 4y^{15} + \dots + 12y + 1)(y^{36} - 15y^{35} + \dots + 72y + 1)$ $\cdot (y^{41} - 17y^{40} + \dots + 47y - 1)$ $\cdot (y^{152} - 10y^{151} + \dots - 12017626y + 113569)$
$c_2, c_6$	$(y^2 + y + 1)(y^{16} + 16y^{15} + \dots - 3y + 1)(y^{18} + 13y^{17} + \dots + 17y + 1)^2$ $\cdot (y^{41} + 30y^{40} + \dots + 474496y - 73984)$ $\cdot (y^{76} + 56y^{75} + \dots + 18480116y + 1841449)^2$
$c_3, c_5, c_9$ $c_{11}$	$y^2(y^{16} + 13y^{15} + \dots + 39y + 9)(y^{36} + 27y^{35} + \dots + 512y + 16)$ $\cdot (y^{41} + 29y^{40} + \dots + 208y^2 - 16)$ $\cdot (y^{152} + 94y^{151} + \dots + 27521308y + 16129)$
$c_7$	$y^2(y^{16} + 8y^{15} + \dots + 30y + 9)(y^{18} + 13y^{17} + \dots - 108y + 16)^2$ $\cdot (y^{41} + 9y^{40} + \dots + 1649267441664y - 274877906944)$ $\cdot (y^{76} + 28y^{75} + \dots - 14y + 1)^2$
$c_8$	$((y - 1)^2)(y^{16} - 5y^{15} + \dots - 438y + 49)(y^{18} - 15y^{17} + \dots - 6y + 1)^2$ $\cdot (y^{41} - 8y^{40} + \dots - 428680128y - 143233024)$ $\cdot (y^{76} - y^{75} + \dots - 25068y + 24649)^2$
$c_{10}, c_{12}$	$((y - 1)^2)(y^{16} - 7y^{15} + \dots - 13y + 1)(y^{36} + 5y^{35} + \dots + 3y + 1)$ $\cdot (y^{41} + 7y^{40} + \dots + y - 1)(y^{152} - 12y^{151} + \dots + 199y + 1)$