



12a₀₉₈₆ (K12a₀₉₈₆)



A knot diagram¹

Linearized knot diagram



Solving Sequence

$$5,9 \xrightarrow{c_4} 1,4 \xrightarrow{c_1} 2 \xrightarrow{c_9} 10 \xrightarrow{c_8} 8 \xrightarrow{c_{12}} 12 \xrightarrow{c_5} 6 \xrightarrow{c_6} 7 \xrightarrow{c_{11}} 11 \xrightarrow{c_3} 3 \twoheadrightarrow c_2, c_7, c_{10}$$

Ideals for irreducible components² of X_{par}

$$I_1^u = \langle -6.16032 \times 10^{1762} u^{178} + 3.80838 \times 10^{1763} u^{177} + \dots + 2.93106 \times 10^{1765} b + 4.85246 \times 10^{1767}, \\ 8.04735 \times 10^{1767} u^{178} - 5.89284 \times 10^{1768} u^{177} + \dots + 4.20909 \times 10^{1770} a - 4.89264 \times 10^{1773}, \\ u^{179} - 6u^{178} + \dots + 3332308u + 143603 \rangle$$

$$I_2^u = \langle 1.58028 \times 10^{71} u^{37} - 1.25122 \times 10^{72} u^{36} + \dots + 8.18656 \times 10^{70} b - 6.54536 \times 10^{70}, \\ -1.34545 \times 10^{71} u^{37} + 1.10860 \times 10^{72} u^{36} + \dots + 8.18656 \times 10^{70} a - 3.01667 \times 10^{70}, u^{38} - 8u^{37} + \dots - 4u \rangle$$

$$I_3^u = \langle b - 1, a - 1, u + 1 \rangle$$

* 3 irreducible components of $\dim_{\mathbb{C}} = 0$, with total 218 representations.

¹The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/maths/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

²All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

$$\mathbf{I. } I_1^u = \langle -6.16 \times 10^{1762} u^{178} + 3.81 \times 10^{1763} u^{177} + \dots + 2.93 \times 10^{1765} b + 4.85 \times 10^{1767}, 8.05 \times 10^{1767} u^{178} - 5.89 \times 10^{1768} u^{177} + \dots + 4.21 \times 10^{1770} a - 4.89 \times 10^{1773}, u^{179} - 6u^{178} + \dots + 3332308u + 143603 \rangle$$

(i) Arc colorings

$$\begin{aligned} a_5 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_9 &= \begin{pmatrix} 0 \\ u \end{pmatrix} \\ a_1 &= \begin{pmatrix} -0.00191189u^{178} + 0.0140002u^{177} + \dots + 25714.7u + 1162.40 \\ 0.00210174u^{178} - 0.0129932u^{177} + \dots - 2880.36u - 165.553 \end{pmatrix} \\ a_4 &= \begin{pmatrix} 1 \\ u^2 \end{pmatrix} \\ a_2 &= \begin{pmatrix} -0.00362383u^{178} + 0.0239895u^{177} + \dots + 20442.6u + 964.794 \\ 0.00262200u^{178} - 0.0160995u^{177} + \dots - 1693.49u - 125.000 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} 0.000560316u^{178} - 0.00665043u^{177} + \dots - 34425.1u - 1510.23 \\ 0.000666376u^{178} - 0.00328777u^{177} + \dots + 7566.53u + 313.227 \end{pmatrix} \\ a_8 &= \begin{pmatrix} 0.00225971u^{178} - 0.0169670u^{177} + \dots - 37421.7u - 1666.78 \\ 0.000291099u^{178} - 0.000834068u^{177} + \dots + 11351.3u + 491.976 \end{pmatrix} \\ a_{12} &= \begin{pmatrix} -0.00401363u^{178} + 0.0269934u^{177} + \dots + 28595.0u + 1327.95 \\ 0.00210174u^{178} - 0.0129932u^{177} + \dots - 2880.36u - 165.553 \end{pmatrix} \\ a_6 &= \begin{pmatrix} -0.00329141u^{178} + 0.0203786u^{177} + \dots + 4078.11u + 241.868 \\ -0.000134538u^{178} + 0.000468165u^{177} + \dots - 7028.29u - 306.850 \end{pmatrix} \\ a_7 &= \begin{pmatrix} 0.00230578u^{178} - 0.00747566u^{177} + \dots + 63208.7u + 2747.75 \\ 0.0000421842u^{178} - 0.00240519u^{177} + \dots - 20941.9u - 916.337 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} 0.00816482u^{178} - 0.0435919u^{177} + \dots + 65996.2u + 2760.94 \\ -0.00154549u^{178} + 0.00740747u^{177} + \dots - 20350.2u - 859.050 \end{pmatrix} \\ a_3 &= \begin{pmatrix} -0.00317833u^{178} + 0.0165419u^{177} + \dots - 28787.5u - 1172.32 \\ -0.000889275u^{178} + 0.00398717u^{177} + \dots - 11948.1u - 518.874 \end{pmatrix} \end{aligned}$$

(ii) Obstruction class = -1

(iii) Cusp Shapes = $0.00403368u^{178} - 0.0412426u^{177} + \dots - 165161.u - 7415.37$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$u^{179} + 13u^{178} + \dots + 4864u - 127$
c_2	$u^{179} + 2u^{178} + \dots - 32727793u - 7268479$
c_3	$u^{179} + 2u^{178} + \dots + 8231201u - 980023$
c_4	$u^{179} - 6u^{178} + \dots + 3332308u + 143603$
c_5, c_{12}	$u^{179} + 4u^{178} + \dots - 956262u - 23017$
c_6, c_{10}	$u^{179} + u^{178} + \dots - 12744u - 496$
c_7	$u^{179} - 6u^{178} + \dots - 683u - 29$
c_8	$u^{179} - 5u^{178} + \dots + 1340u + 173$
c_9	$u^{179} - 14u^{178} + \dots - 56730382524u + 17613549763$
c_{11}	$u^{179} + 4u^{178} + \dots - 2349183u + 256397$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$y^{179} + y^{178} + \dots + 344852y - 16129$
c_2	$y^{179} + 66y^{178} + \dots - 4439617469518745y - 52830786973441$
c_3	$y^{179} - 20y^{178} + \dots + 76198792323071y - 960445080529$
c_4	$y^{179} + 16y^{178} + \dots + 4839426567530y - 20621821609$
c_5, c_{12}	$y^{179} + 134y^{178} + \dots - 31322218488y - 529782289$
c_6, c_{10}	$y^{179} - 127y^{178} + \dots + 4324416y - 246016$
c_7	$y^{179} + 26y^{178} + \dots + 119939y - 841$
c_8	$y^{179} + 5y^{178} + \dots + 505366y - 29929$
c_9	$y^{179} - 82y^{178} + \dots + 2.94 \times 10^{22}y - 3.10 \times 10^{20}$
c_{11}	$y^{179} + 2y^{178} + \dots + 106182658357y - 65739421609$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.160093 + 0.972700I$	$-9.74999 + 5.34481I$	0
$a = 0.497860 - 0.221762I$		
$b = 0.24369 + 1.57387I$		
$u = 0.160093 - 0.972700I$	$-9.74999 - 5.34481I$	0
$a = 0.497860 + 0.221762I$		
$b = 0.24369 - 1.57387I$		
$u = 0.863307 + 0.475681I$	$1.89841 + 0.80237I$	0
$a = 0.928468 - 0.222692I$		
$b = 0.864974 + 0.099404I$		
$u = 0.863307 - 0.475681I$	$1.89841 - 0.80237I$	0
$a = 0.928468 + 0.222692I$		
$b = 0.864974 - 0.099404I$		
$u = 0.227170 + 0.958236I$	$-8.76330 + 0.54002I$	0
$a = -1.93322 + 0.31633I$		
$b = -0.075295 - 1.082210I$		
$u = 0.227170 - 0.958236I$	$-8.76330 - 0.54002I$	0
$a = -1.93322 - 0.31633I$		
$b = -0.075295 + 1.082210I$		
$u = 0.348586 + 0.914122I$	$-5.84833 + 2.26700I$	0
$a = -0.904818 - 0.130769I$		
$b = -0.682093 + 0.168984I$		
$u = 0.348586 - 0.914122I$	$-5.84833 - 2.26700I$	0
$a = -0.904818 + 0.130769I$		
$b = -0.682093 - 0.168984I$		
$u = 0.688741 + 0.761648I$	$0.13597 + 4.18324I$	0
$a = 0.793429 + 0.812658I$		
$b = -0.237171 + 0.302856I$		
$u = 0.688741 - 0.761648I$	$0.13597 - 4.18324I$	0
$a = 0.793429 - 0.812658I$		
$b = -0.237171 - 0.302856I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.586776 + 0.848662I$		
$a = 0.855948 - 0.230798I$	$-5.35007 + 4.67966I$	0
$b = 1.075910 - 0.491601I$		
$u = -0.586776 - 0.848662I$		
$a = 0.855948 + 0.230798I$	$-5.35007 - 4.67966I$	0
$b = 1.075910 + 0.491601I$		
$u = -1.029700 + 0.074717I$		
$a = 0.516386 - 0.085250I$	$-0.19117 - 4.10195I$	0
$b = 0.585551 - 0.946540I$		
$u = -1.029700 - 0.074717I$		
$a = 0.516386 + 0.085250I$	$-0.19117 + 4.10195I$	0
$b = 0.585551 + 0.946540I$		
$u = 0.940780 + 0.190478I$		
$a = 0.530871 - 0.009582I$	$1.47853 + 0.54393I$	0
$b = 0.679166 + 0.453939I$		
$u = 0.940780 - 0.190478I$		
$a = 0.530871 + 0.009582I$	$1.47853 - 0.54393I$	0
$b = 0.679166 - 0.453939I$		
$u = 0.764943 + 0.575286I$		
$a = -1.340030 + 0.054344I$	$1.56692 + 7.67371I$	0
$b = -0.770866 + 0.090952I$		
$u = 0.764943 - 0.575286I$		
$a = -1.340030 - 0.054344I$	$1.56692 - 7.67371I$	0
$b = -0.770866 - 0.090952I$		
$u = 0.073797 + 0.951967I$		
$a = 0.74633 - 1.54134I$	$-9.46264 + 6.62769I$	0
$b = 0.02008 + 1.47450I$		
$u = 0.073797 - 0.951967I$		
$a = 0.74633 + 1.54134I$	$-9.46264 - 6.62769I$	0
$b = 0.02008 - 1.47450I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.824716 + 0.644514I$ $a = -1.70775 - 0.44370I$ $b = -0.361480 - 1.272120I$	$0.43653 + 7.24900I$	0
$u = 0.824716 - 0.644514I$ $a = -1.70775 + 0.44370I$ $b = -0.361480 + 1.272120I$	$0.43653 - 7.24900I$	0
$u = 0.776001 + 0.713953I$ $a = 0.849169 + 0.087983I$ $b = 1.205560 + 0.550268I$	$0.561818 + 0.664728I$	0
$u = 0.776001 - 0.713953I$ $a = 0.849169 - 0.087983I$ $b = 1.205560 - 0.550268I$	$0.561818 - 0.664728I$	0
$u = -0.599781 + 0.715422I$ $a = 0.311755 + 0.775076I$ $b = -0.0814523 - 0.1124140I$	$-3.06266 + 0.89643I$	0
$u = -0.599781 - 0.715422I$ $a = 0.311755 - 0.775076I$ $b = -0.0814523 + 0.1124140I$	$-3.06266 - 0.89643I$	0
$u = 0.212812 + 1.054210I$ $a = -1.203940 - 0.064128I$ $b = -0.500082 - 1.157870I$	$-9.23720 + 1.61235I$	0
$u = 0.212812 - 1.054210I$ $a = -1.203940 + 0.064128I$ $b = -0.500082 + 1.157870I$	$-9.23720 - 1.61235I$	0
$u = -0.193163 + 0.900694I$ $a = 1.66089 + 0.96416I$ $b = -0.239455 - 1.137520I$	$-6.08490 - 0.22834I$	0
$u = -0.193163 - 0.900694I$ $a = 1.66089 - 0.96416I$ $b = -0.239455 + 1.137520I$	$-6.08490 + 0.22834I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.102826 + 0.911024I$ $a = 1.282050 + 0.116325I$ $b = 0.70598 - 1.37876I$	$-8.2321 - 11.6976I$	0
$u = -0.102826 - 0.911024I$ $a = 1.282050 - 0.116325I$ $b = 0.70598 + 1.37876I$	$-8.2321 + 11.6976I$	0
$u = 0.830316 + 0.695838I$ $a = 0.727043 - 0.294344I$ $b = 0.673614 + 0.444373I$	$1.50907 + 0.82449I$	0
$u = 0.830316 - 0.695838I$ $a = 0.727043 + 0.294344I$ $b = 0.673614 - 0.444373I$	$1.50907 - 0.82449I$	0
$u = 0.256033 + 0.866301I$ $a = -0.962825 - 0.132000I$ $b = -0.676501 + 1.021890I$	$-6.62253 + 2.55245I$	0
$u = 0.256033 - 0.866301I$ $a = -0.962825 + 0.132000I$ $b = -0.676501 - 1.021890I$	$-6.62253 - 2.55245I$	0
$u = 0.915606 + 0.613815I$ $a = 1.019860 + 0.042862I$ $b = 0.494658 + 1.320780I$	$-2.45085 + 5.31363I$	0
$u = 0.915606 - 0.613815I$ $a = 1.019860 - 0.042862I$ $b = 0.494658 - 1.320780I$	$-2.45085 - 5.31363I$	0
$u = -0.768277 + 0.808272I$ $a = 1.58099 + 0.02550I$ $b = 0.369712 - 1.036040I$	$-0.672545 - 0.169536I$	0
$u = -0.768277 - 0.808272I$ $a = 1.58099 - 0.02550I$ $b = 0.369712 + 1.036040I$	$-0.672545 + 0.169536I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.163103 + 0.853775I$ $a = -0.472117 + 1.142500I$ $b = 0.027335 - 1.135330I$	$-3.17479 - 1.74755I$	0
$u = -0.163103 - 0.853775I$ $a = -0.472117 - 1.142500I$ $b = 0.027335 + 1.135330I$	$-3.17479 + 1.74755I$	0
$u = 0.639061 + 0.587893I$ $a = 1.325060 - 0.451588I$ $b = 0.634750 - 0.485703I$	$1.03467 - 3.77002I$	0
$u = 0.639061 - 0.587893I$ $a = 1.325060 + 0.451588I$ $b = 0.634750 + 0.485703I$	$1.03467 + 3.77002I$	0
$u = -0.877697 + 0.715406I$ $a = -0.609623 - 0.059229I$ $b = -1.347230 - 0.074470I$	$0.88251 - 1.57486I$	0
$u = -0.877697 - 0.715406I$ $a = -0.609623 + 0.059229I$ $b = -1.347230 + 0.074470I$	$0.88251 + 1.57486I$	0
$u = -0.812606 + 0.805228I$ $a = 0.707262 - 0.850886I$ $b = -0.132813 - 0.364925I$	$-4.76824 - 9.86796I$	0
$u = -0.812606 - 0.805228I$ $a = 0.707262 + 0.850886I$ $b = -0.132813 + 0.364925I$	$-4.76824 + 9.86796I$	0
$u = 0.030914 + 0.850026I$ $a = -1.44184 - 0.41331I$ $b = -0.040538 + 1.166310I$	$-7.37766 + 3.47007I$	0
$u = 0.030914 - 0.850026I$ $a = -1.44184 + 0.41331I$ $b = -0.040538 - 1.166310I$	$-7.37766 - 3.47007I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.505194 + 0.668862I$ $a = 1.032550 - 0.146240I$ $b = 1.48308 - 0.33304I$	$-2.42701 + 0.79923I$	0
$u = 0.505194 - 0.668862I$ $a = 1.032550 + 0.146240I$ $b = 1.48308 + 0.33304I$	$-2.42701 - 0.79923I$	0
$u = 0.698233 + 0.945327I$ $a = -0.853474 + 0.250990I$ $b = -0.893587 - 0.022074I$	$0.58797 + 4.89617I$	0
$u = 0.698233 - 0.945327I$ $a = -0.853474 - 0.250990I$ $b = -0.893587 + 0.022074I$	$0.58797 - 4.89617I$	0
$u = -0.834787 + 0.828542I$ $a = 0.897864 + 0.098076I$ $b = 1.337730 - 0.113546I$	$2.36439 - 8.92822I$	0
$u = -0.834787 - 0.828542I$ $a = 0.897864 - 0.098076I$ $b = 1.337730 + 0.113546I$	$2.36439 + 8.92822I$	0
$u = 0.790379 + 0.875687I$ $a = 1.352410 + 0.052564I$ $b = 0.506007 + 1.045380I$	$2.14555 + 4.55407I$	0
$u = 0.790379 - 0.875687I$ $a = 1.352410 - 0.052564I$ $b = 0.506007 - 1.045380I$	$2.14555 - 4.55407I$	0
$u = -0.585447 + 0.573438I$ $a = -0.552705 + 0.603540I$ $b = -0.362732 - 0.270376I$	$-1.32808 - 1.47127I$	0
$u = -0.585447 - 0.573438I$ $a = -0.552705 - 0.603540I$ $b = -0.362732 + 0.270376I$	$-1.32808 + 1.47127I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.997414 + 0.657988I$ $a = -0.057148 - 0.577116I$ $b = -0.187606 + 0.345330I$	$-3.54281 + 1.91947I$	0
$u = 0.997414 - 0.657988I$ $a = -0.057148 + 0.577116I$ $b = -0.187606 - 0.345330I$	$-3.54281 - 1.91947I$	0
$u = -0.686884 + 0.985272I$ $a = -0.323542 - 0.286212I$ $b = -0.317306 - 0.660641I$	$-1.18591 - 5.40154I$	0
$u = -0.686884 - 0.985272I$ $a = -0.323542 + 0.286212I$ $b = -0.317306 + 0.660641I$	$-1.18591 + 5.40154I$	0
$u = -1.158180 + 0.349051I$ $a = 0.186684 + 0.320600I$ $b = 0.209073 + 1.061440I$	$-0.96105 + 2.77423I$	0
$u = -1.158180 - 0.349051I$ $a = 0.186684 - 0.320600I$ $b = 0.209073 - 1.061440I$	$-0.96105 - 2.77423I$	0
$u = -0.760355 + 0.951557I$ $a = -0.908322 - 0.055771I$ $b = -0.882253 - 0.098344I$	$-3.37196 - 6.50628I$	0
$u = -0.760355 - 0.951557I$ $a = -0.908322 + 0.055771I$ $b = -0.882253 + 0.098344I$	$-3.37196 + 6.50628I$	0
$u = -0.549885 + 0.554076I$ $a = 1.233420 + 0.321718I$ $b = 0.873176 + 0.431306I$	$4.12918 + 0.46038I$	0
$u = -0.549885 - 0.554076I$ $a = 1.233420 - 0.321718I$ $b = 0.873176 - 0.431306I$	$4.12918 - 0.46038I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.178864 + 0.752610I$ $a = -1.67611 + 0.14821I$ $b = -0.462338 + 1.173420I$	$-4.75246 - 1.54481I$	0
$u = -0.178864 - 0.752610I$ $a = -1.67611 - 0.14821I$ $b = -0.462338 - 1.173420I$	$-4.75246 + 1.54481I$	0
$u = 0.200263 + 0.731281I$ $a = 1.304330 - 0.105083I$ $b = 0.65375 + 1.47229I$	$-2.80609 + 7.16976I$	0
$u = 0.200263 - 0.731281I$ $a = 1.304330 + 0.105083I$ $b = 0.65375 - 1.47229I$	$-2.80609 - 7.16976I$	0
$u = -0.830272 + 0.923562I$ $a = 1.102330 - 0.171863I$ $b = 0.814467 - 0.884213I$	$-3.92574 - 8.99449I$	0
$u = -0.830272 - 0.923562I$ $a = 1.102330 + 0.171863I$ $b = 0.814467 + 0.884213I$	$-3.92574 + 8.99449I$	0
$u = -0.209625 + 0.728236I$ $a = -1.96239 - 0.96863I$ $b = -0.372436 + 1.359620I$	$-6.87153 - 4.30366I$	0
$u = -0.209625 - 0.728236I$ $a = -1.96239 + 0.96863I$ $b = -0.372436 - 1.359620I$	$-6.87153 + 4.30366I$	0
$u = 0.833955 + 0.923717I$ $a = 0.889138 - 0.119543I$ $b = 1.286160 + 0.053699I$	$-2.6444 + 14.9286I$	0
$u = 0.833955 - 0.923717I$ $a = 0.889138 + 0.119543I$ $b = 1.286160 - 0.053699I$	$-2.6444 - 14.9286I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.778610 + 0.973425I$ $a = -0.037400 + 0.233340I$ $b = -0.261633 + 0.643199I$	$1.93607 + 1.35235I$	0
$u = 0.778610 - 0.973425I$ $a = -0.037400 - 0.233340I$ $b = -0.261633 - 0.643199I$	$1.93607 - 1.35235I$	0
$u = -0.478419 + 1.159430I$ $a = -0.716340 - 0.504402I$ $b = -0.769362 + 0.163942I$	$-2.11487 - 5.21570I$	0
$u = -0.478419 - 1.159430I$ $a = -0.716340 + 0.504402I$ $b = -0.769362 - 0.163942I$	$-2.11487 + 5.21570I$	0
$u = -0.207889 + 0.713914I$ $a = 1.72989 + 1.73093I$ $b = -0.024620 - 1.340490I$	$-4.44495 - 1.81498I$	0
$u = -0.207889 - 0.713914I$ $a = 1.72989 - 1.73093I$ $b = -0.024620 + 1.340490I$	$-4.44495 + 1.81498I$	0
$u = -0.714841 + 1.033450I$ $a = 0.500873 - 0.521611I$ $b = -0.314896 - 0.564591I$	$-4.19245 + 2.74490I$	0
$u = -0.714841 - 1.033450I$ $a = 0.500873 + 0.521611I$ $b = -0.314896 + 0.564591I$	$-4.19245 - 2.74490I$	0
$u = -0.889537 + 0.918502I$ $a = 1.049510 + 0.121298I$ $b = 0.471707 - 1.329920I$	$-2.47079 - 5.72434I$	0
$u = -0.889537 - 0.918502I$ $a = 1.049510 - 0.121298I$ $b = 0.471707 + 1.329920I$	$-2.47079 + 5.72434I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.526664 + 0.464979I$ $a = -0.34088 + 1.64668I$ $b = -0.549169 - 0.227075I$	$-2.48389 + 2.59715I$	0
$u = 0.526664 - 0.464979I$ $a = -0.34088 - 1.64668I$ $b = -0.549169 + 0.227075I$	$-2.48389 - 2.59715I$	0
$u = -0.555438 + 0.402882I$ $a = -1.84210 - 0.20467I$ $b = -0.718058 - 0.085859I$	$4.17872 - 3.24163I$	0
$u = -0.555438 - 0.402882I$ $a = -1.84210 + 0.20467I$ $b = -0.718058 + 0.085859I$	$4.17872 + 3.24163I$	0
$u = 0.068096 + 0.666391I$ $a = 2.28793 + 2.33841I$ $b = -0.185761 - 1.134860I$	$-7.14233 + 11.57710I$	0
$u = 0.068096 - 0.666391I$ $a = 2.28793 - 2.33841I$ $b = -0.185761 + 1.134860I$	$-7.14233 - 11.57710I$	0
$u = -1.015180 + 0.873522I$ $a = -1.288660 + 0.207699I$ $b = -0.406918 + 1.260950I$	$-2.08717 - 12.02360I$	0
$u = -1.015180 - 0.873522I$ $a = -1.288660 - 0.207699I$ $b = -0.406918 - 1.260950I$	$-2.08717 + 12.02360I$	0
$u = 0.022859 + 0.659179I$ $a = -2.47200 + 0.40487I$ $b = -0.372992 - 1.220430I$	$-7.40547 + 0.57805I$	0
$u = 0.022859 - 0.659179I$ $a = -2.47200 - 0.40487I$ $b = -0.372992 + 1.220430I$	$-7.40547 - 0.57805I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.048055 + 0.652340I$ $a = 2.60598 - 1.76336I$ $b = -0.191187 + 1.143260I$	$-2.41113 - 6.11278I$	0
$u = 0.048055 - 0.652340I$ $a = 2.60598 + 1.76336I$ $b = -0.191187 - 1.143260I$	$-2.41113 + 6.11278I$	0
$u = -0.707221 + 1.154200I$ $a = -0.154817 - 0.618372I$ $b = -0.591930 + 0.497062I$	$1.58908 + 2.85999I$	0
$u = -0.707221 - 1.154200I$ $a = -0.154817 + 0.618372I$ $b = -0.591930 - 0.497062I$	$1.58908 - 2.85999I$	0
$u = 0.917364 + 1.013270I$ $a = -0.347413 + 0.657807I$ $b = -0.663798 - 0.433140I$	$-2.70586 - 8.47057I$	0
$u = 0.917364 - 1.013270I$ $a = -0.347413 - 0.657807I$ $b = -0.663798 + 0.433140I$	$-2.70586 + 8.47057I$	0
$u = -0.927664 + 1.004460I$ $a = 0.577050 + 0.308715I$ $b = 0.776435 - 0.996279I$	$-0.06821 - 5.05747I$	0
$u = -0.927664 - 1.004460I$ $a = 0.577050 - 0.308715I$ $b = 0.776435 + 0.996279I$	$-0.06821 + 5.05747I$	0
$u = -0.245062 + 0.579462I$ $a = -3.67087 - 0.02131I$ $b = -0.040610 + 1.052940I$	$-4.17418 - 0.33308I$	0
$u = -0.245062 - 0.579462I$ $a = -3.67087 + 0.02131I$ $b = -0.040610 - 1.052940I$	$-4.17418 + 0.33308I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.868708 + 1.063090I$ $a = -0.640306 + 0.256969I$ $b = -1.027020 - 0.195423I$	$0.36610 + 5.45734I$	0
$u = 0.868708 - 1.063090I$ $a = -0.640306 - 0.256969I$ $b = -1.027020 + 0.195423I$	$0.36610 - 5.45734I$	0
$u = -0.619952 + 0.045093I$ $a = 0.03036 + 1.41390I$ $b = -0.235997 - 0.092149I$	$-1.23428 - 1.94780I$	0
$u = -0.619952 - 0.045093I$ $a = 0.03036 - 1.41390I$ $b = -0.235997 + 0.092149I$	$-1.23428 + 1.94780I$	0
$u = -0.151428 + 0.596501I$ $a = 0.482224 - 0.229925I$ $b = 0.52984 + 1.99627I$	$-7.85639 - 7.09052I$	0
$u = -0.151428 - 0.596501I$ $a = 0.482224 + 0.229925I$ $b = 0.52984 - 1.99627I$	$-7.85639 + 7.09052I$	0
$u = -0.594618 + 0.119364I$ $a = 0.10329 + 2.87694I$ $b = -0.112042 + 1.045700I$	$-4.08515 + 0.25044I$	0
$u = -0.594618 - 0.119364I$ $a = 0.10329 - 2.87694I$ $b = -0.112042 - 1.045700I$	$-4.08515 - 0.25044I$	0
$u = -0.056666 + 0.600305I$ $a = -0.895367 + 0.757269I$ $b = -0.67891 - 1.49549I$	$-2.14404 + 0.79987I$	0
$u = -0.056666 - 0.600305I$ $a = -0.895367 - 0.757269I$ $b = -0.67891 + 1.49549I$	$-2.14404 - 0.79987I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.593887 + 1.272390I$ $a = -1.231230 + 0.507892I$ $b = -0.42265 - 1.37452I$	$-6.90638 + 9.70537I$	0
$u = 0.593887 - 1.272390I$ $a = -1.231230 - 0.507892I$ $b = -0.42265 + 1.37452I$	$-6.90638 - 9.70537I$	0
$u = -0.58949 + 1.29030I$ $a = -1.155590 - 0.299227I$ $b = -0.086537 + 1.045290I$	$-7.02019 - 4.73556I$	0
$u = -0.58949 - 1.29030I$ $a = -1.155590 + 0.299227I$ $b = -0.086537 - 1.045290I$	$-7.02019 + 4.73556I$	0
$u = -0.096241 + 0.556917I$ $a = -0.18416 - 3.49270I$ $b = -0.17002 + 1.42553I$	$-7.78381 - 5.08706I$	0
$u = -0.096241 - 0.556917I$ $a = -0.18416 + 3.49270I$ $b = -0.17002 - 1.42553I$	$-7.78381 + 5.08706I$	0
$u = -0.88499 + 1.19709I$ $a = 1.044950 + 0.081648I$ $b = 0.65855 - 1.47534I$	$-6.56185 - 8.48761I$	0
$u = -0.88499 - 1.19709I$ $a = 1.044950 - 0.081648I$ $b = 0.65855 + 1.47534I$	$-6.56185 + 8.48761I$	0
$u = -0.502578 + 0.029572I$ $a = 0.587731 + 0.819387I$ $b = -0.923361 + 1.048100I$	$-3.18892 + 0.13773I$	0
$u = -0.502578 - 0.029572I$ $a = 0.587731 - 0.819387I$ $b = -0.923361 - 1.048100I$	$-3.18892 - 0.13773I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.82549 + 1.25389I$ $a = -1.115040 - 0.213766I$ $b = -0.468214 + 1.319910I$	$-3.57182 - 9.85619I$	0
$u = -0.82549 - 1.25389I$ $a = -1.115040 + 0.213766I$ $b = -0.468214 - 1.319910I$	$-3.57182 + 9.85619I$	0
$u = 0.374800 + 0.292914I$ $a = 6.13466 - 3.18111I$ $b = 0.054068 + 0.996470I$	$-4.99300 - 0.33552I$	$-27.2414 - 41.7810I$
$u = 0.374800 - 0.292914I$ $a = 6.13466 + 3.18111I$ $b = 0.054068 - 0.996470I$	$-4.99300 + 0.33552I$	$-27.2414 + 41.7810I$
$u = -0.77045 + 1.32923I$ $a = -0.893629 - 0.033316I$ $b = -0.548137 + 1.230160I$	$-8.72545 - 7.23788I$	0
$u = -0.77045 - 1.32923I$ $a = -0.893629 + 0.033316I$ $b = -0.548137 - 1.230160I$	$-8.72545 + 7.23788I$	0
$u = 0.92726 + 1.28543I$ $a = 1.024210 - 0.130374I$ $b = 0.58001 + 1.44025I$	$-2.4722 + 15.4837I$	0
$u = 0.92726 - 1.28543I$ $a = 1.024210 + 0.130374I$ $b = 0.58001 - 1.44025I$	$-2.4722 - 15.4837I$	0
$u = 1.17680 + 1.06498I$ $a = -0.490988 - 0.065967I$ $b = -0.664865 - 1.096620I$	$-1.74065 + 6.08639I$	0
$u = 1.17680 - 1.06498I$ $a = -0.490988 + 0.065967I$ $b = -0.664865 + 1.096620I$	$-1.74065 - 6.08639I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.310053 + 0.263275I$ $a = -0.31163 - 1.92118I$ $b = 0.133198 - 1.307840I$	$-3.42587 - 5.39201I$	$-2.05136 + 9.05405I$
$u = 0.310053 - 0.263275I$ $a = -0.31163 + 1.92118I$ $b = 0.133198 + 1.307840I$	$-3.42587 + 5.39201I$	$-2.05136 - 9.05405I$
$u = 0.32202 + 1.57783I$ $a = -0.363831 + 0.860317I$ $b = -0.119673 - 1.014670I$	$-1.93093 + 7.12112I$	0
$u = 0.32202 - 1.57783I$ $a = -0.363831 - 0.860317I$ $b = -0.119673 + 1.014670I$	$-1.93093 - 7.12112I$	0
$u = -0.077935 + 0.377163I$ $a = 0.843812 + 0.140353I$ $b = 0.16952 - 2.67977I$	$-3.36973 - 0.05585I$	$-2.6990 - 34.3862I$
$u = -0.077935 - 0.377163I$ $a = 0.843812 - 0.140353I$ $b = 0.16952 + 2.67977I$	$-3.36973 + 0.05585I$	$-2.6990 + 34.3862I$
$u = -0.92363 + 1.33176I$ $a = 1.031020 + 0.147555I$ $b = 0.57969 - 1.42037I$	$-7.2659 - 21.3644I$	0
$u = -0.92363 - 1.33176I$ $a = 1.031020 - 0.147555I$ $b = 0.57969 + 1.42037I$	$-7.2659 + 21.3644I$	0
$u = -0.77203 + 1.44418I$ $a = -0.887214 - 0.426998I$ $b = -0.52175 + 1.41477I$	$-4.62617 - 11.08030I$	0
$u = -0.77203 - 1.44418I$ $a = -0.887214 + 0.426998I$ $b = -0.52175 - 1.41477I$	$-4.62617 + 11.08030I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.87994 + 1.38732I$ $a = -0.807919 + 0.228085I$ $b = -0.59381 - 1.33204I$	$-3.02264 + 8.05656I$	0
$u = 0.87994 - 1.38732I$ $a = -0.807919 - 0.228085I$ $b = -0.59381 + 1.33204I$	$-3.02264 - 8.05656I$	0
$u = 0.95370 + 1.33962I$ $a = -1.018510 + 0.086896I$ $b = -0.486965 - 1.275330I$	$-7.03458 + 11.51160I$	0
$u = 0.95370 - 1.33962I$ $a = -1.018510 - 0.086896I$ $b = -0.486965 + 1.275330I$	$-7.03458 - 11.51160I$	0
$u = -0.11589 + 1.66220I$ $a = -0.053249 - 0.729882I$ $b = -0.132085 + 0.983979I$	$1.25928 - 3.20214I$	0
$u = -0.11589 - 1.66220I$ $a = -0.053249 + 0.729882I$ $b = -0.132085 - 0.983979I$	$1.25928 + 3.20214I$	0
$u = -1.57651 + 0.57677I$ $a = 0.047699 - 0.384593I$ $b = -0.336148 - 0.994125I$	$-4.57155 + 0.66290I$	0
$u = -1.57651 - 0.57677I$ $a = 0.047699 + 0.384593I$ $b = -0.336148 + 0.994125I$	$-4.57155 - 0.66290I$	0
$u = -0.96790 + 1.37986I$ $a = 0.775609 + 0.061189I$ $b = 0.27393 - 1.40481I$	$-6.16921 - 5.17837I$	0
$u = -0.96790 - 1.37986I$ $a = 0.775609 - 0.061189I$ $b = 0.27393 + 1.40481I$	$-6.16921 + 5.17837I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.83824 + 1.47663I$ $a = 0.722373 - 0.134243I$ $b = 0.321672 + 1.368770I$	$-11.24820 - 0.45268I$	0
$u = 0.83824 - 1.47663I$ $a = 0.722373 + 0.134243I$ $b = 0.321672 - 1.368770I$	$-11.24820 + 0.45268I$	0
$u = 1.15676 + 1.25806I$ $a = -0.647712 - 0.164410I$ $b = -0.062926 - 1.039870I$	$-2.71036 + 2.84323I$	0
$u = 1.15676 - 1.25806I$ $a = -0.647712 + 0.164410I$ $b = -0.062926 + 1.039870I$	$-2.71036 - 2.84323I$	0
$u = -0.46140 + 1.73293I$ $a = -0.0633685 + 0.1068600I$ $b = -0.055244 - 1.113700I$	$-2.70384 - 1.58733I$	0
$u = -0.46140 - 1.73293I$ $a = -0.0633685 - 0.1068600I$ $b = -0.055244 + 1.113700I$	$-2.70384 + 1.58733I$	0
$u = 1.08708 + 1.48110I$ $a = 0.697954 - 0.022329I$ $b = 0.245406 + 1.338960I$	$-10.3414 + 11.5088I$	0
$u = 1.08708 - 1.48110I$ $a = 0.697954 + 0.022329I$ $b = 0.245406 - 1.338960I$	$-10.3414 - 11.5088I$	0
$u = 1.83664 + 0.43092I$ $a = -0.111631 + 0.222303I$ $b = -0.413025 + 1.029520I$	$0.03047 - 6.88807I$	0
$u = 1.83664 - 0.43092I$ $a = -0.111631 - 0.222303I$ $b = -0.413025 - 1.029520I$	$0.03047 + 6.88807I$	0

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.87599 + 0.42811I$ $a = -0.166649 - 0.224487I$ $b = -0.407132 - 1.038160I$	$-4.49649 + 12.60060I$	0
$u = -1.87599 - 0.42811I$ $a = -0.166649 + 0.224487I$ $b = -0.407132 + 1.038160I$	$-4.49649 - 12.60060I$	0
$u = -0.0586417$ $a = 4.90444$ $b = 1.35371$	2.62611	-31.0140
$u = -0.93568 + 1.71441I$ $a = 0.225535 + 0.256238I$ $b = -0.039317 - 0.849692I$	$-3.47794 + 0.87367I$	0
$u = -0.93568 - 1.71441I$ $a = 0.225535 - 0.256238I$ $b = -0.039317 + 0.849692I$	$-3.47794 - 0.87367I$	0
$u = 2.31413 + 1.11090I$ $a = 0.0749392 - 0.0682635I$ $b = -0.015021 + 0.889766I$	$-3.75225 + 2.03920I$	0
$u = 2.31413 - 1.11090I$ $a = 0.0749392 + 0.0682635I$ $b = -0.015021 - 0.889766I$	$-3.75225 - 2.03920I$	0
$u = 3.91767 + 0.70198I$ $a = 0.0706944 + 0.1039240I$ $b = 0.019704 + 1.027180I$	$-3.09178 - 2.18952I$	0
$u = 3.91767 - 0.70198I$ $a = 0.0706944 - 0.1039240I$ $b = 0.019704 - 1.027180I$	$-3.09178 + 2.18952I$	0

II.

$$I_2^u = \langle 1.58 \times 10^{71} u^{37} - 1.25 \times 10^{72} u^{36} + \dots + 8.19 \times 10^{70} b - 6.55 \times 10^{70}, -1.35 \times 10^{71} u^{37} + 1.11 \times 10^{72} u^{36} + \dots + 8.19 \times 10^{70} a - 3.02 \times 10^{70}, u^{38} - 8u^{37} + \dots - 4u + 1 \rangle$$

(i) Arc colorings

$$\begin{aligned} a_5 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_9 &= \begin{pmatrix} 0 \\ u \end{pmatrix} \\ a_1 &= \begin{pmatrix} 1.64349u^{37} - 13.5417u^{36} + \dots + 1.03312u + 0.368491 \\ -1.93034u^{37} + 15.2839u^{36} + \dots - 5.32918u + 0.799526 \end{pmatrix} \\ a_4 &= \begin{pmatrix} 1 \\ u^2 \end{pmatrix} \\ a_2 &= \begin{pmatrix} 3.26961u^{37} - 26.2052u^{36} + \dots + 3.14344u - 0.0371895 \\ -2.11807u^{37} + 16.8562u^{36} + \dots - 5.57329u + 0.454021 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} 2.87101u^{37} - 24.5884u^{36} + \dots + 27.5334u - 6.19063 \\ -0.784995u^{37} + 6.17897u^{36} + \dots - 11.1310u + 2.89463 \end{pmatrix} \\ a_8 &= \begin{pmatrix} 2.22850u^{37} - 20.5639u^{36} + \dots + 27.2838u - 5.09724 \\ -0.648913u^{37} + 5.81913u^{36} + \dots - 9.64312u + 2.55500 \end{pmatrix} \\ a_{12} &= \begin{pmatrix} 3.57382u^{37} - 28.8256u^{36} + \dots + 6.36231u - 0.431035 \\ -1.93034u^{37} + 15.2839u^{36} + \dots - 5.32918u + 0.799526 \end{pmatrix} \\ a_6 &= \begin{pmatrix} -4.30151u^{37} + 33.5288u^{36} + \dots - 21.7994u + 0.0353414 \\ 1.74650u^{37} - 13.7377u^{36} + \dots + 19.1692u + 0.541545 \end{pmatrix} \\ a_7 &= \begin{pmatrix} 4.99146u^{37} - 43.0794u^{36} + \dots + 20.5050u - 2.52432 \\ -2.57492u^{37} + 21.4871u^{36} + \dots - 4.90306u + 0.527884 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} 0.629193u^{37} - 3.70851u^{36} + \dots - 14.8538u + 3.11572 \\ -0.359359u^{37} + 2.54301u^{36} + \dots + 7.29273u - 2.20513 \end{pmatrix} \\ a_3 &= \begin{pmatrix} -0.305849u^{37} + 3.38368u^{36} + \dots - 2.87194u + 0.271626 \\ 0.801193u^{37} - 7.08422u^{36} + \dots + 4.18892u - 0.399891 \end{pmatrix} \end{aligned}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes = $19.9303u^{37} - 151.137u^{36} + \dots + 248.488u - 16.0742$

(iv) u -Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$u^{38} - 10u^{37} + \dots + 4u + 1$
c_2	$u^{38} - u^{37} + \dots - 5u + 1$
c_3	$u^{38} + u^{37} + \dots - 5u + 1$
c_4	$u^{38} - 8u^{37} + \dots - 4u + 1$
c_5	$u^{38} - 2u^{37} + \dots + 22u + 7$
c_6	$u^{38} + u^{37} + \dots - 56u + 16$
c_7	$u^{38} + 6u^{36} + \dots - 11u + 1$
c_8	$u^{38} - 3u^{37} + \dots + 2u + 1$
c_9	$u^{38} + 2u^{37} + \dots + 24u + 1$
c_{10}	$u^{38} - u^{37} + \dots + 56u + 16$
c_{11}	$u^{38} + 8u^{37} + \dots + 171u + 17$
c_{12}	$u^{38} + 2u^{37} + \dots - 22u + 7$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$y^{38} + 4y^{37} + \dots - 20y + 1$
c_2	$y^{38} + 29y^{37} + \dots + 61y + 1$
c_3	$y^{38} + 3y^{37} + \dots - 39y + 1$
c_4	$y^{38} - 22y^{37} + \dots + 10y + 1$
c_5, c_{12}	$y^{38} + 36y^{37} + \dots + 216y + 49$
c_6, c_{10}	$y^{38} - 25y^{37} + \dots - 2752y + 256$
c_7	$y^{38} + 12y^{37} + \dots + 9y + 1$
c_8	$y^{38} - 9y^{37} + \dots + 2y + 1$
c_9	$y^{38} - 16y^{37} + \dots - 440y + 1$
c_{11}	$y^{38} + 24y^{37} + \dots - 1565y + 289$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.204749 + 0.909214I$ $a = -1.78827 + 0.14528I$ $b = -0.449564 + 1.059010I$	$-8.02956 - 1.85167I$	$-5.24228 + 5.42371I$
$u = -0.204749 - 0.909214I$ $a = -1.78827 - 0.14528I$ $b = -0.449564 - 1.059010I$	$-8.02956 + 1.85167I$	$-5.24228 - 5.42371I$
$u = 1.028090 + 0.344457I$ $a = 0.232436 + 1.085050I$ $b = 0.385102 + 0.996492I$	$-5.49448 + 11.56310I$	$-2.83282 - 8.67252I$
$u = 1.028090 - 0.344457I$ $a = 0.232436 - 1.085050I$ $b = 0.385102 - 0.996492I$	$-5.49448 - 11.56310I$	$-2.83282 + 8.67252I$
$u = -0.865563 + 0.663778I$ $a = -0.634167 + 0.144459I$ $b = -1.110570 + 0.197533I$	$0.30442 - 1.50701I$	$-2.05180 + 3.87131I$
$u = -0.865563 - 0.663778I$ $a = -0.634167 - 0.144459I$ $b = -1.110570 - 0.197533I$	$0.30442 + 1.50701I$	$-2.05180 - 3.87131I$
$u = -1.073640 + 0.352329I$ $a = 0.459965 - 0.791107I$ $b = 0.435813 - 1.094870I$	$-0.77066 - 6.37758I$	$0. + 8.08386I$
$u = -1.073640 - 0.352329I$ $a = 0.459965 + 0.791107I$ $b = 0.435813 + 1.094870I$	$-0.77066 + 6.37758I$	$0. - 8.08386I$
$u = 0.776437$ $a = 0.938636$ $b = 1.14051$	2.74871	16.9200
$u = -0.695038 + 0.327857I$ $a = 0.165897 + 1.123930I$ $b = 0.239946 - 0.373538I$	$-1.53249 - 2.67857I$	$1.89991 + 8.49360I$

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.695038 - 0.327857I$		
$a = 0.165897 - 1.123930I$	$-1.53249 + 2.67857I$	$1.89991 - 8.49360I$
$b = 0.239946 + 0.373538I$		
$u = 0.458761 + 1.156150I$		
$a = -0.636440 + 0.663107I$	$-0.27791 + 6.52604I$	$3.15646 - 7.77679I$
$b = -0.283339 - 0.081277I$		
$u = 0.458761 - 1.156150I$		
$a = -0.636440 - 0.663107I$	$-0.27791 - 6.52604I$	$3.15646 + 7.77679I$
$b = -0.283339 + 0.081277I$		
$u = 1.242210 + 0.517718I$		
$a = 0.165463 - 0.500462I$	$-4.12399 - 1.55778I$	$-5.93447 + 5.13589I$
$b = 0.127843 - 0.831350I$		
$u = 1.242210 - 0.517718I$		
$a = 0.165463 + 0.500462I$	$-4.12399 + 1.55778I$	$-5.93447 - 5.13589I$
$b = 0.127843 + 0.831350I$		
$u = -1.052330 + 0.853432I$		
$a = 0.733283 - 0.010774I$	$-1.02538 - 5.99163I$	$0. + 7.92953I$
$b = 0.600918 - 1.257880I$		
$u = -1.052330 - 0.853432I$		
$a = 0.733283 + 0.010774I$	$-1.02538 + 5.99163I$	$0. - 7.92953I$
$b = 0.600918 + 1.257880I$		
$u = -0.160413 + 1.349180I$		
$a = -0.266286 - 0.615270I$	$2.51426 - 2.33139I$	$9.66934 + 0.I$
$b = 0.135096 + 0.418009I$		
$u = -0.160413 - 1.349180I$		
$a = -0.266286 + 0.615270I$	$2.51426 + 2.33139I$	$9.66934 + 0.I$
$b = 0.135096 - 0.418009I$		
$u = 0.171613 + 0.604546I$		
$a = -2.50433 + 0.51556I$	$-4.31750 + 0.99046I$	$-0.76260 - 1.97468I$
$b = -0.208826 - 1.227440I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.171613 - 0.604546I$ $a = -2.50433 - 0.51556I$ $b = -0.208826 + 1.227440I$	$-4.31750 - 0.99046I$	$-0.76260 + 1.97468I$
$u = 0.055688 + 0.605899I$ $a = 0.56739 - 3.00965I$ $b = 0.21044 + 1.43895I$	$-7.86122 + 4.90605I$	$-16.6138 + 10.4274I$
$u = 0.055688 - 0.605899I$ $a = 0.56739 + 3.00965I$ $b = 0.21044 - 1.43895I$	$-7.86122 - 4.90605I$	$-16.6138 - 10.4274I$
$u = -0.221385 + 0.562329I$ $a = 0.30435 + 4.16979I$ $b = 0.068619 - 1.023190I$	$-4.85494 + 0.40632I$	$4.67568 + 4.91656I$
$u = -0.221385 - 0.562329I$ $a = 0.30435 - 4.16979I$ $b = 0.068619 + 1.023190I$	$-4.85494 - 0.40632I$	$4.67568 - 4.91656I$
$u = 0.79149 + 1.18599I$ $a = -1.127900 + 0.139070I$ $b = -0.58977 - 1.32954I$	$-5.82603 + 8.34603I$	0
$u = 0.79149 - 1.18599I$ $a = -1.127900 - 0.139070I$ $b = -0.58977 + 1.32954I$	$-5.82603 - 8.34603I$	0
$u = -0.212844 + 0.504832I$ $a = -0.251578 - 0.963383I$ $b = 0.29986 + 1.85389I$	$-7.53748 - 7.08350I$	$7.07553 + 8.62911I$
$u = -0.212844 - 0.504832I$ $a = -0.251578 + 0.963383I$ $b = 0.29986 - 1.85389I$	$-7.53748 + 7.08350I$	$7.07553 - 8.62911I$
$u = 0.87629 + 1.22990I$ $a = -0.587209 + 0.289366I$ $b = -0.821333 - 0.602971I$	$0.01154 + 6.26641I$	0

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.87629 - 1.22990I$ $a = -0.587209 - 0.289366I$ $b = -0.821333 + 0.602971I$	$0.01154 - 6.26641I$	0
$u = 0.478297$ $a = 1.10727$ $b = 1.25826$	2.76870	25.8350
$u = -0.77644 + 1.35130I$ $a = -1.029000 - 0.374282I$ $b = -0.44863 + 1.35140I$	$-5.15861 - 10.58670I$	0
$u = -0.77644 - 1.35130I$ $a = -1.029000 + 0.374282I$ $b = -0.44863 - 1.35140I$	$-5.15861 + 10.58670I$	0
$u = 0.251967 + 0.236557I$ $a = -0.825338 - 0.125899I$ $b = 1.19548 - 2.35726I$	$-3.29603 + 0.06282I$	$26.2538 + 106.0848I$
$u = 0.251967 - 0.236557I$ $a = -0.825338 + 0.125899I$ $b = 1.19548 + 2.35726I$	$-3.29603 - 0.06282I$	$26.2538 - 106.0848I$
$u = 3.75891 + 0.47701I$ $a = -0.0012274 - 0.1379670I$ $b = 0.013523 - 1.031030I$	$-3.05533 + 2.14926I$	0
$u = 3.75891 - 0.47701I$ $a = -0.0012274 + 0.1379670I$ $b = 0.013523 + 1.031030I$	$-3.05533 - 2.14926I$	0

$$\text{III. } I_3^u = \langle b - 1, a - 1, u + 1 \rangle$$

(i) Arc colorings

$$a_5 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ -1 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} 0 \\ 1 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ -1 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 2 \\ -1 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -1 \\ 1 \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 3 \\ -1 \end{pmatrix}$$

(ii) Obstruction class = -1

(iii) Cusp Shapes = 6

(iv) **u-Polynomials at the component**

Crossings	u-Polynomials at each crossing
c_1	u
c_2, c_3	$u - 2$
c_4, c_8, c_9 c_{11}	$u + 1$
c_5, c_6, c_7 c_{10}, c_{12}	$u - 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	y
c_2, c_3	$y - 4$
c_4, c_5, c_6 c_7, c_8, c_9 c_{10}, c_{11}, c_{12}	$y - 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_3^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.00000$		
$a = 1.00000$	1.64493	6.00000
$b = 1.00000$		

IV. u-Polynomials

Crossings	u-Polynomials at each crossing
c_1	$u(u^{38} - 10u^{37} + \dots + 4u + 1)(u^{179} + 13u^{178} + \dots + 4864u - 127)$
c_2	$(u - 2)(u^{38} - u^{37} + \dots - 5u + 1)$ $\cdot (u^{179} + 2u^{178} + \dots - 32727793u - 7268479)$
c_3	$(u - 2)(u^{38} + u^{37} + \dots - 5u + 1)$ $\cdot (u^{179} + 2u^{178} + \dots + 8231201u - 980023)$
c_4	$(u + 1)(u^{38} - 8u^{37} + \dots - 4u + 1)$ $\cdot (u^{179} - 6u^{178} + \dots + 3332308u + 143603)$
c_5	$(u - 1)(u^{38} - 2u^{37} + \dots + 22u + 7)$ $\cdot (u^{179} + 4u^{178} + \dots - 956262u - 23017)$
c_6	$(u - 1)(u^{38} + u^{37} + \dots - 56u + 16)(u^{179} + u^{178} + \dots - 12744u - 496)$
c_7	$(u - 1)(u^{38} + 6u^{36} + \dots - 11u + 1)(u^{179} - 6u^{178} + \dots - 683u - 29)$
c_8	$(u + 1)(u^{38} - 3u^{37} + \dots + 2u + 1)(u^{179} - 5u^{178} + \dots + 1340u + 173)$
c_9	$(u + 1)(u^{38} + 2u^{37} + \dots + 24u + 1)$ $\cdot (u^{179} - 14u^{178} + \dots - 56730382524u + 17613549763)$
c_{10}	$(u - 1)(u^{38} - u^{37} + \dots + 56u + 16)(u^{179} + u^{178} + \dots - 12744u - 496)$
c_{11}	$(u + 1)(u^{38} + 8u^{37} + \dots + 171u + 17)$ $\cdot (u^{179} + 4u^{178} + \dots - 2349183u + 256397)$
c_{12}	$(u - 1)(u^{38} + 2u^{37} + \dots - 22u + 7)$ $\cdot (u^{179} + 4u^{178} + \dots - 956262u - 23017)$

V. Riley Polynomials

Crossings	Riley Polynomials at each crossing
c_1	$y(y^{38} + 4y^{37} + \dots - 20y + 1)(y^{179} + y^{178} + \dots + 344852y - 16129)$
c_2	$(y - 4)(y^{38} + 29y^{37} + \dots + 61y + 1)$ $\cdot (y^{179} + 66y^{178} + \dots - 4439617469518745y - 52830786973441)$
c_3	$(y - 4)(y^{38} + 3y^{37} + \dots - 39y + 1)$ $\cdot (y^{179} - 20y^{178} + \dots + 76198792323071y - 960445080529)$
c_4	$(y - 1)(y^{38} - 22y^{37} + \dots + 10y + 1)$ $\cdot (y^{179} + 16y^{178} + \dots + 4839426567530y - 20621821609)$
c_5, c_{12}	$(y - 1)(y^{38} + 36y^{37} + \dots + 216y + 49)$ $\cdot (y^{179} + 134y^{178} + \dots - 31322218488y - 529782289)$
c_6, c_{10}	$(y - 1)(y^{38} - 25y^{37} + \dots - 2752y + 256)$ $\cdot (y^{179} - 127y^{178} + \dots + 4324416y - 246016)$
c_7	$(y - 1)(y^{38} + 12y^{37} + \dots + 9y + 1)$ $\cdot (y^{179} + 26y^{178} + \dots + 119939y - 841)$
c_8	$(y - 1)(y^{38} - 9y^{37} + \dots + 2y + 1)$ $\cdot (y^{179} + 5y^{178} + \dots + 505366y - 29929)$
c_9	$(y - 1)(y^{38} - 16y^{37} + \dots - 440y + 1)$ $\cdot (y^{179} - 82y^{178} + \dots + 2.94 \times 10^{22}y - 3.10 \times 10^{20})$
c_{11}	$(y - 1)(y^{38} + 24y^{37} + \dots - 1565y + 289)$ $\cdot (y^{179} + 2y^{178} + \dots + 106182658357y - 65739421609)$