


$12a_{1259}$ ($K12a_{1259}$)



Ideals for irreducible components² of X_{par}

$$\begin{aligned}
 I_1^u = & \langle 5.69308 \times 10^{303} u^{97} - 1.06736 \times 10^{304} u^{96} + \dots + 4.39641 \times 10^{304} b + 1.65833 \times 10^{306}, \\
 & - 1.21815 \times 10^{306} u^{97} - 1.21298 \times 10^{306} u^{96} + \dots + 3.47317 \times 10^{306} a + 1.09802 \times 10^{308}, \\
 & u^{98} + u^{97} + \dots - 192u + 79 \rangle \\
 I_2^u = & \langle -1240865u^{26} + 78914u^{25} + \dots + 933437b + 295188, \\
 & -8955091u^{26} - 9064939u^{25} + \dots + 933437a - 23614626, u^{27} - 9u^{25} + \dots + 9u^2 - 1 \rangle
 \end{aligned}$$

* 2 irreducible components of $\dim_{\mathbb{C}} = 0$, with total 125 representations.

¹The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/math/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

²All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

$$\text{I. } I_1^u = \langle 5.69 \times 10^{303}u^{97} - 1.07 \times 10^{304}u^{96} + \dots + 4.40 \times 10^{304}b + 1.66 \times 10^{306}, -1.22 \times 10^{306}u^{97} - 1.21 \times 10^{306}u^{96} + \dots + 3.47 \times 10^{306}a + 1.10 \times 10^{308}, u^{98} + u^{97} + \dots - 192u + 79 \rangle$$

(i) **Arc colorings**

$$\begin{aligned} a_6 &= \begin{pmatrix} 0 \\ u \end{pmatrix} \\ a_{10} &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} 1 \\ -u^2 \end{pmatrix} \\ a_2 &= \begin{pmatrix} 0.350731u^{97} + 0.349244u^{96} + \dots + 34.5787u - 31.6144 \\ -0.129494u^{97} + 0.242779u^{96} + \dots + 63.5735u - 37.7201 \end{pmatrix} \\ a_7 &= \begin{pmatrix} u \\ -u^3 + u \end{pmatrix} \\ a_3 &= \begin{pmatrix} 0.635075u^{97} + 0.290148u^{96} + \dots - 26.8955u - 14.5431 \\ -0.154509u^{97} + 0.303320u^{96} + \dots + 90.5028u - 47.7805 \end{pmatrix} \\ a_{12} &= \begin{pmatrix} -0.279601u^{97} - 0.295570u^{96} + \dots + 17.3434u + 33.7179 \\ -0.0375579u^{97} - 0.0703430u^{96} + \dots - 8.10495u + 0.408463 \end{pmatrix} \\ a_5 &= \begin{pmatrix} 0.223768u^{97} + 0.576551u^{96} + \dots + 72.9539u - 63.0265 \\ 0.0190934u^{97} - 0.103748u^{96} + \dots - 38.7659u + 19.0595 \end{pmatrix} \\ a_1 &= \begin{pmatrix} 0.0147025u^{97} - 0.0896428u^{96} + \dots - 44.5524u + 43.9400 \\ 0.0261589u^{97} - 0.0145128u^{96} + \dots - 28.2070u + 1.37104 \end{pmatrix} \\ a_4 &= \begin{pmatrix} 0.204674u^{97} + 0.680299u^{96} + \dots + 111.720u - 82.0860 \\ 0.0190934u^{97} - 0.103748u^{96} + \dots - 38.7659u + 19.0595 \end{pmatrix} \\ a_9 &= \begin{pmatrix} -0.289035u^{97} + 0.180873u^{96} + \dots + 111.655u - 64.0028 \\ 0.140591u^{97} - 0.182545u^{96} + \dots - 76.3010u + 39.1583 \end{pmatrix} \\ a_8 &= \begin{pmatrix} -0.136447u^{97} + 0.413129u^{96} + \dots + 145.083u - 58.1068 \\ 0.238402u^{97} + 0.490572u^{96} + \dots + 48.6728u - 44.2169 \end{pmatrix} \end{aligned}$$

(ii) **Obstruction class** = -1

(iii) **Cusp Shapes** = $-1.47472u^{97} - 1.63887u^{96} + \dots + 179.736u + 58.6258$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1, c_5	$u^{98} - 24u^{96} + \cdots + 179u - 49$
c_2	$u^{98} - u^{97} + \cdots - 175987u - 451$
c_3, c_4, c_9	$u^{98} - u^{97} + \cdots - 224u - 32$
c_6, c_{10}	$u^{98} + u^{97} + \cdots - 192u + 79$
c_7, c_8, c_{12}	$u^{98} + 2u^{97} + \cdots - 36u + 19$
c_{11}	$u^{98} - 5u^{97} + \cdots - 215663520u + 43957163$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1, c_5	$y^{98} - 48y^{97} + \cdots - 56639y + 2401$
c_2	$y^{98} + 23y^{97} + \cdots - 31146246201y + 203401$
c_3, c_4, c_9	$y^{98} - 109y^{97} + \cdots - 160768y + 1024$
c_6, c_{10}	$y^{98} - 67y^{97} + \cdots - 74626y + 6241$
c_7, c_8, c_{12}	$y^{98} + 106y^{97} + \cdots + 12536y + 361$
c_{11}	$y^{98} - 57y^{97} + \cdots - 68808164574318740y + 1932232179008569$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.147644 + 0.991105I$		
$a = 0.428223 + 0.979194I$	$-2.74725 + 3.13007I$	0
$b = -0.083114 + 1.402650I$		
$u = -0.147644 - 0.991105I$		
$a = 0.428223 - 0.979194I$	$-2.74725 - 3.13007I$	0
$b = -0.083114 - 1.402650I$		
$u = -0.580157 + 0.788031I$		
$a = 1.330990 + 0.437564I$	$8.50650 + 1.10397I$	0
$b = 0.250861 + 0.849982I$		
$u = -0.580157 - 0.788031I$		
$a = 1.330990 - 0.437564I$	$8.50650 - 1.10397I$	0
$b = 0.250861 - 0.849982I$		
$u = 0.969739 + 0.067480I$		
$a = 0.855963 - 0.493667I$	$1.110890 + 0.358653I$	0
$b = -0.64297 - 1.34543I$		
$u = 0.969739 - 0.067480I$		
$a = 0.855963 + 0.493667I$	$1.110890 - 0.358653I$	0
$b = -0.64297 + 1.34543I$		
$u = -0.982662 + 0.303550I$		
$a = -0.744825 - 0.890821I$	$-0.64154 - 2.71485I$	0
$b = 0.325588 - 1.109070I$		
$u = -0.982662 - 0.303550I$		
$a = -0.744825 + 0.890821I$	$-0.64154 + 2.71485I$	0
$b = 0.325588 + 1.109070I$		
$u = 1.02854$		
$a = -1.64694$	2.65903	0
$b = 1.45660$		
$u = -1.031350 + 0.102678I$		
$a = 1.39462 + 0.63971I$	$6.05602 - 4.27471I$	0
$b = -1.40148 + 0.67569I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.031350 - 0.102678I$		
$a = 1.39462 - 0.63971I$	$6.05602 + 4.27471I$	0
$b = -1.40148 - 0.67569I$		
$u = -1.017430 + 0.216044I$		
$a = 1.07032 + 0.98555I$	$6.07548 - 4.43283I$	0
$b = -1.17396 + 1.08732I$		
$u = -1.017430 - 0.216044I$		
$a = 1.07032 - 0.98555I$	$6.07548 + 4.43283I$	0
$b = -1.17396 - 1.08732I$		
$u = 0.951483 + 0.470279I$		
$a = -0.460130 + 1.277270I$	$3.57337 + 5.44735I$	0
$b = 0.81690 + 1.41346I$		
$u = 0.951483 - 0.470279I$		
$a = -0.460130 - 1.277270I$	$3.57337 - 5.44735I$	0
$b = 0.81690 - 1.41346I$		
$u = 1.059930 + 0.107788I$		
$a = -0.638112 - 0.319931I$	$2.11130 + 0.19001I$	0
$b = 0.186539 - 0.221069I$		
$u = 1.059930 - 0.107788I$		
$a = -0.638112 + 0.319931I$	$2.11130 - 0.19001I$	0
$b = 0.186539 + 0.221069I$		
$u = -1.066920 + 0.069450I$		
$a = -0.649537 + 0.367157I$	$8.50659 - 0.46621I$	0
$b = 0.70174 + 1.97988I$		
$u = -1.066920 - 0.069450I$		
$a = -0.649537 - 0.367157I$	$8.50659 + 0.46621I$	0
$b = 0.70174 - 1.97988I$		
$u = -0.022975 + 0.918534I$		
$a = -0.469657 + 1.282630I$	$3.25898 - 6.63136I$	0
$b = -0.074903 + 1.400880I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.022975 - 0.918534I$		
$a = -0.469657 - 1.282630I$	$3.25898 + 6.63136I$	0
$b = -0.074903 - 1.400880I$		
$u = -0.952127 + 0.513412I$		
$a = 1.125300 + 0.318980I$	$6.32720 + 2.24621I$	0
$b = 0.042890 + 0.753251I$		
$u = -0.952127 - 0.513412I$		
$a = 1.125300 - 0.318980I$	$6.32720 - 2.24621I$	0
$b = 0.042890 - 0.753251I$		
$u = 1.042950 + 0.359828I$		
$a = 0.521935 - 1.141640I$	$3.77548 + 4.91175I$	0
$b = -0.284407 - 0.974890I$		
$u = 1.042950 - 0.359828I$		
$a = 0.521935 + 1.141640I$	$3.77548 - 4.91175I$	0
$b = -0.284407 + 0.974890I$		
$u = -0.935588 + 0.596452I$		
$a = 0.209599 + 1.336450I$	$9.56242 - 6.26495I$	0
$b = -0.71696 + 1.50993I$		
$u = -0.935588 - 0.596452I$		
$a = 0.209599 - 1.336450I$	$9.56242 + 6.26495I$	0
$b = -0.71696 - 1.50993I$		
$u = 0.283477 + 0.837190I$		
$a = 0.918914 - 0.242800I$	$12.78970 + 4.85078I$	0
$b = 0.12959 - 1.63928I$		
$u = 0.283477 - 0.837190I$		
$a = 0.918914 + 0.242800I$	$12.78970 - 4.85078I$	0
$b = 0.12959 + 1.63928I$		
$u = -1.106800 + 0.279137I$		
$a = 0.394983 - 0.594836I$	$3.25698 - 3.46925I$	0
$b = -0.048083 - 0.550544I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.106800 - 0.279137I$		
$a = 0.394983 + 0.594836I$	$3.25698 + 3.46925I$	0
$b = -0.048083 + 0.550544I$		
$u = -0.531479 + 0.670358I$		
$a = -0.612662 - 1.101300I$	$0.93590 - 2.76801I$	0
$b = 1.26914 - 0.84801I$		
$u = -0.531479 - 0.670358I$		
$a = -0.612662 + 1.101300I$	$0.93590 + 2.76801I$	0
$b = 1.26914 + 0.84801I$		
$u = 0.594310 + 0.611420I$		
$a = -1.351400 + 0.376376I$	$2.54743 - 1.15983I$	0
$b = -0.248207 + 0.834678I$		
$u = 0.594310 - 0.611420I$		
$a = -1.351400 - 0.376376I$	$2.54743 + 1.15983I$	0
$b = -0.248207 - 0.834678I$		
$u = -1.165460 + 0.037280I$		
$a = 0.888037 - 0.660491I$	$6.62448 + 3.13290I$	0
$b = -0.0059516 - 0.1246310I$		
$u = -1.165460 - 0.037280I$		
$a = 0.888037 + 0.660491I$	$6.62448 - 3.13290I$	0
$b = -0.0059516 + 0.1246310I$		
$u = 0.526974 + 1.056170I$		
$a = -0.388917 + 0.606673I$	$-1.26184 + 1.79008I$	0
$b = 0.47973 + 1.42246I$		
$u = 0.526974 - 1.056170I$		
$a = -0.388917 - 0.606673I$	$-1.26184 - 1.79008I$	0
$b = 0.47973 - 1.42246I$		
$u = 0.818395$		
$a = -1.10006$	2.19538	3.99030
$b = -0.366395$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.051200 + 0.546365I$		
$a = 0.223779 + 0.601295I$	$8.74420 - 1.92599I$	0
$b = -1.14635 + 1.52843I$		
$u = -1.051200 - 0.546365I$		
$a = 0.223779 - 0.601295I$	$8.74420 + 1.92599I$	0
$b = -1.14635 - 1.52843I$		
$u = 1.185350 + 0.125017I$		
$a = -0.825354 + 0.499077I$	$14.9038 + 5.4131I$	0
$b = 2.03379 + 1.47819I$		
$u = 1.185350 - 0.125017I$		
$a = -0.825354 - 0.499077I$	$14.9038 - 5.4131I$	0
$b = 2.03379 - 1.47819I$		
$u = 1.187550 + 0.338186I$		
$a = -0.512045 - 0.742522I$	$10.06030 + 5.61206I$	0
$b = -0.142592 - 0.557432I$		
$u = 1.187550 - 0.338186I$		
$a = -0.512045 + 0.742522I$	$10.06030 - 5.61206I$	0
$b = -0.142592 + 0.557432I$		
$u = -1.117930 + 0.589731I$		
$a = -0.400399 - 0.298404I$	$2.91728 - 2.13489I$	0
$b = -0.096130 - 1.338790I$		
$u = -1.117930 - 0.589731I$		
$a = -0.400399 + 0.298404I$	$2.91728 + 2.13489I$	0
$b = -0.096130 + 1.338790I$		
$u = -0.093270 + 1.268720I$		
$a = -0.558781 - 0.803792I$	$11.0488 + 10.0618I$	0
$b = -0.44261 - 1.65262I$		
$u = -0.093270 - 1.268720I$		
$a = -0.558781 + 0.803792I$	$11.0488 - 10.0618I$	0
$b = -0.44261 + 1.65262I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.458681 + 1.206590I$		
$a = -0.558461 - 0.407742I$	$4.57573 - 1.08706I$	0
$b = -0.19589 - 1.78208I$		
$u = -0.458681 - 1.206590I$		
$a = -0.558461 + 0.407742I$	$4.57573 + 1.08706I$	0
$b = -0.19589 + 1.78208I$		
$u = 1.255990 + 0.333837I$		
$a = 0.561102 - 0.495221I$	$1.10032 + 3.23237I$	0
$b = 0.009349 - 1.314490I$		
$u = 1.255990 - 0.333837I$		
$a = 0.561102 + 0.495221I$	$1.10032 - 3.23237I$	0
$b = 0.009349 + 1.314490I$		
$u = 0.512361 + 0.456053I$		
$a = 1.19642 - 1.55974I$	$2.00167 + 1.93138I$	$-0.28873 - 2.52521I$
$b = -0.054081 - 0.905565I$		
$u = 0.512361 - 0.456053I$		
$a = 1.19642 + 1.55974I$	$2.00167 - 1.93138I$	$-0.28873 + 2.52521I$
$b = -0.054081 + 0.905565I$		
$u = 1.206820 + 0.585243I$		
$a = -0.479965 + 0.645941I$	$1.21950 + 4.15829I$	0
$b = 0.92675 + 1.47971I$		
$u = 1.206820 - 0.585243I$		
$a = -0.479965 - 0.645941I$	$1.21950 - 4.15829I$	0
$b = 0.92675 - 1.47971I$		
$u = 0.196337 + 1.345660I$		
$a = 0.489493 - 0.633617I$	$3.87743 - 5.28163I$	0
$b = 0.39692 - 1.78268I$		
$u = 0.196337 - 1.345660I$		
$a = 0.489493 + 0.633617I$	$3.87743 + 5.28163I$	0
$b = 0.39692 + 1.78268I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.067106 + 0.624611I$		
$a = 1.279550 + 0.038144I$	$6.41094 - 2.06804I$	$4.76498 + 2.79186I$
$b = 0.054288 + 0.503329I$		
$u = -0.067106 - 0.624611I$		
$a = 1.279550 - 0.038144I$	$6.41094 + 2.06804I$	$4.76498 - 2.79186I$
$b = 0.054288 - 0.503329I$		
$u = -1.310460 + 0.407738I$		
$a = -0.705152 + 0.792990I$	$17.4061 - 9.1635I$	0
$b = 0.024819 - 0.214507I$		
$u = -1.310460 - 0.407738I$		
$a = -0.705152 - 0.792990I$	$17.4061 + 9.1635I$	0
$b = 0.024819 + 0.214507I$		
$u = -1.365970 + 0.255309I$		
$a = -0.640875 - 0.497012I$	$7.34936 - 4.49309I$	0
$b = -0.082924 - 1.398390I$		
$u = -1.365970 - 0.255309I$		
$a = -0.640875 + 0.497012I$	$7.34936 + 4.49309I$	0
$b = -0.082924 + 1.398390I$		
$u = -1.291660 + 0.514437I$		
$a = 0.590267 + 0.688910I$	$0.90602 - 8.52331I$	0
$b = -0.82988 + 1.57606I$		
$u = -1.291660 - 0.514437I$		
$a = 0.590267 - 0.688910I$	$0.90602 + 8.52331I$	0
$b = -0.82988 - 1.57606I$		
$u = 1.363110 + 0.329387I$		
$a = 0.465083 + 0.771046I$	$10.62200 + 5.43560I$	0
$b = -0.106287 - 0.193530I$		
$u = 1.363110 - 0.329387I$		
$a = 0.465083 - 0.771046I$	$10.62200 - 5.43560I$	0
$b = -0.106287 + 0.193530I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.34484 + 0.46922I$		
$a = -0.628411 + 0.716027I$	$7.53961 + 11.67750I$	0
$b = 0.77780 + 1.69573I$		
$u = 1.34484 - 0.46922I$		
$a = -0.628411 - 0.716027I$	$7.53961 - 11.67750I$	0
$b = 0.77780 - 1.69573I$		
$u = 1.27782 + 0.68507I$		
$a = 0.443314 - 0.675997I$	$15.4772 + 1.0599I$	0
$b = -1.84712 - 1.63509I$		
$u = 1.27782 - 0.68507I$		
$a = 0.443314 + 0.675997I$	$15.4772 - 1.0599I$	0
$b = -1.84712 + 1.63509I$		
$u = 0.529291 + 0.136283I$		
$a = -0.295583 + 0.644065I$	$12.31040 + 4.79248I$	$8.74810 + 2.34263I$
$b = -1.15988 - 2.02885I$		
$u = 0.529291 - 0.136283I$		
$a = -0.295583 - 0.644065I$	$12.31040 - 4.79248I$	$8.74810 - 2.34263I$
$b = -1.15988 + 2.02885I$		
$u = -0.545204$		
$a = -2.43757$	-2.34902	-12.2400
$b = 0.347274$		
$u = 0.489696 + 0.124272I$		
$a = 2.78679 + 0.32627I$	$1.86807 - 2.11041I$	$-3.76638 + 0.97321I$
$b = -0.071431 + 0.192709I$		
$u = 0.489696 - 0.124272I$		
$a = 2.78679 - 0.32627I$	$1.86807 + 2.11041I$	$-3.76638 - 0.97321I$
$b = -0.071431 - 0.192709I$		
$u = -1.39422 + 0.62022I$		
$a = -0.529737 - 0.826936I$	$15.1760 - 16.6548I$	0
$b = 1.33860 - 1.64297I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.39422 - 0.62022I$		
$a = -0.529737 + 0.826936I$	$15.1760 + 16.6548I$	0
$b = 1.33860 + 1.64297I$		
$u = -1.50683 + 0.25546I$		
$a = -0.230888 + 0.496604I$	$10.49100 - 0.60626I$	0
$b = 0.266403 - 0.198205I$		
$u = -1.50683 - 0.25546I$		
$a = -0.230888 - 0.496604I$	$10.49100 + 0.60626I$	0
$b = 0.266403 + 0.198205I$		
$u = -0.463145 + 0.067192I$		
$a = 1.27291 - 0.62200I$	$4.47001 + 2.89360I$	$8.76845 - 3.27673I$
$b = 0.846169 + 1.046210I$		
$u = -0.463145 - 0.067192I$		
$a = 1.27291 + 0.62200I$	$4.47001 - 2.89360I$	$8.76845 + 3.27673I$
$b = 0.846169 - 1.046210I$		
$u = 1.40230 + 0.63342I$		
$a = 0.544741 - 0.763682I$	$7.8844 + 12.1680I$	0
$b = -1.46695 - 1.55566I$		
$u = 1.40230 - 0.63342I$		
$a = 0.544741 + 0.763682I$	$7.8844 - 12.1680I$	0
$b = -1.46695 + 1.55566I$		
$u = -1.38830 + 0.68299I$		
$a = -0.508588 - 0.694976I$	$7.79562 - 5.96678I$	0
$b = 1.65569 - 1.54628I$		
$u = -1.38830 - 0.68299I$		
$a = -0.508588 + 0.694976I$	$7.79562 + 5.96678I$	0
$b = 1.65569 + 1.54628I$		
$u = 1.57236 + 0.03851I$		
$a = -0.434018 - 0.269208I$	$16.1961 + 1.5198I$	0
$b = -0.425318 - 0.062123I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.57236 - 0.03851I$		
$a = -0.434018 + 0.269208I$	$16.1961 - 1.5198I$	0
$b = -0.425318 + 0.062123I$		
$u = -1.62467$		
$a = 0.167450$	10.5686	0
$b = 0.450009$		
$u = 0.075647 + 0.343854I$		
$a = -0.831327 - 0.482254I$	$0.051677 + 0.871638I$	$1.30479 - 7.68178I$
$b = 0.074286 + 0.325055I$		
$u = 0.075647 - 0.343854I$		
$a = -0.831327 + 0.482254I$	$0.051677 - 0.871638I$	$1.30479 + 7.68178I$
$b = 0.074286 - 0.325055I$		
$u = 0.040893 + 0.337505I$		
$a = 0.46030 - 3.35033I$	$-2.51012 - 0.09044I$	$-5.54914 - 1.40997I$
$b = -0.477129 - 0.516478I$		
$u = 0.040893 - 0.337505I$		
$a = 0.46030 + 3.35033I$	$-2.51012 + 0.09044I$	$-5.54914 + 1.40997I$
$b = -0.477129 + 0.516478I$		
$u = 1.64162 + 0.46046I$		
$a = 0.460109 + 0.208462I$	$16.6920 - 3.4399I$	0
$b = -0.326988 - 0.507396I$		
$u = 1.64162 - 0.46046I$		
$a = 0.460109 - 0.208462I$	$16.6920 + 3.4399I$	0
$b = -0.326988 + 0.507396I$		

II.

$$I_2^u = \langle -1.24 \times 10^6 u^{26} + 7.89 \times 10^4 u^{25} + \dots + 9.33 \times 10^5 b + 2.95 \times 10^5, -8.96 \times 10^6 u^{26} - 9.06 \times 10^6 u^{25} + \dots + 9.33 \times 10^5 a - 2.36 \times 10^7, u^{27} - 9u^{25} + \dots + 9u^2 - 1 \rangle$$

(i) Arc colorings

$$a_6 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 1 \\ -u^2 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 9.59367u^{26} + 9.71136u^{25} + \dots + 9.83209u + 25.2986 \\ 1.32935u^{26} - 0.0845413u^{25} + \dots - 1.80120u - 0.316238 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} u \\ -u^3 + u \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 12.3529u^{26} + 13.2890u^{25} + \dots + 13.2547u + 32.4687 \\ 2.37434u^{26} + 2.01097u^{25} + \dots - 1.13786u + 3.27626 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} 19.3072u^{26} + 1.06227u^{25} + \dots + 43.6737u + 4.96453 \\ 4.42819u^{26} + 3.62731u^{25} + \dots + 7.30655u + 0.673136 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} -1.93034u^{26} - 6.11886u^{25} + \dots + 5.78493u - 16.5652 \\ -5.13359u^{26} - 5.58858u^{25} + \dots - 2.28473u - 10.4464 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -13.5724u^{26} - 3.44675u^{25} + \dots - 30.7183u - 25.4385 \\ -2.80424u^{26} - 5.67312u^{25} + \dots - 2.08593u - 10.7626 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} 3.20326u^{26} - 0.530277u^{25} + \dots + 8.06966u - 6.11886 \\ -5.13359u^{26} - 5.58858u^{25} + \dots - 2.28473u - 10.4464 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} -18.3992u^{26} - 10.3562u^{25} + \dots - 46.6222u - 16.4826 \\ -3.59250u^{26} - 1.04499u^{25} + \dots - 8.73334u + 0.336661 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -29.7822u^{26} - 15.6228u^{25} + \dots - 38.4206u - 13.2655 \\ -5.38513u^{26} - 6.09579u^{25} + \dots + 7.57875u + 0.974312 \end{pmatrix}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes = $\frac{33852149}{933437}u^{26} + \frac{15369740}{933437}u^{25} + \dots + \frac{74879083}{933437}u + \frac{9932654}{933437}$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$u^{27} + 5u^{26} + \cdots - 5u - 1$
c_2	$u^{27} - 6u^{24} + \cdots + 3u + 1$
c_3, c_4	$u^{27} - 16u^{25} + \cdots - 4u^2 - 1$
c_5	$u^{27} - 5u^{26} + \cdots - 5u + 1$
c_6	$u^{27} - 9u^{25} + \cdots - 9u^2 + 1$
c_7, c_8	$u^{27} + u^{26} + \cdots + 4u^2 + 1$
c_9	$u^{27} - 16u^{25} + \cdots + 4u^2 + 1$
c_{10}	$u^{27} - 9u^{25} + \cdots + 9u^2 - 1$
c_{11}	$u^{27} - 2u^{25} + \cdots + 6u + 1$
c_{12}	$u^{27} - u^{26} + \cdots - 4u^2 - 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1, c_5	$y^{27} - 19y^{26} + \cdots + 27y - 1$
c_2	$y^{27} - 14y^{25} + \cdots + 13y - 1$
c_3, c_4, c_9	$y^{27} - 32y^{26} + \cdots - 8y - 1$
c_6, c_{10}	$y^{27} - 18y^{26} + \cdots + 18y - 1$
c_7, c_8, c_{12}	$y^{27} + 31y^{26} + \cdots - 8y - 1$
c_{11}	$y^{27} - 4y^{26} + \cdots - 36y - 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.485089 + 0.936854I$		
$a = 0.397869 - 0.777369I$	$-1.47956 + 2.03481I$	$-5.77865 - 9.60998I$
$b = -0.51072 - 1.33669I$		
$u = 0.485089 - 0.936854I$		
$a = 0.397869 + 0.777369I$	$-1.47956 - 2.03481I$	$-5.77865 + 9.60998I$
$b = -0.51072 + 1.33669I$		
$u = -0.949119 + 0.513442I$		
$a = 0.456947 + 1.089520I$	$3.99828 - 4.96462I$	$7.26250 + 2.59999I$
$b = -1.01741 + 1.52896I$		
$u = -0.949119 - 0.513442I$		
$a = 0.456947 - 1.089520I$	$3.99828 + 4.96462I$	$7.26250 - 2.59999I$
$b = -1.01741 - 1.52896I$		
$u = -1.027490 + 0.392055I$		
$a = -0.447302 - 0.345733I$	$7.91750 - 1.58212I$	$1.68352 + 2.93249I$
$b = 0.57862 - 2.16315I$		
$u = -1.027490 - 0.392055I$		
$a = -0.447302 + 0.345733I$	$7.91750 + 1.58212I$	$1.68352 - 2.93249I$
$b = 0.57862 + 2.16315I$		
$u = 1.062870 + 0.365733I$		
$a = -0.68903 + 1.33354I$	$6.39604 + 5.84242I$	$6.69178 - 7.94773I$
$b = 0.753801 + 1.158750I$		
$u = 1.062870 - 0.365733I$		
$a = -0.68903 - 1.33354I$	$6.39604 - 5.84242I$	$6.69178 + 7.94773I$
$b = 0.753801 - 1.158750I$		
$u = -0.147257 + 0.804940I$		
$a = -0.215120 + 1.226910I$	$3.27196 - 3.54502I$	$2.57974 + 4.21881I$
$b = -1.09953 + 1.37711I$		
$u = -0.147257 - 0.804940I$		
$a = -0.215120 - 1.226910I$	$3.27196 + 3.54502I$	$2.57974 - 4.21881I$
$b = -1.09953 - 1.37711I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.180300 + 0.289874I$		
$a = -0.539669 - 0.747909I$	$4.41578 - 3.76745I$	$5.99903 + 3.10920I$
$b = -0.080063 - 0.754670I$		
$u = -1.180300 - 0.289874I$		
$a = -0.539669 + 0.747909I$	$4.41578 + 3.76745I$	$5.99903 - 3.10920I$
$b = -0.080063 + 0.754670I$		
$u = 1.157870 + 0.391750I$		
$a = 0.487445 - 0.502194I$	$1.03253 + 2.42829I$	$1.41343 - 0.11118I$
$b = -0.191569 - 1.317550I$		
$u = 1.157870 - 0.391750I$		
$a = 0.487445 + 0.502194I$	$1.03253 - 2.42829I$	$1.41343 + 0.11118I$
$b = -0.191569 + 1.317550I$		
$u = -0.826385 + 0.920635I$		
$a = 0.728727 + 0.282129I$	$3.34708 - 0.27472I$	$3.57620 - 0.72730I$
$b = 0.016117 + 1.270820I$		
$u = -0.826385 - 0.920635I$		
$a = 0.728727 - 0.282129I$	$3.34708 + 0.27472I$	$3.57620 + 0.72730I$
$b = 0.016117 - 1.270820I$		
$u = 0.665400 + 0.363386I$		
$a = -0.416547 + 0.968781I$	$12.21670 + 5.39354I$	$6.49982 - 9.79940I$
$b = 1.57866 + 2.24267I$		
$u = 0.665400 - 0.363386I$		
$a = -0.416547 - 0.968781I$	$12.21670 - 5.39354I$	$6.49982 + 9.79940I$
$b = 1.57866 - 2.24267I$		
$u = -0.743669 + 0.113537I$		
$a = -1.86128 + 0.35715I$	$2.48833 + 2.05269I$	$9.77151 + 0.18924I$
$b = 0.968209 + 0.116721I$		
$u = -0.743669 - 0.113537I$		
$a = -1.86128 - 0.35715I$	$2.48833 - 2.05269I$	$9.77151 - 0.18924I$
$b = 0.968209 - 0.116721I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.699055 + 0.226988I$		
$a = -2.32653 - 0.27444I$	$4.89157 - 3.13631I$	$1.34681 + 1.41207I$
$b = -0.206392 + 0.302743I$		
$u = 0.699055 - 0.226988I$		
$a = -2.32653 + 0.27444I$	$4.89157 + 3.13631I$	$1.34681 - 1.41207I$
$b = -0.206392 - 0.302743I$		
$u = 0.652026$		
$a = 2.01778$	-1.99612	12.1580
$b = -0.867893$		
$u = -0.468647$		
$a = 3.12140$	1.09456	-4.47640
$b = 0.566633$		
$u = 1.55512 + 0.21865I$		
$a = -0.287202 - 0.041726I$	$15.8581 - 2.5922I$	$5.18360 + 2.23250I$
$b = -0.213577 + 0.958778I$		
$u = 1.55512 - 0.21865I$		
$a = -0.287202 + 0.041726I$	$15.8581 + 2.5922I$	$5.18360 - 2.23250I$
$b = -0.213577 - 0.958778I$		
$u = -1.68573$		
$a = 0.284193$	10.3675	-17.1410
$b = 0.148948$		

III. u-Polynomials

Crossings	u-Polynomials at each crossing
c_1	$(u^{27} + 5u^{26} + \dots - 5u - 1)(u^{98} - 24u^{96} + \dots + 179u - 49)$
c_2	$(u^{27} - 6u^{24} + \dots + 3u + 1)(u^{98} - u^{97} + \dots - 175987u - 451)$
c_3, c_4	$(u^{27} - 16u^{25} + \dots - 4u^2 - 1)(u^{98} - u^{97} + \dots - 224u - 32)$
c_5	$(u^{27} - 5u^{26} + \dots - 5u + 1)(u^{98} - 24u^{96} + \dots + 179u - 49)$
c_6	$(u^{27} - 9u^{25} + \dots - 9u^2 + 1)(u^{98} + u^{97} + \dots - 192u + 79)$
c_7, c_8	$(u^{27} + u^{26} + \dots + 4u^2 + 1)(u^{98} + 2u^{97} + \dots - 36u + 19)$
c_9	$(u^{27} - 16u^{25} + \dots + 4u^2 + 1)(u^{98} - u^{97} + \dots - 224u - 32)$
c_{10}	$(u^{27} - 9u^{25} + \dots + 9u^2 - 1)(u^{98} + u^{97} + \dots - 192u + 79)$
c_{11}	$(u^{27} - 2u^{25} + \dots + 6u + 1) \\ \cdot (u^{98} - 5u^{97} + \dots - 215663520u + 43957163)$
c_{12}	$(u^{27} - u^{26} + \dots - 4u^2 - 1)(u^{98} + 2u^{97} + \dots - 36u + 19)$

IV. Riley Polynomials

Crossings	Riley Polynomials at each crossing
c_1, c_5	$(y^{27} - 19y^{26} + \dots + 27y - 1)(y^{98} - 48y^{97} + \dots - 56639y + 2401)$
c_2	$(y^{27} - 14y^{25} + \dots + 13y - 1) \cdot (y^{98} + 23y^{97} + \dots - 31146246201y + 203401)$
c_3, c_4, c_9	$(y^{27} - 32y^{26} + \dots - 8y - 1)(y^{98} - 109y^{97} + \dots - 160768y + 1024)$
c_6, c_{10}	$(y^{27} - 18y^{26} + \dots + 18y - 1)(y^{98} - 67y^{97} + \dots - 74626y + 6241)$
c_7, c_8, c_{12}	$(y^{27} + 31y^{26} + \dots - 8y - 1)(y^{98} + 106y^{97} + \dots + 12536y + 361)$
c_{11}	$(y^{27} - 4y^{26} + \dots - 36y - 1) \cdot (y^{98} - 57y^{97} + \dots - 68808164574318740y + 1932232179008569)$