


$11a_{266}$ ($K11a_{266}$)



Ideals for irreducible components² of X_{par}

$$\begin{aligned}
 I_1^u &= \langle 2.09838 \times 10^{20} u^{29} + 6.55534 \times 10^{21} u^{28} + \dots + 1.72668 \times 10^{21} b + 1.91679 \times 10^{23}, \\
 &\quad 7.48748 \times 10^{20} u^{29} + 2.12940 \times 10^{22} u^{28} + \dots + 3.45337 \times 10^{21} a + 2.83237 \times 10^{23}, \\
 &\quad u^{30} + 29u^{29} + \dots + 5632u + 512 \rangle \\
 I_2^u &= \langle 222790111u^{46} - 4153864769u^{45} + \dots + 2281728b + 6714872532, \\
 &\quad - 2238290844u^{46}a - 21314380402u^{46} + \dots - 16228635188a - 83493140173, \\
 &\quad u^{47} - 14u^{46} + \dots + 30u - 3 \rangle \\
 I_3^u &= \langle -1345u^{15} + 7729u^{14} + \dots + 3655b + 38, -38u^{15} - 1117u^{14} + \dots + 3655a + 12877, \\
 &\quad u^{16} - 6u^{15} + \dots + u + 1 \rangle \\
 I_4^u &= \langle 3au + 3b + 2u + 3, 3a^2 - au - a + 1, u^2 + 3u + 3 \rangle
 \end{aligned}$$

* 4 irreducible components of $\dim_{\mathbb{C}} = 0$, with total 144 representations.

¹The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/math/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

²All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

$$\text{I. } I_1^u = \langle 2.10 \times 10^{20} u^{29} + 6.56 \times 10^{21} u^{28} + \dots + 1.73 \times 10^{21} b + 1.92 \times 10^{23}, \ 7.49 \times 10^{20} u^{29} + 2.13 \times 10^{22} u^{28} + \dots + 3.45 \times 10^{21} a + 2.83 \times 10^{23}, \ u^{30} + 29u^{29} + \dots + 5632u + 512 \rangle$$

(i) Arc colorings

$$a_2 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 1 \\ u^2 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} -0.216817u^{29} - 6.16616u^{28} + \dots - 843.133u - 82.0175 \\ -0.121527u^{29} - 3.79649u^{28} + \dots - 1139.09u - 111.010 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 0.176923u^{29} + 4.51009u^{28} + \dots - 277.468u - 33.2290 \\ 0.726411u^{29} + 20.5852u^{28} + \dots + 2839.46u + 269.003 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} 0.0737630u^{29} + 2.11244u^{28} + \dots + 454.512u + 44.0773 \\ 0.0266890u^{29} + 0.858935u^{28} + \dots + 372.356u + 37.7667 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -0.181935u^{29} - 4.87001u^{28} + \dots - 131.180u - 9.97749 \\ -0.321147u^{29} - 9.00243u^{28} + \dots - 1126.22u - 106.815 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} -0.344913u^{29} - 9.38133u^{28} + \dots - 491.954u - 39.3302 \\ -0.241720u^{29} - 7.27828u^{28} + \dots - 1882.54u - 183.233 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} -0.0952900u^{29} - 2.36967u^{28} + \dots + 295.961u + 28.9927 \\ -0.121527u^{29} - 3.79649u^{28} + \dots - 1139.09u - 111.010 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -0.0645692u^{29} - 1.79489u^{28} + \dots - 175.655u - 17.7913 \\ 0.111643u^{29} + 3.04839u^{28} + \dots + 259.810u + 24.1019 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -0.293270u^{29} - 8.33770u^{28} + \dots - 1123.71u - 104.995 \\ 0.527885u^{29} + 14.3259u^{28} + \dots + 755.639u + 64.5890 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -0.293270u^{29} - 8.33770u^{28} + \dots - 1123.71u - 104.995 \\ 0.527885u^{29} + 14.3259u^{28} + \dots + 755.639u + 64.5890 \end{pmatrix}$$

(ii) Obstruction class = -1

$$(iii) \text{ Cusp Shapes} = \frac{190232019886448235663}{431670906353547523808}u^{29} + \frac{1299412671514678966295}{107917726588386880952}u^{28} + \dots + \frac{3145923075548619685658}{13489715823548360119}u + \frac{100943563341881674894}{13489715823548360119}$$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$u^{30} + 26u^{29} + \cdots + 12288u + 1024$
c_2	$u^{30} + 29u^{29} + \cdots + 5632u + 512$
c_3, c_{10}	$u^{30} - u^{28} + \cdots - 6u + 1$
c_4, c_{11}	$u^{30} + 8u^{28} + \cdots + 3u + 1$
c_5, c_9	$u^{30} - u^{29} + \cdots - 2u + 1$
c_6, c_8	$u^{30} - u^{29} + \cdots + 46u + 27$
c_7	$u^{30} - 19u^{29} + \cdots - 288u + 32$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$y^{30} - 2y^{29} + \cdots + 12976128y + 1048576$
c_2	$y^{30} - 11y^{29} + \cdots + 11665408y + 262144$
c_3, c_{10}	$y^{30} - 2y^{29} + \cdots - 10y + 1$
c_4, c_{11}	$y^{30} + 16y^{29} + \cdots + 33y + 1$
c_5, c_9	$y^{30} + 3y^{29} + \cdots + 6y + 1$
c_6, c_8	$y^{30} - 13y^{29} + \cdots - 5896y + 729$
c_7	$y^{30} + y^{29} + \cdots + 11776y + 1024$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.294179 + 0.829081I$		
$a = 0.118653 - 1.232520I$	$3.99955 - 4.35128I$	$6.59095 + 3.41349I$
$b = -0.986950 - 0.460952I$		
$u = -0.294179 - 0.829081I$		
$a = 0.118653 + 1.232520I$	$3.99955 + 4.35128I$	$6.59095 - 3.41349I$
$b = -0.986950 + 0.460952I$		
$u = -0.620636 + 0.594308I$		
$a = -0.605489 + 0.728544I$	$-0.89506 + 1.64854I$	$-1.59568 - 3.27710I$
$b = 0.057191 + 0.812008I$		
$u = -0.620636 - 0.594308I$		
$a = -0.605489 - 0.728544I$	$-0.89506 - 1.64854I$	$-1.59568 + 3.27710I$
$b = 0.057191 - 0.812008I$		
$u = 0.240502 + 0.822969I$		
$a = -0.329651 + 0.513210I$	$1.54778 + 0.98121I$	$6.08132 - 1.87254I$
$b = 0.501638 + 0.147864I$		
$u = 0.240502 - 0.822969I$		
$a = -0.329651 - 0.513210I$	$1.54778 - 0.98121I$	$6.08132 + 1.87254I$
$b = 0.501638 - 0.147864I$		
$u = -0.593121 + 1.014040I$		
$a = -0.296194 + 1.000500I$	$0.40807 + 2.90881I$	0
$b = 0.838868 + 0.893772I$		
$u = -0.593121 - 1.014040I$		
$a = -0.296194 - 1.000500I$	$0.40807 - 2.90881I$	0
$b = 0.838868 - 0.893772I$		
$u = -1.218960 + 0.602440I$		
$a = 0.242601 + 1.087790I$	$-5.97727 + 1.40898I$	0
$b = 0.95105 + 1.17983I$		
$u = -1.218960 - 0.602440I$		
$a = 0.242601 - 1.087790I$	$-5.97727 - 1.40898I$	0
$b = 0.95105 - 1.17983I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.062633 + 0.568284I$		
$a = -0.89194 + 1.92406I$	$2.49609 + 5.04306I$	$4.14627 - 10.34955I$
$b = 1.037550 + 0.627385I$		
$u = -0.062633 - 0.568284I$		
$a = -0.89194 - 1.92406I$	$2.49609 - 5.04306I$	$4.14627 + 10.34955I$
$b = 1.037550 - 0.627385I$		
$u = -1.26166 + 0.95513I$		
$a = 0.035716 - 0.830069I$	$-5.36512 + 5.09529I$	0
$b = -0.747763 - 1.081370I$		
$u = -1.26166 - 0.95513I$		
$a = 0.035716 + 0.830069I$	$-5.36512 - 5.09529I$	0
$b = -0.747763 + 1.081370I$		
$u = -1.45922 + 0.74935I$		
$a = -0.234481 - 0.798219I$	$-5.17774 + 5.90499I$	0
$b = -0.940309 - 0.989071I$		
$u = -1.45922 - 0.74935I$		
$a = -0.234481 + 0.798219I$	$-5.17774 - 5.90499I$	0
$b = -0.940309 + 0.989071I$		
$u = -1.27724 + 1.06097I$		
$a = 0.038188 + 0.956845I$	$-4.2629 + 20.2286I$	0
$b = 1.06395 + 1.18161I$		
$u = -1.27724 - 1.06097I$		
$a = 0.038188 - 0.956845I$	$-4.2629 - 20.2286I$	0
$b = 1.06395 - 1.18161I$		
$u = -1.24188 + 1.13304I$		
$a = 0.028366 - 0.909730I$	$-5.60137 + 11.70800I$	0
$b = -0.99553 - 1.16192I$		
$u = -1.24188 - 1.13304I$		
$a = 0.028366 + 0.909730I$	$-5.60137 - 11.70800I$	0
$b = -0.99553 + 1.16192I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.003667 + 0.237046I$	$-1.89594 + 2.12626I$	$-1.09090 - 3.98101I$
$a = -2.94819 - 2.24065I$		
$b = -0.520327 + 0.707073I$		
$u = 0.003667 - 0.237046I$	$-1.89594 - 2.12626I$	$-1.09090 + 3.98101I$
$a = -2.94819 + 2.24065I$		
$b = -0.520327 - 0.707073I$		
$u = -1.43708 + 1.34143I$	$-4.05984 + 4.16834I$	0
$a = 0.060155 - 0.374617I$		
$b = -0.416075 - 0.619050I$		
$u = -1.43708 - 1.34143I$	$-4.05984 - 4.16834I$	0
$a = 0.060155 + 0.374617I$		
$b = -0.416075 + 0.619050I$		
$u = -1.73010 + 1.21293I$	$-5.55355 - 1.97987I$	0
$a = 0.178166 - 0.282307I$		
$b = -0.034172 - 0.704524I$		
$u = -1.73010 - 1.21293I$	$-5.55355 + 1.97987I$	0
$a = 0.178166 + 0.282307I$		
$b = -0.034172 + 0.704524I$		
$u = -1.93940 + 0.86304I$	$-1.09814 + 9.90729I$	0
$a = 0.299482 + 0.276653I$		
$b = 0.819579 + 0.278076I$		
$u = -1.93940 - 0.86304I$	$-1.09814 - 9.90729I$	0
$a = 0.299482 - 0.276653I$		
$b = 0.819579 - 0.278076I$		
$u = -1.60805 + 1.94539I$	$-3.10815 - 10.44340I$	0
$a = -0.195384 + 0.095348I$		
$b = -0.128699 + 0.533421I$		
$u = -1.60805 - 1.94539I$	$-3.10815 + 10.44340I$	0
$a = -0.195384 - 0.095348I$		
$b = -0.128699 - 0.533421I$		

$$\text{II. } I_2^u = \langle 2.23 \times 10^8 u^{46} - 4.15 \times 10^9 u^{45} + \dots + 2.28 \times 10^6 b + 6.71 \times 10^9, -2.24 \times 10^9 a u^{46} - 2.13 \times 10^{10} u^{46} + \dots - 1.62 \times 10^{10} a - 8.35 \times 10^{10}, u^{47} - 14 u^{46} + \dots + 30 u - 3 \rangle$$

(i) Arc colorings

$$\begin{aligned} a_2 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_9 &= \begin{pmatrix} 0 \\ u \end{pmatrix} \\ a_3 &= \begin{pmatrix} 1 \\ u^2 \end{pmatrix} \\ a_6 &= \begin{pmatrix} a \\ -97.6410u^{46} + 1820.49u^{45} + \dots + 22316.5u - 2942.89 \end{pmatrix} \\ a_7 &= \begin{pmatrix} 97.6410u^{46} - 1820.49u^{45} + \dots + a + 2942.89 \\ -875.274u^{46} + 11767.0u^{45} + \dots + 36214.9u - 4303.44 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} 97.6410au^{46} + 6581.46u^{46} + \dots + 2942.89a + 28024.0 \\ 4213.21u^{46} - 56627.3u^{45} + \dots - 169419.u + 19744.4 \end{pmatrix} \\ a_1 &= \begin{pmatrix} -3947.68au^{46} - 9825.94u^{46} + \dots - 16530.6a - 44744.7 \\ -3404.42u^{46} + 45900.4u^{45} + \dots + 143381.u - 16838.2 \end{pmatrix} \\ a_4 &= \begin{pmatrix} 20.4112au^{46} - 4497.13u^{46} + \dots - 75.8750a - 19073.6 \\ 121.715au^{46} + 2423.70u^{46} + \dots - 32.4492a + 11974.6 \end{pmatrix} \\ a_5 &= \begin{pmatrix} 97.6410u^{46} - 1820.49u^{45} + \dots + a + 2942.89 \\ -97.6410u^{46} + 1820.49u^{45} + \dots + 22316.5u - 2942.89 \end{pmatrix} \\ a_8 &= \begin{pmatrix} 875.274au^{46} + 5244.35u^{46} + \dots + 4303.44a + 22464.4 \\ -777.633au^{46} - 2876.10u^{46} + \dots - 1360.55a - 14184.8 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} 2411.09au^{46} + 5244.06u^{46} + \dots + 5482.49a + 8858.44 \\ -123.596au^{46} + 924.784u^{46} + \dots + 518.225a - 1814.05 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} 2411.09au^{46} + 5244.06u^{46} + \dots + 5482.49a + 8858.44 \\ -123.596au^{46} + 924.784u^{46} + \dots + 518.225a - 1814.05 \end{pmatrix} \end{aligned}$$

(ii) Obstruction class = -1

$$(iii) \text{ Cusp Shapes} = \frac{1922246023}{142608}u^{46} - \frac{103339844495}{570432}u^{45} + \dots - \frac{317627554903}{570432}u + \frac{12453313365}{190144}$$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$(u^{47} - 13u^{46} + \cdots + 193u - 27)^2$
c_2	$(u^{47} - 14u^{46} + \cdots + 30u - 3)^2$
c_3, c_{10}	$3(3u^{94} + 24u^{93} + \cdots + 45u - 1)$
c_4, c_{11}	$3(3u^{94} + 15u^{93} + \cdots - 14505u - 1083)$
c_5, c_9	$3(3u^{94} + 3u^{93} + \cdots - 93u - 3)$
c_6, c_8	$3(3u^{94} + 6u^{93} + \cdots + 9495938u - 2259497)$
c_7	$(u^{47} + 10u^{46} + \cdots + 18u + 3)^2$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$(y^{47} + 9y^{46} + \dots - 11945y - 729)^2$
c_2	$(y^{47} - 12y^{46} + \dots + 138y - 9)^2$
c_3, c_{10}	$9(9y^{94} - 156y^{93} + \dots - 451y + 1)$
c_4, c_{11}	$9(9y^{94} - 165y^{93} + \dots + 1.44834 \times 10^7 y + 1172889)$
c_5, c_9	$9(9y^{94} + 195y^{93} + \dots - 885y + 9)$
c_6, c_8	$9(9y^{94} - 318y^{93} + \dots - 1.81298 \times 10^{14} y + 5.10533 \times 10^{12})$
c_7	$(y^{47} - 8y^{46} + \dots + 120y - 9)^2$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.975919 + 0.025887I$		
$a = -0.095171 - 0.809640I$	$-5.74704 - 2.00651I$	0
$b = -1.04838 - 1.34279I$		
$u = -0.975919 + 0.025887I$		
$a = -1.03702 - 1.40343I$	$-5.74704 - 2.00651I$	0
$b = -0.113839 - 0.787679I$		
$u = -0.975919 - 0.025887I$		
$a = -0.095171 + 0.809640I$	$-5.74704 + 2.00651I$	0
$b = -1.04838 + 1.34279I$		
$u = -0.975919 - 0.025887I$		
$a = -1.03702 + 1.40343I$	$-5.74704 + 2.00651I$	0
$b = -0.113839 + 0.787679I$		
$u = 0.659230 + 0.697787I$		
$a = -0.690219 + 0.639282I$	$1.93536 + 0.83864I$	0
$b = -0.142130 - 0.073719I$		
$u = 0.659230 + 0.697787I$		
$a = 0.157502 - 0.054887I$	$1.93536 + 0.83864I$	0
$b = 0.901096 + 0.060192I$		
$u = 0.659230 - 0.697787I$		
$a = -0.690219 - 0.639282I$	$1.93536 - 0.83864I$	0
$b = -0.142130 + 0.073719I$		
$u = 0.659230 - 0.697787I$		
$a = 0.157502 + 0.054887I$	$1.93536 - 0.83864I$	0
$b = 0.901096 - 0.060192I$		
$u = 0.791795 + 0.721190I$		
$a = -0.345700 + 1.037280I$	$3.87155 - 2.62212I$	0
$b = -0.800003 + 0.474165I$		
$u = 0.791795 + 0.721190I$		
$a = 0.254108 - 0.830297I$	$3.87155 - 2.62212I$	0
$b = 1.021800 - 0.572001I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.791795 - 0.721190I$		
$a = -0.345700 - 1.037280I$	$3.87155 + 2.62212I$	0
$b = -0.800003 - 0.474165I$		
$u = 0.791795 - 0.721190I$		
$a = 0.254108 + 0.830297I$	$3.87155 + 2.62212I$	0
$b = 1.021800 + 0.572001I$		
$u = 0.716995 + 0.585257I$		
$a = 0.211947 - 0.998129I$	$1.44210 - 5.12633I$	0
$b = 1.08043 - 1.20236I$		
$u = 0.716995 + 0.585257I$		
$a = -0.08286 + 1.74458I$	$1.44210 - 5.12633I$	0
$b = -0.736127 + 0.591610I$		
$u = 0.716995 - 0.585257I$		
$a = 0.211947 + 0.998129I$	$1.44210 + 5.12633I$	0
$b = 1.08043 + 1.20236I$		
$u = 0.716995 - 0.585257I$		
$a = -0.08286 - 1.74458I$	$1.44210 + 5.12633I$	0
$b = -0.736127 - 0.591610I$		
$u = 0.548341 + 0.960440I$		
$a = -0.089172 + 0.923171I$	$-0.215372 - 0.545445I$	0
$b = -0.38411 + 1.47635I$		
$u = 0.548341 + 0.960440I$		
$a = -0.987086 - 0.963483I$	$-0.215372 - 0.545445I$	0
$b = 0.935547 - 0.420568I$		
$u = 0.548341 - 0.960440I$		
$a = -0.089172 - 0.923171I$	$-0.215372 + 0.545445I$	0
$b = -0.38411 - 1.47635I$		
$u = 0.548341 - 0.960440I$		
$a = -0.987086 + 0.963483I$	$-0.215372 + 0.545445I$	0
$b = 0.935547 + 0.420568I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.643393 + 1.000610I$		
$a = 0.015163 - 0.916515I$	$0.77111 + 11.39920I$	0
$b = -0.96718 - 1.40104I$		
$u = -0.643393 + 1.000610I$		
$a = 0.55090 - 1.32082I$	$0.77111 + 11.39920I$	0
$b = -0.907319 - 0.604852I$		
$u = -0.643393 - 1.000610I$		
$a = 0.015163 + 0.916515I$	$0.77111 - 11.39920I$	0
$b = -0.96718 + 1.40104I$		
$u = -0.643393 - 1.000610I$		
$a = 0.55090 + 1.32082I$	$0.77111 - 11.39920I$	0
$b = -0.907319 + 0.604852I$		
$u = 0.743194 + 0.234677I$		
$a = 0.126137 - 0.765467I$	$-4.71436 - 3.28575I$	$-12.0478 + 10.0322I$
$b = -1.42530 - 1.15084I$		
$u = 0.743194 + 0.234677I$		
$a = 2.18855 + 0.85743I$	$-4.71436 - 3.28575I$	$-12.0478 + 10.0322I$
$b = -0.273382 + 0.539289I$		
$u = 0.743194 - 0.234677I$		
$a = 0.126137 + 0.765467I$	$-4.71436 + 3.28575I$	$-12.0478 - 10.0322I$
$b = -1.42530 + 1.15084I$		
$u = 0.743194 - 0.234677I$		
$a = 2.18855 - 0.85743I$	$-4.71436 + 3.28575I$	$-12.0478 - 10.0322I$
$b = -0.273382 - 0.539289I$		
$u = 0.563178 + 1.087130I$		
$a = -0.528826 + 0.308180I$	$-0.26046 + 4.20130I$	0
$b = -0.320532 - 0.491610I$		
$u = 0.563178 + 1.087130I$		
$a = 0.476952 - 0.047762I$	$-0.26046 + 4.20130I$	0
$b = 0.632856 + 0.401342I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.563178 - 1.087130I$		
$a = -0.528826 - 0.308180I$	$-0.26046 - 4.20130I$	0
$b = -0.320532 + 0.491610I$		
$u = 0.563178 - 1.087130I$		
$a = 0.476952 + 0.047762I$	$-0.26046 - 4.20130I$	0
$b = 0.632856 - 0.401342I$		
$u = 0.716855 + 0.240599I$		
$a = -0.311842 - 1.295060I$	$-5.08486 - 6.93394I$	$-6.67195 + 7.26599I$
$b = 1.25725 - 1.15394I$		
$u = 0.716855 + 0.240599I$		
$a = -1.09070 + 1.97580I$	$-5.08486 - 6.93394I$	$-6.67195 + 7.26599I$
$b = -0.088046 + 1.003400I$		
$u = 0.716855 - 0.240599I$		
$a = -0.311842 + 1.295060I$	$-5.08486 + 6.93394I$	$-6.67195 - 7.26599I$
$b = 1.25725 + 1.15394I$		
$u = 0.716855 - 0.240599I$		
$a = -1.09070 - 1.97580I$	$-5.08486 + 6.93394I$	$-6.67195 - 7.26599I$
$b = -0.088046 - 1.003400I$		
$u = 0.722078 + 0.185952I$		
$a = -0.156126 + 1.004530I$	$-3.74054 - 11.30760I$	$-5.50352 + 11.29218I$
$b = 1.42280 + 1.34318I$		
$u = 0.722078 + 0.185952I$		
$a = -2.29711 - 1.26859I$	$-3.74054 - 11.30760I$	$-5.50352 + 11.29218I$
$b = 0.299530 - 0.696319I$		
$u = 0.722078 - 0.185952I$		
$a = -0.156126 - 1.004530I$	$-3.74054 + 11.30760I$	$-5.50352 - 11.29218I$
$b = 1.42280 - 1.34318I$		
$u = 0.722078 - 0.185952I$		
$a = -2.29711 + 1.26859I$	$-3.74054 + 11.30760I$	$-5.50352 - 11.29218I$
$b = 0.299530 + 0.696319I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.502161 + 0.502278I$		
$a = -0.811589 + 0.399482I$	$-1.33437 + 1.73522I$	$1.00000 + 1.18204I$
$b = 0.507340 + 1.250810I$		
$u = -0.502161 + 0.502278I$		
$a = -0.74039 + 1.75030I$	$-1.33437 + 1.73522I$	$1.00000 + 1.18204I$
$b = -0.206898 + 0.608248I$		
$u = -0.502161 - 0.502278I$		
$a = -0.811589 - 0.399482I$	$-1.33437 - 1.73522I$	$1.00000 - 1.18204I$
$b = 0.507340 - 1.250810I$		
$u = -0.502161 - 0.502278I$		
$a = -0.74039 - 1.75030I$	$-1.33437 - 1.73522I$	$1.00000 - 1.18204I$
$b = -0.206898 - 0.608248I$		
$u = 0.683669 + 0.161155I$		
$a = 0.691014 + 0.943770I$	$-4.37399 - 1.07626I$	$-9.22616 - 2.29912I$
$b = -1.26363 + 0.80256I$		
$u = 0.683669 + 0.161155I$		
$a = 1.48887 - 1.52485I$	$-4.37399 - 1.07626I$	$-9.22616 - 2.29912I$
$b = -0.320332 - 0.756587I$		
$u = 0.683669 - 0.161155I$		
$a = 0.691014 - 0.943770I$	$-4.37399 + 1.07626I$	$-9.22616 + 2.29912I$
$b = -1.26363 - 0.80256I$		
$u = 0.683669 - 0.161155I$		
$a = 1.48887 + 1.52485I$	$-4.37399 + 1.07626I$	$-9.22616 + 2.29912I$
$b = -0.320332 + 0.756587I$		
$u = -0.786407 + 1.095290I$		
$a = -0.182272 + 1.111210I$	$0.65352 + 2.88892I$	0
$b = 0.654941 + 0.857680I$		
$u = -0.786407 + 1.095290I$		
$a = -0.233409 + 0.765544I$	$0.65352 + 2.88892I$	0
$b = 1.07376 + 1.07351I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.786407 - 1.095290I$		
$a = -0.182272 - 1.111210I$	$0.65352 - 2.88892I$	0
$b = 0.654941 - 0.857680I$		
$u = -0.786407 - 1.095290I$		
$a = -0.233409 - 0.765544I$	$0.65352 - 2.88892I$	0
$b = 1.07376 - 1.07351I$		
$u = -0.608189 + 0.167810I$		
$a = -0.18394 + 1.42724I$	$-1.98777 + 3.16700I$	$-4.3128 - 13.8397I$
$b = -1.03173 + 1.22867I$		
$u = -0.608189 + 0.167810I$		
$a = -2.09437 + 1.44234I$	$-1.98777 + 3.16700I$	$-4.3128 - 13.8397I$
$b = 0.127634 + 0.898898I$		
$u = -0.608189 - 0.167810I$		
$a = -0.18394 - 1.42724I$	$-1.98777 - 3.16700I$	$-4.3128 + 13.8397I$
$b = -1.03173 - 1.22867I$		
$u = -0.608189 - 0.167810I$		
$a = -2.09437 - 1.44234I$	$-1.98777 - 3.16700I$	$-4.3128 + 13.8397I$
$b = 0.127634 - 0.898898I$		
$u = 1.16636 + 0.87110I$		
$a = 0.122373 - 1.028040I$	$-2.00176 - 11.29870I$	0
$b = 1.07792 - 1.22753I$		
$u = 1.16636 + 0.87110I$		
$a = -0.088680 + 1.118680I$	$-2.00176 - 11.29870I$	0
$b = -1.03826 + 1.09246I$		
$u = 1.16636 - 0.87110I$		
$a = 0.122373 + 1.028040I$	$-2.00176 + 11.29870I$	0
$b = 1.07792 + 1.22753I$		
$u = 1.16636 - 0.87110I$		
$a = -0.088680 - 1.118680I$	$-2.00176 + 11.29870I$	0
$b = -1.03826 - 1.09246I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.21053 + 0.81525I$		
$a = 0.542590 + 0.756883I$	$-2.23455 - 6.04607I$	0
$b = -0.322362 + 0.629048I$		
$u = 1.21053 + 0.81525I$		
$a = -0.057558 - 0.480884I$	$-2.23455 - 6.04607I$	0
$b = -0.039775 - 1.358570I$		
$u = 1.21053 - 0.81525I$		
$a = 0.542590 - 0.756883I$	$-2.23455 + 6.04607I$	0
$b = -0.322362 - 0.629048I$		
$u = 1.21053 - 0.81525I$		
$a = -0.057558 + 0.480884I$	$-2.23455 + 6.04607I$	0
$b = -0.039775 + 1.358570I$		
$u = -0.470296 + 0.186708I$		
$a = -0.295873 + 1.159110I$	$-1.52745 - 1.61554I$	$-1.60105 - 0.11717I$
$b = 1.40842 + 1.93656I$		
$u = -0.470296 + 0.186708I$		
$a = 1.17484 + 4.58415I$	$-1.52745 - 1.61554I$	$-1.60105 - 0.11717I$
$b = 0.077266 + 0.600364I$		
$u = -0.470296 - 0.186708I$		
$a = -0.295873 - 1.159110I$	$-1.52745 + 1.61554I$	$-1.60105 + 0.11717I$
$b = 1.40842 - 1.93656I$		
$u = -0.470296 - 0.186708I$		
$a = 1.17484 - 4.58415I$	$-1.52745 + 1.61554I$	$-1.60105 + 0.11717I$
$b = 0.077266 - 0.600364I$		
$u = 1.18764 + 0.95978I$		
$a = 0.082132 - 1.031720I$	$-5.61718 - 10.70300I$	0
$b = 0.78545 - 1.22589I$		
$u = 1.18764 + 0.95978I$		
$a = 0.104538 + 0.947719I$	$-5.61718 - 10.70300I$	0
$b = -1.08778 + 1.14649I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.18764 - 0.95978I$		
$a = 0.082132 + 1.031720I$	$-5.61718 + 10.70300I$	0
$b = 0.78545 + 1.22589I$		
$u = 1.18764 - 0.95978I$		
$a = 0.104538 - 0.947719I$	$-5.61718 + 10.70300I$	0
$b = -1.08778 - 1.14649I$		
$u = -0.77762 + 1.35805I$		
$a = 0.032014 - 0.538519I$	$-0.08320 + 5.80714I$	0
$b = -0.1212740 + 0.0325207I$		
$u = -0.77762 + 1.35805I$		
$a = -0.0565417 - 0.0569243I$	$-0.08320 + 5.80714I$	0
$b = -0.706440 - 0.462240I$		
$u = -0.77762 - 1.35805I$		
$a = 0.032014 + 0.538519I$	$-0.08320 - 5.80714I$	0
$b = -0.1212740 - 0.0325207I$		
$u = -0.77762 - 1.35805I$		
$a = -0.0565417 + 0.0569243I$	$-0.08320 - 5.80714I$	0
$b = -0.706440 + 0.462240I$		
$u = -1.58144 + 0.09381I$		
$a = 0.463468 - 0.619520I$	$-2.60428 - 5.02841I$	0
$b = 0.088917 - 0.687357I$		
$u = -1.58144 + 0.09381I$		
$a = 0.081721 - 0.429793I$	$-2.60428 - 5.02841I$	0
$b = 0.674827 - 1.023210I$		
$u = -1.58144 - 0.09381I$		
$a = 0.463468 + 0.619520I$	$-2.60428 + 5.02841I$	0
$b = 0.088917 + 0.687357I$		
$u = -1.58144 - 0.09381I$		
$a = 0.081721 + 0.429793I$	$-2.60428 + 5.02841I$	0
$b = 0.674827 + 1.023210I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.166825 + 0.327662I$		
$a = -0.573099 - 0.554415I$	$-1.67841 + 1.93955I$	$15.1921 - 13.7852I$
$b = -1.66992 + 1.58351I$		
$u = 0.166825 + 0.327662I$		
$a = -1.77725 - 6.00135I$	$-1.67841 + 1.93955I$	$15.1921 - 13.7852I$
$b = -0.086053 + 0.280273I$		
$u = 0.166825 - 0.327662I$		
$a = -0.573099 + 0.554415I$	$-1.67841 - 1.93955I$	$15.1921 + 13.7852I$
$b = -1.66992 - 1.58351I$		
$u = 0.166825 - 0.327662I$		
$a = -1.77725 + 6.00135I$	$-1.67841 - 1.93955I$	$15.1921 + 13.7852I$
$b = -0.086053 - 0.280273I$		
$u = 1.64271$		
$a = -0.742401$	3.08221	0
$b = -1.13646$		
$u = 1.64271$		
$a = 0.691818$	3.08221	0
$b = 1.21955$		
$u = 1.50030 + 0.91446I$		
$a = -0.108637 + 0.809699I$	$-1.20562 - 5.42950I$	0
$b = -0.602944 + 0.780086I$		
$u = 1.50030 + 0.91446I$		
$a = 0.061948 - 0.557711I$	$-1.20562 - 5.42950I$	0
$b = 0.90342 - 1.11545I$		
$u = 1.50030 - 0.91446I$		
$a = -0.108637 - 0.809699I$	$-1.20562 + 5.42950I$	0
$b = -0.602944 - 0.780086I$		
$u = 1.50030 - 0.91446I$		
$a = 0.061948 + 0.557711I$	$-1.20562 + 5.42950I$	0
$b = 0.90342 + 1.11545I$		

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.14708 + 1.44106I$		
$a = -0.396893 - 0.220062I$	$-4.45949 + 2.25311I$	0
$b = 0.092839 - 0.491834I$		
$u = 1.14708 + 1.44106I$		
$a = 0.177533 + 0.205739I$	$-4.45949 + 2.25311I$	0
$b = 0.138145 + 0.824376I$		
$u = 1.14708 - 1.44106I$		
$a = -0.396893 + 0.220062I$	$-4.45949 - 2.25311I$	0
$b = 0.092839 + 0.491834I$		
$u = 1.14708 - 1.44106I$		
$a = 0.177533 - 0.205739I$	$-4.45949 - 2.25311I$	0
$b = 0.138145 - 0.824376I$		

$$\text{III. } I_3^u = \langle -1345u^{15} + 7729u^{14} + \cdots + 3655b + 38, -38u^{15} - 1117u^{14} + \cdots + 3655a + 12877, u^{16} - 6u^{15} + \cdots + u + 1 \rangle$$

(i) **Arc colorings**

$$\begin{aligned} a_2 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_9 &= \begin{pmatrix} 0 \\ u \end{pmatrix} \\ a_3 &= \begin{pmatrix} 1 \\ u^2 \end{pmatrix} \\ a_6 &= \begin{pmatrix} 0.0103967u^{15} + 0.305609u^{14} + \cdots + 0.0399453u - 3.52312 \\ 0.367989u^{15} - 2.11464u^{14} + \cdots - 3.53352u - 0.0103967 \end{pmatrix} \\ a_7 &= \begin{pmatrix} -0.264295u^{15} + 1.90479u^{14} + \cdots + 3.19508u - 3.88071 \\ 0.671409u^{15} - 3.59042u^{14} + \cdots - 3.20985u + 0.0385773 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} -1.59726u^{15} + 9.25937u^{14} + \cdots + 4.17893u - 1.00082 \\ -0.324213u^{15} + 1.66457u^{14} + \cdots + 1.59644u + 1.59726 \end{pmatrix} \\ a_1 &= \begin{pmatrix} -1.48892u^{15} + 8.37045u^{14} + \cdots - 2.61532u + 0.926676 \\ -0.843776u^{15} + 3.85007u^{14} + \cdots + 3.33707u + 1.81313 \end{pmatrix} \\ a_4 &= \begin{pmatrix} 1.84268u^{15} - 11.7138u^{14} + \cdots - 8.28865u + 3.94720 \\ -1.07250u^{15} + 5.32668u^{14} + \cdots + 0.458276u - 1.27825 \end{pmatrix} \\ a_5 &= \begin{pmatrix} -0.357592u^{15} + 2.42025u^{14} + \cdots + 3.57346u - 3.51272 \\ 0.367989u^{15} - 2.11464u^{14} + \cdots - 3.53352u - 0.0103967 \end{pmatrix} \\ a_8 &= \begin{pmatrix} -1.22955u^{15} + 7.27880u^{14} + \cdots + 4.90752u - 3.87114 \\ -0.0435021u^{15} + 0.316005u^{14} + \cdots - 0.325034u + 1.27305 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} -2.21423u^{15} + 13.9713u^{14} + \cdots - 6.77045u - 0.315732 \\ -0.0943912u^{15} - 0.148290u^{14} + \cdots + 3.42681u + 1.52832 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} -2.21423u^{15} + 13.9713u^{14} + \cdots - 6.77045u - 0.315732 \\ -0.0943912u^{15} - 0.148290u^{14} + \cdots + 3.42681u + 1.52832 \end{pmatrix} \end{aligned}$$

(ii) **Obstruction class = 1**

$$(iii) \text{ Cusp Shapes} = -\frac{12541}{3655}u^{15} + \frac{63901}{3655}u^{14} + \cdots + \frac{29533}{3655}u - \frac{10346}{3655}$$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$u^{16} - 9u^{15} + \cdots - 33u + 9$
c_2	$u^{16} - 6u^{15} + \cdots + u + 1$
c_3, c_{10}	$u^{16} + 4u^{15} + \cdots + 2u - 1$
c_4, c_{11}	$u^{16} - u^{14} + \cdots + 3u - 1$
c_5, c_9	$u^{16} + u^{15} + \cdots + u^2 - 1$
c_6, c_8	$u^{16} + u^{15} + \cdots + 2u - 1$
c_7	$u^{16} + 8u^{15} + \cdots - 3u^2 + 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$y^{16} - 13y^{15} + \cdots - 27y + 81$
c_2	$y^{16} - 10y^{15} + \cdots - 15y + 1$
c_3, c_{10}	$y^{16} + 2y^{14} + \cdots - 26y + 1$
c_4, c_{11}	$y^{16} - 2y^{15} + \cdots + 13y + 1$
c_5, c_9	$y^{16} - 3y^{15} + \cdots - 2y + 1$
c_6, c_8	$y^{16} - 7y^{15} + \cdots + 8y^2 + 1$
c_7	$y^{16} + 2y^{15} + \cdots - 6y + 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_3^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.843774 + 0.020472I$		
$a = -0.814747 + 0.307970I$	$-4.17810 + 2.37838I$	$-5.85782 - 3.30047I$
$b = 0.681158 - 0.276536I$		
$u = -0.843774 - 0.020472I$		
$a = -0.814747 - 0.307970I$	$-4.17810 - 2.37838I$	$-5.85782 + 3.30047I$
$b = 0.681158 + 0.276536I$		
$u = 0.650319 + 1.149000I$		
$a = 0.299647 + 0.918726I$	$0.40659 - 2.51099I$	$-3.33911 - 9.63855I$
$b = -0.860745 + 0.941758I$		
$u = 0.650319 - 1.149000I$		
$a = 0.299647 - 0.918726I$	$0.40659 + 2.51099I$	$-3.33911 + 9.63855I$
$b = -0.860745 - 0.941758I$		
$u = -1.028220 + 0.857975I$		
$a = -0.029407 + 0.419644I$	$-2.63766 - 10.07530I$	$0.70439 + 5.81996I$
$b = -0.329808 - 0.456715I$		
$u = -1.028220 - 0.857975I$		
$a = -0.029407 - 0.419644I$	$-2.63766 + 10.07530I$	$0.70439 - 5.81996I$
$b = -0.329808 + 0.456715I$		
$u = 1.357830 + 0.318055I$		
$a = -0.263706 - 0.623927I$	$-3.99183 + 4.14407I$	$-8.04295 - 6.13289I$
$b = -0.159624 - 0.931056I$		
$u = 1.357830 - 0.318055I$		
$a = -0.263706 + 0.623927I$	$-3.99183 - 4.14407I$	$-8.04295 + 6.13289I$
$b = -0.159624 + 0.931056I$		
$u = 0.494805 + 0.313135I$		
$a = -0.76630 + 1.72817I$	$2.37780 - 3.65031I$	$5.77914 + 4.75975I$
$b = -0.920318 + 0.615155I$		
$u = 0.494805 - 0.313135I$		
$a = -0.76630 - 1.72817I$	$2.37780 + 3.65031I$	$5.77914 - 4.75975I$
$b = -0.920318 - 0.615155I$		

Solutions to I_3^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.09063 + 0.91474I$		
$a = 0.001019 - 1.085380I$	$-3.41791 - 10.94270I$	$-2.27266 + 9.01140I$
$b = 0.99396 - 1.18281I$		
$u = 1.09063 - 0.91474I$		
$a = 0.001019 + 1.085380I$	$-3.41791 + 10.94270I$	$-2.27266 - 9.01140I$
$b = 0.99396 + 1.18281I$		
$u = 1.51464$		
$a = -0.673129$	3.85452	16.3090
$b = -1.01955$		
$u = -0.317141 + 0.174078I$		
$a = -1.95569 - 2.13567I$	$-1.67458 + 2.27154I$	$-1.49720 - 3.30379I$
$b = 0.992001 + 0.336866I$		
$u = -0.317141 - 0.174078I$		
$a = -1.95569 + 2.13567I$	$-1.67458 - 2.27154I$	$-1.49720 + 3.30379I$
$b = 0.992001 - 0.336866I$		
$u = 1.67647$		
$a = 0.731484$	2.63767	-12.2560
$b = 1.22631$		

$$\text{IV. } I_4^u = \langle 3au + 3b + 2u + 3, 3a^2 - au - a + 1, u^2 + 3u + 3 \rangle$$

(i) Arc colorings

$$a_2 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 1 \\ -3u - 3 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} a \\ -au - \frac{2}{3}u - 1 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} -2au - 2a + \frac{2}{3}u + 1 \\ -4au - 9a + \frac{1}{3}u + 2 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} -\frac{2}{3}au - a - \frac{1}{3}u \\ -1 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} \frac{2}{3}au + a + \frac{1}{3}u + 1 \\ 1 \end{pmatrix}$$

$$a_4 = \begin{pmatrix} -au - \frac{7}{3}a + \frac{2}{3}u + \frac{4}{3} \\ -au - 3a - 2u - 2 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} au + a + \frac{2}{3}u + 1 \\ -au - \frac{2}{3}u - 1 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} \frac{1}{3}au + 2a - \frac{2}{3}u - 1 \\ -au - 3a + \frac{7}{3}u + 2 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -\frac{1}{3}au - a - u - \frac{4}{3} \\ au - a - \frac{5}{3} \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -\frac{1}{3}au - a - u - \frac{4}{3} \\ au - a - \frac{5}{3} \end{pmatrix}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes = $-\frac{145}{9}u - \frac{65}{3}$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$(u + 1)^4$
c_2	$(u^2 + 3u + 3)^2$
c_3, c_{10}	$3(3u^4 + 3u^3 + 7u^2 - 5u + 1)$
c_4, c_5, c_9 c_{11}	$3(3u^4 + 4u^2 + 3u + 3)$
c_6, c_8	$3(3u^4 - 3u^3 - 2u^2 + 2u + 7)$
c_7	$(u^2 - 3u + 3)^2$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$(y - 1)^4$
c_2, c_7	$(y^2 - 3y + 9)^2$
c_3, c_{10}	$9(9y^4 + 33y^3 + 85y^2 - 11y + 1)$
c_4, c_5, c_9 c_{11}	$9(9y^4 + 24y^3 + 34y^2 + 15y + 9)$
c_6, c_8	$9(9y^4 - 21y^3 + 58y^2 - 32y + 49)$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_4^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.50000 + 0.86603I$		
$a = -0.103734 + 0.733946I$	$-1.64493 + 6.08965I$	$2.5000 - 13.9526I$
$b = 0.480016 + 0.613405I$		
$u = -1.50000 + 0.86603I$		
$a = -0.062933 - 0.445271I$	$-1.64493 + 6.08965I$	$2.5000 - 13.9526I$
$b = -0.480016 - 1.190760I$		
$u = -1.50000 - 0.86603I$		
$a = -0.103734 - 0.733946I$	$-1.64493 - 6.08965I$	$2.5000 + 13.9526I$
$b = 0.480016 - 0.613405I$		
$u = -1.50000 - 0.86603I$		
$a = -0.062933 + 0.445271I$	$-1.64493 - 6.08965I$	$2.5000 + 13.9526I$
$b = -0.480016 + 1.190760I$		

V. u-Polynomials

Crossings	u-Polynomials at each crossing
c_1	$((u+1)^4)(u^{16} - 9u^{15} + \dots - 33u + 9)$ $\cdot (u^{30} + 26u^{29} + \dots + 12288u + 1024)$ $\cdot (u^{47} - 13u^{46} + \dots + 193u - 27)^2$
c_2	$((u^2 + 3u + 3)^2)(u^{16} - 6u^{15} + \dots + u + 1)$ $\cdot (u^{30} + 29u^{29} + \dots + 5632u + 512)(u^{47} - 14u^{46} + \dots + 30u - 3)^2$
c_3, c_{10}	$9(3u^4 + 3u^3 + \dots - 5u + 1)(u^{16} + 4u^{15} + \dots + 2u - 1)$ $\cdot (u^{30} - u^{28} + \dots - 6u + 1)(3u^{94} + 24u^{93} + \dots + 45u - 1)$
c_4, c_{11}	$9(3u^4 + 4u^2 + 3u + 3)(u^{16} - u^{14} + \dots + 3u - 1)$ $\cdot (u^{30} + 8u^{28} + \dots + 3u + 1)(3u^{94} + 15u^{93} + \dots - 14505u - 1083)$
c_5, c_9	$9(3u^4 + 4u^2 + 3u + 3)(u^{16} + u^{15} + \dots + u^2 - 1)(u^{30} - u^{29} + \dots - 2u + 1)$ $\cdot (3u^{94} + 3u^{93} + \dots - 93u - 3)$
c_6, c_8	$9(3u^4 - 3u^3 + \dots + 2u + 7)(u^{16} + u^{15} + \dots + 2u - 1)$ $\cdot (u^{30} - u^{29} + \dots + 46u + 27)$ $\cdot (3u^{94} + 6u^{93} + \dots + 9495938u - 2259497)$
c_7	$((u^2 - 3u + 3)^2)(u^{16} + 8u^{15} + \dots - 3u^2 + 1)$ $\cdot (u^{30} - 19u^{29} + \dots - 288u + 32)(u^{47} + 10u^{46} + \dots + 18u + 3)^2$

VI. Riley Polynomials

Crossings	Riley Polynomials at each crossing
c_1	$((y - 1)^4)(y^{16} - 13y^{15} + \dots - 27y + 81)$ $\cdot (y^{30} - 2y^{29} + \dots + 12976128y + 1048576)$ $\cdot (y^{47} + 9y^{46} + \dots - 11945y - 729)^2$
c_2	$((y^2 - 3y + 9)^2)(y^{16} - 10y^{15} + \dots - 15y + 1)$ $\cdot (y^{30} - 11y^{29} + \dots + 11665408y + 262144)$ $\cdot (y^{47} - 12y^{46} + \dots + 138y - 9)^2$
c_3, c_{10}	$81(9y^4 + 33y^3 + \dots - 11y + 1)(y^{16} + 2y^{14} + \dots - 26y + 1)$ $\cdot (y^{30} - 2y^{29} + \dots - 10y + 1)(9y^{94} - 156y^{93} + \dots - 451y + 1)$
c_4, c_{11}	$81(9y^4 + 24y^3 + \dots + 15y + 9)(y^{16} - 2y^{15} + \dots + 13y + 1)$ $\cdot (y^{30} + 16y^{29} + \dots + 33y + 1)$ $\cdot (9y^{94} - 165y^{93} + \dots + 14483427y + 1172889)$
c_5, c_9	$81(9y^4 + 24y^3 + \dots + 15y + 9)(y^{16} - 3y^{15} + \dots - 2y + 1)$ $\cdot (y^{30} + 3y^{29} + \dots + 6y + 1)(9y^{94} + 195y^{93} + \dots - 885y + 9)$
c_6, c_8	$81(9y^4 - 21y^3 + \dots - 32y + 49)(y^{16} - 7y^{15} + \dots + 8y^2 + 1)$ $\cdot (y^{30} - 13y^{29} + \dots - 5896y + 729)$ $\cdot (9y^{94} - 318y^{93} + \dots - 181297638508792y + 5105326693009)$
c_7	$((y^2 - 3y + 9)^2)(y^{16} + 2y^{15} + \dots - 6y + 1)$ $\cdot (y^{30} + y^{29} + \dots + 11776y + 1024)(y^{47} - 8y^{46} + \dots + 120y - 9)^2$