



12a<sub>0029</sub> (K12a<sub>0029</sub>)



A knot diagram<sup>1</sup>

**Linearized knot diagram**



**Solving Sequence**

$$4,9 \xrightarrow{c_4} 2,5 \xrightarrow{c_2} 3 \xrightarrow{c_5} 6,11 \xrightarrow{c_9} 10 \xrightarrow{c_1} 1 \xrightarrow{c_8} 8 \xrightarrow{c_7} 7 \xrightarrow{c_{12}} 12 \longrightarrow c_3, c_6, c_{10}, c_{11}$$

**Ideals for irreducible components<sup>2</sup> of  $X_{\text{par}}$**

$$I_1^u = \langle 4.48200 \times 10^{61} u^{45} - 9.22155 \times 10^{61} u^{44} + \dots + 1.04756 \times 10^{63} d - 1.67459 \times 10^{63}, \\ 7.62250 \times 10^{61} u^{45} - 1.89258 \times 10^{62} u^{44} + \dots + 2.09512 \times 10^{63} c - 3.36115 \times 10^{63}, \\ 1.37141 \times 10^{61} u^{45} - 2.04563 \times 10^{61} u^{44} + \dots + 1.04756 \times 10^{63} b - 1.27647 \times 10^{63}, \\ 7.65358 \times 10^{61} u^{45} - 2.24209 \times 10^{62} u^{44} + \dots + 1.04756 \times 10^{63} a - 1.33042 \times 10^{62}, u^{46} - 3u^{45} + \dots - 32u + \dots \rangle$$

$$I_2^u = \langle -5.05017 \times 10^{19} cu^{37} + 2.57220 \times 10^{19} u^{37} + \dots + 1.77366 \times 10^{20} c + 1.40518 \times 10^{20}, \\ -1.48141 \times 10^{20} cu^{37} + 8.78585 \times 10^{19} u^{37} + \dots + 1.69449 \times 10^{19} c - 1.02888 \times 10^{20}, \\ -3.80860 \times 10^{20} u^{37} - 1.22578 \times 10^{20} u^{36} + \dots + 3.70123 \times 10^{20} b + 1.73663 \times 10^{21}, \\ -9.01587 \times 10^{20} u^{37} - 1.40080 \times 10^{20} u^{36} + \dots + 7.40247 \times 10^{20} a + 2.56553 \times 10^{21}, u^{38} + u^{37} + \dots + 4u - \dots \rangle$$

$$I_1^v = \langle a, d, c - v, b - v, v^2 - v + 1 \rangle$$

$$I_2^v = \langle a, d - v + 1, -av + c + 1, b - v, v^2 - v + 1 \rangle$$

$$I_3^v = \langle c, d - 1, b, a - 1, v + 1 \rangle$$

$$I_4^v = \langle a, db + da - cb - d + b - 1, a^2d - cba - da + cb + ba + d - c - a + 1, dv + 1, cv - ba - bv + b + a, \\ b^2 - b + 1 \rangle$$

\* 5 irreducible components of  $\dim_{\mathbb{C}} = 0$ , with total 127 representations.

\* 1 irreducible components of  $\dim_{\mathbb{C}} = 1$

<sup>1</sup>The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/maths/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

<sup>2</sup>All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

$$\mathbf{I. } I_1^u = \langle 4.48 \times 10^{61}u^{45} - 9.22 \times 10^{61}u^{44} + \dots + 1.05 \times 10^{63}d - 1.67 \times 10^{63}, 7.62 \times 10^{61}u^{45} - 1.89 \times 10^{62}u^{44} + \dots + 2.10 \times 10^{63}c - 3.36 \times 10^{63}, 1.37 \times 10^{61}u^{45} - 2.05 \times 10^{61}u^{44} + \dots + 1.05 \times 10^{63}b - 1.28 \times 10^{63}, 7.65 \times 10^{61}u^{45} - 2.24 \times 10^{62}u^{44} + \dots + 1.05 \times 10^{63}a - 1.33 \times 10^{62}, u^{46} - 3u^{45} + \dots - 32u + 32 \rangle$$

(i) Arc colorings

$$a_4 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_2 = \begin{pmatrix} -0.0730608u^{45} + 0.214029u^{44} + \dots - 11.1865u + 0.127001 \\ -0.0130915u^{45} + 0.0195275u^{44} + \dots + 0.982266u + 1.21851 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 1 \\ u^2 \end{pmatrix}$$

$$a_3 = \begin{pmatrix} -0.107506u^{45} + 0.286640u^{44} + \dots - 12.3773u + 1.18060 \\ -0.0329822u^{45} + 0.0562768u^{44} + \dots + 1.10132u + 2.20169 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} -0.0337179u^{45} + 0.143074u^{44} + \dots - 8.46741u + 4.71002 \\ 0.0470900u^{45} - 0.103838u^{44} + \dots + 1.16123u - 2.01452 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -0.0363821u^{45} + 0.0903327u^{44} + \dots - 1.88200u + 1.60427 \\ -0.0427850u^{45} + 0.0880286u^{44} + \dots + 0.686956u + 1.59856 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} -0.0168951u^{45} + 0.0465535u^{44} + \dots - 1.39848u + 0.915857 \\ -0.0232980u^{45} + 0.0442495u^{44} + \dots + 1.17047u + 0.910145 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -0.0808079u^{45} + 0.246912u^{44} + \dots - 9.62863u + 6.72455 \\ -0.0570466u^{45} + 0.0968746u^{44} + \dots + 1.56827u + 1.87088 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} u \\ u \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 0.00655998u^{45} - 0.0259377u^{44} + \dots + 2.00677u - 0.607746 \\ -0.0298221u^{45} + 0.0643950u^{44} + \dots + 0.124764u + 0.996524 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} -0.0639128u^{45} + 0.200359u^{44} + \dots - 8.23015u + 5.80869 \\ -0.0337486u^{45} + 0.0526252u^{44} + \dots + 1.39779u + 0.960739 \end{pmatrix}$$

(ii) Obstruction class = -1

(iii) Cusp Shapes =  $0.247381u^{45} - 0.445802u^{44} + \dots - 4.44172u - 0.790830$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
$c_1$	$u^{46} + 21u^{45} + \dots - 40u + 16$
$c_2, c_5$	$u^{46} + u^{45} + \dots - 4u + 4$
$c_3$	$u^{46} - u^{45} + \dots - 2596u + 1252$
$c_4, c_8$	$u^{46} - 3u^{45} + \dots - 32u + 32$
$c_6, c_7, c_{10}$ $c_{12}$	$u^{46} + 5u^{45} + \dots + 2u + 1$
$c_9, c_{11}$	$u^{46} - 21u^{45} + \dots + 4u + 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
$c_1$	$y^{46} + 9y^{45} + \dots - 5664y + 256$
$c_2, c_5$	$y^{46} + 21y^{45} + \dots - 40y + 16$
$c_3$	$y^{46} - 3y^{45} + \dots - 20408552y + 1567504$
$c_4, c_8$	$y^{46} - 15y^{45} + \dots + 4096y + 1024$
$c_6, c_7, c_{10}$ $c_{12}$	$y^{46} - 21y^{45} + \dots + 4y + 1$
$c_9, c_{11}$	$y^{46} + 19y^{45} + \dots - 72y + 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.248116 + 0.949341I$ $a = 0.659883 - 0.533852I$ $b = 0.16697 + 1.82340I$ $c = -0.570373 + 0.029986I$ $d = -0.088362 + 0.621385I$	$-1.66114 + 2.12776I$	$-0.422256 - 0.234121I$
$u = 0.248116 - 0.949341I$ $a = 0.659883 + 0.533852I$ $b = 0.16697 - 1.82340I$ $c = -0.570373 - 0.029986I$ $d = -0.088362 - 0.621385I$	$-1.66114 - 2.12776I$	$-0.422256 + 0.234121I$
$u = -0.642875 + 0.814816I$ $a = 0.006254 + 1.275600I$ $b = 0.634122 + 0.252731I$ $c = -1.335160 - 0.293800I$ $d = -0.362590 + 0.315550I$	$5.93091 - 3.99675I$	$10.51051 + 4.44974I$
$u = -0.642875 - 0.814816I$ $a = 0.006254 - 1.275600I$ $b = 0.634122 - 0.252731I$ $c = -1.335160 + 0.293800I$ $d = -0.362590 - 0.315550I$	$5.93091 + 3.99675I$	$10.51051 - 4.44974I$
$u = -0.046642 + 1.050320I$ $a = 0.666501 + 0.584237I$ $b = -0.27294 - 1.79729I$ $c = -0.807442 - 0.110962I$ $d = -0.214208 + 0.539648I$	$-2.04690 - 4.94372I$	$0.16550 + 7.58166I$
$u = -0.046642 - 1.050320I$ $a = 0.666501 - 0.584237I$ $b = -0.27294 + 1.79729I$ $c = -0.807442 + 0.110962I$ $d = -0.214208 - 0.539648I$	$-2.04690 + 4.94372I$	$0.16550 - 7.58166I$

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.614432 + 0.696436I$ $a = -3.11307 - 1.54198I$ $b = 1.05080 - 1.50344I$ $c = 1.39259 - 0.38277I$ $d = 0.334763 + 0.277573I$	$4.70063 - 1.01560I$	$8.78023 + 1.30126I$
$u = 0.614432 - 0.696436I$ $a = -3.11307 + 1.54198I$ $b = 1.05080 + 1.50344I$ $c = 1.39259 + 0.38277I$ $d = 0.334763 - 0.277573I$	$4.70063 + 1.01560I$	$8.78023 - 1.30126I$
$u = 0.904459 + 0.035006I$ $a = 0.684510 + 0.349167I$ $b = 1.217210 - 0.498628I$ $c = 0.226719 - 0.709857I$ $d = 0.94895 - 1.25909I$	$0.23417 - 4.06154I$	$0.42563 + 7.90074I$
$u = 0.904459 - 0.035006I$ $a = 0.684510 - 0.349167I$ $b = 1.217210 + 0.498628I$ $c = 0.226719 + 0.709857I$ $d = 0.94895 + 1.25909I$	$0.23417 + 4.06154I$	$0.42563 - 7.90074I$
$u = 0.517103 + 1.038360I$ $a = 0.728606 + 0.786743I$ $b = -1.25298 - 0.96152I$ $c = 1.178790 - 0.188129I$ $d = 0.361203 + 0.412386I$	$0.12548 + 4.11136I$	$2.46017 - 3.87123I$
$u = 0.517103 - 1.038360I$ $a = 0.728606 - 0.786743I$ $b = -1.25298 + 0.96152I$ $c = 1.178790 + 0.188129I$ $d = 0.361203 - 0.412386I$	$0.12548 - 4.11136I$	$2.46017 + 3.87123I$

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.017678 + 0.820472I$ $a = 0.853788 + 0.005623I$ $b = -0.0664210 + 0.0072212I$ $c = 0.617736 - 0.298148I$ $d = 0.123361 + 0.470883I$	$0.79101 + 1.46703I$	$5.32252 - 4.75359I$
$u = 0.017678 - 0.820472I$ $a = 0.853788 - 0.005623I$ $b = -0.0664210 - 0.0072212I$ $c = 0.617736 + 0.298148I$ $d = 0.123361 - 0.470883I$	$0.79101 - 1.46703I$	$5.32252 + 4.75359I$
$u = 1.006520 + 0.624064I$ $a = 0.618102 - 0.412984I$ $b = 1.58573 + 1.52879I$ $c = 0.186343 - 1.252860I$ $d = 0.75459 - 2.11694I$	$3.52144 - 4.08819I$	$5.82465 + 4.54278I$
$u = 1.006520 - 0.624064I$ $a = 0.618102 + 0.412984I$ $b = 1.58573 - 1.52879I$ $c = 0.186343 + 1.252860I$ $d = 0.75459 + 2.11694I$	$3.52144 + 4.08819I$	$5.82465 - 4.54278I$
$u = -1.071740 + 0.508840I$ $a = 0.249412 + 0.451516I$ $b = -0.037567 + 0.421763I$ $c = 0.237093 + 0.582132I$ $d = -0.291926 + 1.082080I$	$-1.98761 + 2.55534I$	$0.98949 - 1.01939I$
$u = -1.071740 - 0.508840I$ $a = 0.249412 - 0.451516I$ $b = -0.037567 - 0.421763I$ $c = 0.237093 - 0.582132I$ $d = -0.291926 - 1.082080I$	$-1.98761 - 2.55534I$	$0.98949 + 1.01939I$

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.807683 + 0.082878I$ $a = 0.701991 - 0.351361I$ $b = 1.056930 + 0.488868I$ $c = -0.192599 + 0.514963I$ $d = -0.891839 + 0.948808I$	$0.274017 + 1.087600I$	$-0.651009 + 0.594713I$
$u = -0.807683 - 0.082878I$ $a = 0.701991 + 0.351361I$ $b = 1.056930 - 0.488868I$ $c = -0.192599 - 0.514963I$ $d = -0.891839 - 0.948808I$	$0.274017 - 1.087600I$	$-0.651009 - 0.594713I$
$u = -0.668777 + 1.013930I$ $a = 0.733154 - 0.148233I$ $b = 0.143797 - 0.527077I$ $c = -1.276030 - 0.170948I$ $d = -0.403997 + 0.376312I$	$4.90536 - 6.51831I$	$8.90536 + 4.64881I$
$u = -0.668777 - 1.013930I$ $a = 0.733154 + 0.148233I$ $b = 0.143797 + 0.527077I$ $c = -1.276030 + 0.170948I$ $d = -0.403997 - 0.376312I$	$4.90536 + 6.51831I$	$8.90536 - 4.64881I$
$u = -1.035500 + 0.682470I$ $a = 0.691378 - 0.235874I$ $b = 0.882817 - 0.508436I$ $c = -0.156215 - 1.277950I$ $d = -0.69298 - 2.14399I$	$4.70874 + 9.62616I$	$7.79470 - 8.99124I$
$u = -1.035500 - 0.682470I$ $a = 0.691378 + 0.235874I$ $b = 0.882817 + 0.508436I$ $c = -0.156215 + 1.277950I$ $d = -0.69298 + 2.14399I$	$4.70874 - 9.62616I$	$7.79470 + 8.99124I$



Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.224990 + 0.226721I$ $a = 0.253462 - 0.169367I$ $b = -0.320531 - 0.225417I$ $c = 0.050461 - 0.989550I$ $d = 0.63809 - 1.66040I$	$-3.57586 - 5.30392I$	$1.93777 + 5.96454I$
$u = 1.224990 - 0.226721I$ $a = 0.253462 + 0.169367I$ $b = -0.320531 + 0.225417I$ $c = 0.050461 + 0.989550I$ $d = 0.63809 + 1.66040I$	$-3.57586 + 5.30392I$	$1.93777 - 5.96454I$
$u = 1.195740 + 0.364671I$ $a = 0.44005 + 1.75493I$ $b = -1.22042 + 1.50844I$ $c = -0.186101 + 0.688056I$ $d = 0.356273 + 1.213420I$	$-6.39735 + 0.44189I$	$-4.43091 - 2.06201I$
$u = 1.195740 - 0.364671I$ $a = 0.44005 - 1.75493I$ $b = -1.22042 - 1.50844I$ $c = -0.186101 - 0.688056I$ $d = 0.356273 - 1.213420I$	$-6.39735 - 0.44189I$	$-4.43091 + 2.06201I$
$u = 0.687704 + 1.079720I$ $a = 0.598930 - 0.485617I$ $b = 0.89116 + 2.33948I$ $c = 1.270960 - 0.132505I$ $d = 0.421173 + 0.392926I$	$2.74057 + 11.63170I$	$5.60201 - 8.64749I$
$u = 0.687704 - 1.079720I$ $a = 0.598930 + 0.485617I$ $b = 0.89116 - 2.33948I$ $c = 1.270960 + 0.132505I$ $d = 0.421173 - 0.392926I$	$2.74057 - 11.63170I$	$5.60201 + 8.64749I$

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.158970 + 0.578549I$ $a = -1.27784 - 1.84483I$ $b = 0.63049 - 2.44257I$ $c = -0.292580 + 0.618138I$ $d = 0.226552 + 1.126520I$	$-4.42926 - 7.47789I$	$-1.74286 + 4.84208I$
$u = 1.158970 - 0.578549I$ $a = -1.27784 + 1.84483I$ $b = 0.63049 + 2.44257I$ $c = -0.292580 - 0.618138I$ $d = 0.226552 - 1.126520I$	$-4.42926 + 7.47789I$	$-1.74286 - 4.84208I$
$u = -1.311140 + 0.102134I$ $a = 0.00268 - 1.92087I$ $b = -0.86720 - 2.10727I$ $c = 0.030662 - 0.940031I$ $d = -0.53344 - 1.57008I$	$-7.51022 + 1.50301I$	$-3.10935 - 2.27720I$
$u = -1.311140 - 0.102134I$ $a = 0.00268 + 1.92087I$ $b = -0.86720 + 2.10727I$ $c = 0.030662 + 0.940031I$ $d = -0.53344 + 1.57008I$	$-7.51022 - 1.50301I$	$-3.10935 + 2.27720I$
$u = -0.435796 + 0.485308I$ $a = 0.873003 - 0.355186I$ $b = 0.215705 + 0.325189I$ $c = 0.168435 + 0.132484I$ $d = -0.223442 + 0.550785I$	$-0.084212 + 1.381070I$	$-0.30299 - 4.86269I$
$u = -0.435796 - 0.485308I$ $a = 0.873003 + 0.355186I$ $b = 0.215705 - 0.325189I$ $c = 0.168435 - 0.132484I$ $d = -0.223442 - 0.550785I$	$-0.084212 - 1.381070I$	$-0.30299 + 4.86269I$

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.316840 + 0.304432I$ $a = -0.68441 + 1.94019I$ $b = -0.04666 + 2.56224I$ $c = -0.010549 - 1.050770I$ $d = -0.56280 - 1.73815I$	$-6.69471 + 9.89538I$	$-1.12698 - 9.02462I$
$u = -1.316840 - 0.304432I$ $a = -0.68441 - 1.94019I$ $b = -0.04666 - 2.56224I$ $c = -0.010549 + 1.050770I$ $d = -0.56280 + 1.73815I$	$-6.69471 - 9.89538I$	$-1.12698 + 9.02462I$
$u = -1.118430 + 0.781907I$ $a = 0.006550 + 0.558246I$ $b = 0.136959 + 0.741041I$ $c = -0.096143 - 1.306940I$ $d = -0.58055 - 2.15879I$	$3.44989 + 13.07100I$	$7.52581 - 7.90184I$
$u = -1.118430 - 0.781907I$ $a = 0.006550 - 0.558246I$ $b = 0.136959 - 0.741041I$ $c = -0.096143 + 1.306940I$ $d = -0.58055 + 2.15879I$	$3.44989 - 13.07100I$	$7.52581 + 7.90184I$
$u = 1.166960 + 0.709743I$ $a = 0.55758 + 1.32715I$ $b = -1.85153 + 0.87351I$ $c = 0.086648 - 1.266670I$ $d = 0.58757 - 2.09046I$	$-1.96462 - 10.42030I$	$0. + 7.01224I$
$u = 1.166960 - 0.709743I$ $a = 0.55758 - 1.32715I$ $b = -1.85153 - 0.87351I$ $c = 0.086648 + 1.266670I$ $d = 0.58757 + 2.09046I$	$-1.96462 + 10.42030I$	$0. - 7.01224I$

Solutions to $I_1^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.144720 + 0.813548I$ $a = -1.46199 - 1.44274I$ $b = 1.12386 - 2.52551I$ $c = 0.079457 - 1.315210I$ $d = 0.54947 - 2.16215I$	$1.2351 - 18.4885I$	$4.00000 + 11.60486I$
$u = 1.144720 - 0.813548I$ $a = -1.46199 + 1.44274I$ $b = 1.12386 + 2.52551I$ $c = 0.079457 + 1.315210I$ $d = 0.54947 + 2.16215I$	$1.2351 + 18.4885I$	$4.00000 - 11.60486I$
$u = 0.068034 + 0.485475I$ $a = -3.28852 - 7.48764I$ $b = 0.699694 + 0.686768I$ $c = 0.39729 - 1.46311I$ $d = 0.044140 + 0.259666I$	$2.91211 + 2.24138I$	$11.31463 - 3.80305I$
$u = 0.068034 - 0.485475I$ $a = -3.28852 + 7.48764I$ $b = 0.699694 - 0.686768I$ $c = 0.39729 + 1.46311I$ $d = 0.044140 - 0.259666I$	$2.91211 - 2.24138I$	$11.31463 + 3.80305I$

$$\text{II. } I_2^u = \langle -5.05 \times 10^{19}cu^{37} + 2.57 \times 10^{19}u^{37} + \dots + 1.77 \times 10^{20}c + 1.41 \times 10^{20}, -1.48 \times 10^{20}cu^{37} + 8.79 \times 10^{19}u^{37} + \dots + 1.69 \times 10^{19}c - 1.03 \times 10^{20}, -3.81 \times 10^{20}u^{37} - 1.23 \times 10^{20}u^{36} + \dots + 3.70 \times 10^{20}b + 1.74 \times 10^{21}, -9.02 \times 10^{20}u^{37} - 1.40 \times 10^{20}u^{36} + \dots + 7.40 \times 10^{20}a + 2.57 \times 10^{21}, u^{38} + u^{37} + \dots + 4u - 4 \rangle$$

(i) Arc colorings

$$\begin{aligned} a_4 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_9 &= \begin{pmatrix} 0 \\ u \end{pmatrix} \\ a_2 &= \begin{pmatrix} 1.21795u^{37} + 0.189235u^{36} + \dots + 8.79024u - 3.46578 \\ 1.02901u^{37} + 0.331181u^{36} + \dots + 9.83857u - 4.69204 \end{pmatrix} \\ a_5 &= \begin{pmatrix} 1 \\ u^2 \end{pmatrix} \\ a_3 &= \begin{pmatrix} 1.53590u^{37} + 0.295833u^{36} + \dots + 9.64211u - 4.04294 \\ 1.20001u^{37} + 0.438425u^{36} + \dots + 11.9557u - 5.53741 \end{pmatrix} \\ a_6 &= \begin{pmatrix} 0.904497u^{37} - 0.262263u^{36} + \dots + 5.27517u - 2.04692 \\ 0.358591u^{37} - 0.434315u^{36} + \dots + 1.07020u - 1.14792 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} c \\ 0.272891cu^{37} - 0.138991u^{37} + \dots - 0.958415c - 0.759301 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} -0.395649cu^{37} + 0.295906u^{37} + \dots + 3.20198c - 1.89901 \\ -0.122758cu^{37} + 0.156914u^{37} + \dots + 1.24357c - 2.65831 \end{pmatrix} \\ a_1 &= \begin{pmatrix} 0.545906u^{37} + 0.172052u^{36} + \dots + 4.20498u - 0.899010 \\ -0.0826896u^{37} + 0.291100u^{36} + \dots + 2.60884u - 0.347500 \end{pmatrix} \\ a_8 &= \begin{pmatrix} u \\ u \end{pmatrix} \\ a_7 &= \begin{pmatrix} 0.272891cu^{37} - 0.138991u^{37} + \dots - 1.95842c - 0.759301 \\ 0.272891cu^{37} - 0.138991u^{37} + \dots - 0.958415c - 0.759301 \end{pmatrix} \\ a_{12} &= \begin{pmatrix} 0.373854cu^{37} + 1.39231u^{37} + \dots - 1.18362c - 3.88958 \\ -0.100899cu^{37} + 0.624721u^{37} + \dots - 0.627657c - 4.09737 \end{pmatrix} \end{aligned}$$

(ii) Obstruction class = -1

$$\text{(iii) Cusp Shapes} = -\frac{125334397169543797937}{92530874909565185306}u^{37} - \frac{144830212205814099033}{92530874909565185306}u^{36} + \dots - \frac{34223567447539124627}{92530874909565185306}u + \frac{228286816014379276432}{46265437454782592653}$$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
$c_1$	$(u^{38} + 18u^{37} + \dots - 5u + 1)^2$
$c_2$	$(u^{38} + 2u^{37} + \dots + 5u + 1)^2$
$c_3$	$(u^{38} - 2u^{37} + \dots - 37u + 17)^2$
$c_4$	$(u^{38} + u^{37} + \dots + 4u - 4)^2$
$c_5$	$(u^{38} - 2u^{37} + \dots - 5u + 1)^2$
$c_6, c_7$	$u^{76} + 3u^{75} + \dots - 104u - 16$
$c_8$	$(u^{38} - u^{37} + \dots - 4u - 4)^2$
$c_9$	$u^{76} - 43u^{75} + \dots - 800u + 256$
$c_{10}, c_{12}$	$-u^{76} + 3u^{75} + \dots - 104u + 16$
$c_{11}$	$u^{76} + 43u^{75} + \dots + 800u + 256$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
$c_1$	$(y^{38} + 6y^{37} + \dots - 61y + 1)^2$
$c_2, c_5$	$(y^{38} + 18y^{37} + \dots - 5y + 1)^2$
$c_3$	$(y^{38} - 6y^{37} + \dots - 6333y + 289)^2$
$c_4, c_8$	$(y^{38} - 15y^{37} + \dots - 72y + 16)^2$
$c_6, c_7, c_{10}$ $c_{12}$	$y^{76} - 43y^{75} + \dots - 800y + 256$
$c_9, c_{11}$	$y^{76} - 23y^{75} + \dots - 1516032y + 65536$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.718175 + 0.689913I$ $a = 0.759326 - 0.224057I$ $b = 0.474987 - 0.230385I$ $c = -0.31772 - 1.41713I$ $d = -0.91042 - 2.46929I$	$6.09366 + 1.46931I$	$10.87065 - 3.08473I$
$u = -0.718175 + 0.689913I$ $a = 0.759326 - 0.224057I$ $b = 0.474987 - 0.230385I$ $c = -1.44823 - 0.31091I$ $d = -0.371242 + 0.261333I$	$6.09366 + 1.46931I$	$10.87065 - 3.08473I$
$u = -0.718175 - 0.689913I$ $a = 0.759326 + 0.224057I$ $b = 0.474987 + 0.230385I$ $c = -0.31772 + 1.41713I$ $d = -0.91042 + 2.46929I$	$6.09366 - 1.46931I$	$10.87065 + 3.08473I$
$u = -0.718175 - 0.689913I$ $a = 0.759326 + 0.224057I$ $b = 0.474987 + 0.230385I$ $c = -1.44823 + 0.31091I$ $d = -0.371242 - 0.261333I$	$6.09366 - 1.46931I$	$10.87065 + 3.08473I$
$u = -0.257524 + 0.984493I$ $a = 0.730146 - 0.660359I$ $b = -0.70295 + 1.28730I$ $c = -0.967410 - 0.240606I$ $d = -0.263329 + 0.455019I$	$-1.60581 + 0.49664I$	$-0.272784 - 1.115032I$
$u = -0.257524 + 0.984493I$ $a = 0.730146 - 0.660359I$ $b = -0.70295 + 1.28730I$ $c = 0.593095 + 0.049873I$ $d = 0.100752 + 0.635092I$	$-1.60581 + 0.49664I$	$-0.272784 - 1.115032I$



Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.257524 - 0.984493I$ $a = 0.730146 + 0.660359I$ $b = -0.70295 - 1.28730I$ $c = -0.967410 + 0.240606I$ $d = -0.263329 - 0.455019I$	$-1.60581 - 0.49664I$	$-0.272784 + 1.115032I$
$u = -0.257524 - 0.984493I$ $a = 0.730146 + 0.660359I$ $b = -0.70295 - 1.28730I$ $c = 0.593095 - 0.049873I$ $d = 0.100752 - 0.635092I$	$-1.60581 - 0.49664I$	$-0.272784 + 1.115032I$
$u = -0.924425 + 0.450549I$ $a = -1.61291 + 2.52841I$ $b = 0.52794 + 1.92562I$ $c = 0.171561 + 0.498961I$ $d = -0.364946 + 0.973548I$	$0.88516 + 3.95746I$	$1.72480 - 4.57056I$
$u = -0.924425 + 0.450549I$ $a = -1.61291 + 2.52841I$ $b = 0.52794 + 1.92562I$ $c = -1.63227 - 0.20134I$ $d = -0.419779 + 0.157998I$	$0.88516 + 3.95746I$	$1.72480 - 4.57056I$
$u = -0.924425 - 0.450549I$ $a = -1.61291 - 2.52841I$ $b = 0.52794 - 1.92562I$ $c = 0.171561 - 0.498961I$ $d = -0.364946 - 0.973548I$	$0.88516 - 3.95746I$	$1.72480 + 4.57056I$
$u = -0.924425 - 0.450549I$ $a = -1.61291 - 2.52841I$ $b = 0.52794 - 1.92562I$ $c = -1.63227 + 0.20134I$ $d = -0.419779 - 0.157998I$	$0.88516 - 3.95746I$	$1.72480 + 4.57056I$

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.531079 + 0.883531I$ $a = 0.779777 + 0.149134I$ $b = 0.134208 + 0.296022I$ $c = 1.227900 - 0.296771I$ $d = 0.335612 + 0.358410I$	$2.26472 + 1.90334I$	$6.18021 - 1.07076I$
$u = 0.531079 + 0.883531I$ $a = 0.779777 + 0.149134I$ $b = 0.134208 + 0.296022I$ $c = -0.458700 + 0.220577I$ $d = 0.014532 + 0.739994I$	$2.26472 + 1.90334I$	$6.18021 - 1.07076I$
$u = 0.531079 - 0.883531I$ $a = 0.779777 - 0.149134I$ $b = 0.134208 - 0.296022I$ $c = 1.227900 + 0.296771I$ $d = 0.335612 - 0.358410I$	$2.26472 - 1.90334I$	$6.18021 + 1.07076I$
$u = 0.531079 - 0.883531I$ $a = 0.779777 - 0.149134I$ $b = 0.134208 - 0.296022I$ $c = -0.458700 - 0.220577I$ $d = 0.014532 - 0.739994I$	$2.26472 - 1.90334I$	$6.18021 + 1.07076I$
$u = -0.860778 + 0.429023I$ $a = 0.649690 + 0.406518I$ $b = 1.31432 - 1.20770I$ $c = -0.351705 - 1.146920I$ $d = -1.07373 - 1.99897I$	$1.135440 - 0.390890I$	$2.15175 - 1.14697I$
$u = -0.860778 + 0.429023I$ $a = 0.649690 + 0.406518I$ $b = 1.31432 - 1.20770I$ $c = 0.145196 + 0.457097I$ $d = -0.391254 + 0.916323I$	$1.135440 - 0.390890I$	$2.15175 - 1.14697I$

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.860778 - 0.429023I$ $a = 0.649690 - 0.406518I$ $b = 1.31432 + 1.20770I$ $c = -0.351705 + 1.146920I$ $d = -1.07373 + 1.99897I$	$1.135440 + 0.390890I$	$2.15175 + 1.14697I$
$u = -0.860778 - 0.429023I$ $a = 0.649690 - 0.406518I$ $b = 1.31432 + 1.20770I$ $c = 0.145196 - 0.457097I$ $d = -0.391254 - 0.916323I$	$1.135440 + 0.390890I$	$2.15175 + 1.14697I$
$u = 0.959864 + 0.423605I$ $a = 0.91740 + 1.74027I$ $b = -0.949339 + 0.978173I$ $c = 0.262143 - 1.119880I$ $d = 0.93067 - 1.92567I$	$0.93346 - 1.43399I$	$1.64648 + 2.88902I$
$u = 0.959864 + 0.423605I$ $a = 0.91740 + 1.74027I$ $b = -0.949339 + 0.978173I$ $c = 1.64185 - 0.17843I$ $d = 0.430009 + 0.146452I$	$0.93346 - 1.43399I$	$1.64648 + 2.88902I$
$u = 0.959864 - 0.423605I$ $a = 0.91740 - 1.74027I$ $b = -0.949339 - 0.978173I$ $c = 0.262143 + 1.119880I$ $d = 0.93067 + 1.92567I$	$0.93346 + 1.43399I$	$1.64648 - 2.88902I$
$u = 0.959864 - 0.423605I$ $a = 0.91740 - 1.74027I$ $b = -0.949339 - 0.978173I$ $c = 1.64185 + 0.17843I$ $d = 0.430009 - 0.146452I$	$0.93346 + 1.43399I$	$1.64648 - 2.88902I$

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.590924 + 0.743055I$ $a = 0.647196 - 0.465482I$ $b = 0.84895 + 1.68623I$ $c = 1.344230 - 0.369647I$ $d = 0.333035 + 0.298147I$	$4.63851 + 3.34557I$	$8.53398 - 2.94107I$
$u = 0.590924 + 0.743055I$ $a = 0.647196 - 0.465482I$ $b = 0.84895 + 1.68623I$ $c = 0.32357 - 1.52942I$ $d = 0.87033 - 2.69031I$	$4.63851 + 3.34557I$	$8.53398 - 2.94107I$
$u = 0.590924 - 0.743055I$ $a = 0.647196 + 0.465482I$ $b = 0.84895 - 1.68623I$ $c = 1.344230 + 0.369647I$ $d = 0.333035 - 0.298147I$	$4.63851 - 3.34557I$	$8.53398 + 2.94107I$
$u = 0.590924 - 0.743055I$ $a = 0.647196 + 0.465482I$ $b = 0.84895 - 1.68623I$ $c = 0.32357 + 1.52942I$ $d = 0.87033 + 2.69031I$	$4.63851 - 3.34557I$	$8.53398 + 2.94107I$
$u = -0.944268 + 0.080074I$ $a = 0.47872 - 2.76266I$ $b = -0.35670 - 1.46996I$ $c = -0.105277 + 0.649327I$ $d = -0.762060 + 1.161940I$	$-0.25240 - 2.75914I$	$-1.19764 + 4.35912I$
$u = -0.944268 + 0.080074I$ $a = 0.47872 - 2.76266I$ $b = -0.35670 - 1.46996I$ $c = -1.77987 - 0.04841I$ $d = -0.411287 + 0.028167I$	$-0.25240 - 2.75914I$	$-1.19764 + 4.35912I$

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.944268 - 0.080074I$ $a = 0.47872 + 2.76266I$ $b = -0.35670 + 1.46996I$ $c = -0.105277 - 0.649327I$ $d = -0.762060 - 1.161940I$	$-0.25240 + 2.75914I$	$-1.19764 - 4.35912I$
$u = -0.944268 - 0.080074I$ $a = 0.47872 + 2.76266I$ $b = -0.35670 + 1.46996I$ $c = -1.77987 + 0.04841I$ $d = -0.411287 - 0.028167I$	$-0.25240 + 2.75914I$	$-1.19764 - 4.35912I$
$u = 0.932230 + 0.544110I$ $a = 0.711056 + 0.261382I$ $b = 0.873920 + 0.226986I$ $c = 0.256252 - 1.221400I$ $d = 0.88507 - 2.09363I$	$2.05024 - 4.86305I$	$4.53119 + 6.13263I$
$u = 0.932230 + 0.544110I$ $a = 0.711056 + 0.261382I$ $b = 0.873920 + 0.226986I$ $c = -0.235604 + 0.489367I$ $d = 0.285549 + 0.970591I$	$2.05024 - 4.86305I$	$4.53119 + 6.13263I$
$u = 0.932230 - 0.544110I$ $a = 0.711056 - 0.261382I$ $b = 0.873920 - 0.226986I$ $c = 0.256252 + 1.221400I$ $d = 0.88507 + 2.09363I$	$2.05024 + 4.86305I$	$4.53119 - 6.13263I$
$u = 0.932230 - 0.544110I$ $a = 0.711056 - 0.261382I$ $b = 0.873920 - 0.226986I$ $c = -0.235604 - 0.489367I$ $d = 0.285549 - 0.970591I$	$2.05024 + 4.86305I$	$4.53119 - 6.13263I$

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.708662 + 0.534244I$ $a = 0.675134 - 0.882504I$ $b = 0.244504 - 0.127412I$ $c = -0.208049 + 0.334490I$ $d = 0.283657 + 0.784026I$	$2.72088 + 0.47986I$	$5.93461 + 0.48126I$
$u = 0.708662 + 0.534244I$ $a = 0.675134 - 0.882504I$ $b = 0.244504 - 0.127412I$ $c = 1.57174 - 0.36447I$ $d = 0.350066 + 0.206079I$	$2.72088 + 0.47986I$	$5.93461 + 0.48126I$
$u = 0.708662 - 0.534244I$ $a = 0.675134 + 0.882504I$ $b = 0.244504 + 0.127412I$ $c = -0.208049 - 0.334490I$ $d = 0.283657 - 0.784026I$	$2.72088 - 0.47986I$	$5.93461 - 0.48126I$
$u = 0.708662 - 0.534244I$ $a = 0.675134 + 0.882504I$ $b = 0.244504 + 0.127412I$ $c = 1.57174 + 0.36447I$ $d = 0.350066 - 0.206079I$	$2.72088 - 0.47986I$	$5.93461 - 0.48126I$
$u = -0.947945 + 0.635897I$ $a = 0.229415 + 0.658277I$ $b = 0.175268 + 0.437196I$ $c = -0.217424 - 1.276340I$ $d = -0.79602 - 2.17049I$	$5.38662 + 3.65224I$	$8.95361 - 3.74887I$
$u = -0.947945 + 0.635897I$ $a = 0.229415 + 0.658277I$ $b = 0.175268 + 0.437196I$ $c = -1.53314 - 0.18806I$ $d = -0.442998 + 0.217877I$	$5.38662 + 3.65224I$	$8.95361 - 3.74887I$

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.947945 - 0.635897I$ $a = 0.229415 - 0.658277I$ $b = 0.175268 - 0.437196I$ $c = -0.217424 + 1.276340I$ $d = -0.79602 + 2.17049I$	$5.38662 - 3.65224I$	$8.95361 + 3.74887I$
$u = -0.947945 - 0.635897I$ $a = 0.229415 - 0.658277I$ $b = 0.175268 - 0.437196I$ $c = -1.53314 + 0.18806I$ $d = -0.442998 - 0.217877I$	$5.38662 - 3.65224I$	$8.95361 + 3.74887I$
$u = -0.538756 + 1.020250I$ $a = 0.619031 + 0.499374I$ $b = 0.63204 - 2.14935I$ $c = -1.196440 - 0.196554I$ $d = -0.364434 + 0.402323I$	$0.15070 - 6.61979I$	$2.54938 + 5.39938I$
$u = -0.538756 + 1.020250I$ $a = 0.619031 + 0.499374I$ $b = 0.63204 - 2.14935I$ $c = 0.545739 + 0.245695I$ $d = 0.052704 + 0.770717I$	$0.15070 - 6.61979I$	$2.54938 + 5.39938I$
$u = -0.538756 - 1.020250I$ $a = 0.619031 - 0.499374I$ $b = 0.63204 + 2.14935I$ $c = -1.196440 + 0.196554I$ $d = -0.364434 - 0.402323I$	$0.15070 + 6.61979I$	$2.54938 - 5.39938I$
$u = -0.538756 - 1.020250I$ $a = 0.619031 - 0.499374I$ $b = 0.63204 + 2.14935I$ $c = 0.545739 - 0.245695I$ $d = 0.052704 - 0.770717I$	$0.15070 + 6.61979I$	$2.54938 - 5.39938I$

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.20232$ $a = 0.295778$ $b = -0.330847$ $c = 0.007353 + 0.846402I$ $d = -0.58336 + 1.44227I$	-4.04432	0.509520
$u = -1.20232$ $a = 0.295778$ $b = -0.330847$ $c = 0.007353 - 0.846402I$ $d = -0.58336 - 1.44227I$	-4.04432	0.509520
$u = 1.034470 + 0.639555I$ $a = -1.59290 - 1.84692I$ $b = 0.81702 - 2.22810I$ $c = 0.166717 - 1.255100I$ $d = 0.72123 - 2.11158I$	$3.29566 - 8.62980I$	$5.39171 + 7.80256I$
$u = 1.034470 + 0.639555I$ $a = -1.59290 - 1.84692I$ $b = 0.81702 - 2.22810I$ $c = 1.53962 - 0.14913I$ $d = 0.470945 + 0.211132I$	$3.29566 - 8.62980I$	$5.39171 + 7.80256I$
$u = 1.034470 - 0.639555I$ $a = -1.59290 + 1.84692I$ $b = 0.81702 + 2.22810I$ $c = 0.166717 + 1.255100I$ $d = 0.72123 + 2.11158I$	$3.29566 + 8.62980I$	$5.39171 - 7.80256I$
$u = 1.034470 - 0.639555I$ $a = -1.59290 + 1.84692I$ $b = 0.81702 + 2.22810I$ $c = 1.53962 + 0.14913I$ $d = 0.470945 - 0.211132I$	$3.29566 + 8.62980I$	$5.39171 - 7.80256I$



Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 1.106900 + 0.677869I$ $a = 0.097757 - 0.529135I$ $b = 0.057337 - 0.616881I$ $c = 0.120703 - 1.260900I$ $d = 0.64408 - 2.09872I$	$0.49001 - 7.69321I$	$4.38087 + 4.90752I$
$u = 1.106900 + 0.677869I$ $a = 0.097757 - 0.529135I$ $b = 0.057337 - 0.616881I$ $c = -0.338125 + 0.575068I$ $d = 0.173339 + 1.077430I$	$0.49001 - 7.69321I$	$4.38087 + 4.90752I$
$u = 1.106900 - 0.677869I$ $a = 0.097757 + 0.529135I$ $b = 0.057337 + 0.616881I$ $c = 0.120703 + 1.260900I$ $d = 0.64408 + 2.09872I$	$0.49001 + 7.69321I$	$4.38087 - 4.90752I$
$u = 1.106900 - 0.677869I$ $a = 0.097757 + 0.529135I$ $b = 0.057337 + 0.616881I$ $c = -0.338125 - 0.575068I$ $d = 0.173339 - 1.077430I$	$0.49001 + 7.69321I$	$4.38087 - 4.90752I$
$u = -1.174770 + 0.565730I$ $a = 0.54948 - 1.48780I$ $b = -1.57912 - 1.14053I$ $c = -0.099407 - 1.192690I$ $d = -0.64241 - 1.98202I$	$-4.51708 + 4.93169I$	$-1.83206 - 3.23906I$
$u = -1.174770 + 0.565730I$ $a = 0.54948 - 1.48780I$ $b = -1.57912 - 1.14053I$ $c = 0.288625 + 0.628881I$ $d = -0.231233 + 1.139200I$	$-4.51708 + 4.93169I$	$-1.83206 - 3.23906I$

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.174770 - 0.565730I$ $a = 0.54948 + 1.48780I$ $b = -1.57912 + 1.14053I$ $c = -0.099407 + 1.192690I$ $d = -0.64241 + 1.98202I$	$-4.51708 - 4.93169I$	$-1.83206 + 3.23906I$
$u = -1.174770 - 0.565730I$ $a = 0.54948 + 1.48780I$ $b = -1.57912 + 1.14053I$ $c = 0.288625 - 0.628881I$ $d = -0.231233 - 1.139200I$	$-4.51708 - 4.93169I$	$-1.83206 + 3.23906I$
$u = 1.307610 + 0.109024I$ $a = -0.34714 - 2.01472I$ $b = -0.43751 - 2.35043I$ $c = -0.026803 - 0.942642I$ $d = 0.53828 - 1.57459I$	$-7.49754 - 4.17106I$	$-3.10533 + 3.69910I$
$u = 1.307610 + 0.109024I$ $a = -0.34714 - 2.01472I$ $b = -0.43751 - 2.35043I$ $c = -0.104395 + 0.836665I$ $d = 0.45070 + 1.41497I$	$-7.49754 - 4.17106I$	$-3.10533 + 3.69910I$
$u = 1.307610 - 0.109024I$ $a = -0.34714 + 2.01472I$ $b = -0.43751 + 2.35043I$ $c = -0.026803 + 0.942642I$ $d = 0.53828 + 1.57459I$	$-7.49754 + 4.17106I$	$-3.10533 - 3.69910I$
$u = 1.307610 - 0.109024I$ $a = -0.34714 + 2.01472I$ $b = -0.43751 + 2.35043I$ $c = -0.104395 - 0.836665I$ $d = 0.45070 - 1.41497I$	$-7.49754 + 4.17106I$	$-3.10533 - 3.69910I$

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -1.155970 + 0.720501I$ $a = -1.40371 + 1.59813I$ $b = 0.92356 + 2.51029I$ $c = -0.090116 - 1.273270I$ $d = -0.58952 - 2.10255I$	$-1.81705 + 12.92960I$	$1.59130 - 8.57718I$
$u = -1.155970 + 0.720501I$ $a = -1.40371 + 1.59813I$ $b = 0.92356 + 2.51029I$ $c = 0.366569 + 0.595652I$ $d = -0.141563 + 1.100900I$	$-1.81705 + 12.92960I$	$1.59130 - 8.57718I$
$u = -1.155970 - 0.720501I$ $a = -1.40371 - 1.59813I$ $b = 0.92356 - 2.51029I$ $c = -0.090116 + 1.273270I$ $d = -0.58952 + 2.10255I$	$-1.81705 - 12.92960I$	$1.59130 + 8.57718I$
$u = -1.155970 - 0.720501I$ $a = -1.40371 - 1.59813I$ $b = 0.92356 - 2.51029I$ $c = 0.366569 - 0.595652I$ $d = -0.141563 - 1.100900I$	$-1.81705 - 12.92960I$	$1.59130 + 8.57718I$
$u = 0.620359$ $a = 0.850291$ $b = -0.0134746$ $c = 0.526910$ $d = 1.44852$	2.31973	2.07640
$u = 0.620359$ $a = 0.850291$ $b = -0.0134746$ $c = 2.14922$ $d = 0.287912$	2.31973	2.07640

Solutions to $I_2^u$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.141853 + 0.491513I$ $a = 0.789501 + 0.479357I$ $b = 0.173722 - 0.874524I$ $c = 0.76489 - 1.34869I$ $d = 0.089447 + 0.255868I$	$2.95645 - 1.74546I$	$9.67431 + 3.49934I$
$u = 0.141853 + 0.491513I$ $a = 0.789501 + 0.479357I$ $b = 0.173722 - 0.874524I$ $c = 0.43488 - 2.33014I$ $d = 0.93136 - 4.42466I$	$2.95645 - 1.74546I$	$9.67431 + 3.49934I$
$u = 0.141853 - 0.491513I$ $a = 0.789501 - 0.479357I$ $b = 0.173722 + 0.874524I$ $c = 0.76489 + 1.34869I$ $d = 0.089447 - 0.255868I$	$2.95645 + 1.74546I$	$9.67431 - 3.49934I$
$u = 0.141853 - 0.491513I$ $a = 0.789501 - 0.479357I$ $b = 0.173722 + 0.874524I$ $c = 0.43488 + 2.33014I$ $d = 0.93136 + 4.42466I$	$2.95645 + 1.74546I$	$9.67431 - 3.49934I$

$$\text{III. } I_1^v = \langle a, d, c - v, b - v, v^2 - v + 1 \rangle$$

(i) Arc colorings

$$a_4 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 0 \\ v \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_3 = \begin{pmatrix} v \\ v \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ -v + 1 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -1 \\ v - 1 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} v - 1 \\ v - 1 \end{pmatrix}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes =  $-4v + 5$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
$c_1, c_3, c_5$	$u^2 - u + 1$
$c_2$	$u^2 + u + 1$
$c_4, c_7, c_8$ $c_9, c_{10}$	$u^2$
$c_6, c_{11}$	$(u + 1)^2$
$c_{12}$	$(u - 1)^2$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
$c_1, c_2, c_3$ $c_5$	$y^2 + y + 1$
$c_4, c_7, c_8$ $c_9, c_{10}$	$y^2$
$c_6, c_{11}, c_{12}$	$(y - 1)^2$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_1^v$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$v = 0.500000 + 0.866025I$	$1.64493 + 2.02988I$	$3.00000 - 3.46410I$
$a = 0$		
$b = 0.500000 + 0.866025I$		
$c = 0.500000 + 0.866025I$		
$d = 0$		
$v = 0.500000 - 0.866025I$	$1.64493 - 2.02988I$	$3.00000 + 3.46410I$
$a = 0$		
$b = 0.500000 - 0.866025I$		
$c = 0.500000 - 0.866025I$		
$d = 0$		



$$\text{IV. } I_2^v = \langle a, d - v + 1, -av + c + 1, b - v, v^2 - v + 1 \rangle$$

(i) Arc colorings

$$a_4 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 0 \\ v \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_3 = \begin{pmatrix} v \\ v \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ -v + 1 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} -1 \\ v - 1 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} v - 1 \\ v - 1 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -1 \\ v - 1 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 1 \\ -v + 1 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} -1 \\ v - 1 \end{pmatrix}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes =  $-4v + 5$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
$c_1, c_3, c_5$	$u^2 - u + 1$
$c_2$	$u^2 + u + 1$
$c_4, c_6, c_8$ $c_{11}, c_{12}$	$u^2$
$c_7, c_9$	$(u + 1)^2$
$c_{10}$	$(u - 1)^2$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
$c_1, c_2, c_3$ $c_5$	$y^2 + y + 1$
$c_4, c_6, c_8$ $c_{11}, c_{12}$	$y^2$
$c_7, c_9, c_{10}$	$(y - 1)^2$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_2^v$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$v = 0.500000 + 0.866025I$ $a = 0$ $b = 0.500000 + 0.866025I$ $c = -1.00000$ $d = -0.500000 + 0.866025I$	$1.64493 + 2.02988I$	$3.00000 - 3.46410I$
$v = 0.500000 - 0.866025I$ $a = 0$ $b = 0.500000 - 0.866025I$ $c = -1.00000$ $d = -0.500000 - 0.866025I$	$1.64493 - 2.02988I$	$3.00000 + 3.46410I$

$$\mathbf{V. } I_3^v = \langle c, d - 1, b, a - 1, v + 1 \rangle$$

**(i) Arc colorings**

$$a_4 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} -1 \\ 0 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_3 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0 \\ 1 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} -1 \\ 1 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} -1 \\ 0 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 0 \\ -1 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$

**(ii) Obstruction class = 1**

**(iii) Cusp Shapes = 12**

(iv) **u**-Polynomials at the component

Crossings	<b>u</b> -Polynomials at each crossing
$c_1, c_2, c_3$ $c_4, c_5, c_8$	$u$
$c_6, c_{10}$	$u - 1$
$c_7, c_9, c_{11}$ $c_{12}$	$u + 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
$c_1, c_2, c_3$ $c_4, c_5, c_8$	$y$
$c_6, c_7, c_9$ $c_{10}, c_{11}, c_{12}$	$y - 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to $I_3^v$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$v = -1.00000$		
$a = 1.00000$		
$b = 0$	3.28987	12.0000
$c = 0$		
$d = 1.00000$		



$$\text{VI. } I_4^v = \langle a, db+da+\cdots+b-1, a^2d-da+\cdots-a+1, dv+1, cv-ba-bv+b+a, b^2-b+1 \rangle$$

(i) Arc colorings

$$a_4 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 0 \\ b \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_3 = \begin{pmatrix} b \\ b \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 1 \\ -b+1 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} c \\ -cb+c-1 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} c+v \\ -cb+c-1 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} -1 \\ b-1 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} v \\ 0 \end{pmatrix}$$

$$a_7 = \begin{pmatrix} -c \\ cb-c+1 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} c-1 \\ -cb+c+b-2 \end{pmatrix}$$

(ii) Obstruction class = -1

(iii) Cusp Shapes =  $-c^2b + 2cb + v^2 - 2c - 4b + 13$

(iv) u-Polynomials at the component : It cannot be defined for a positive dimension component.

(v) Riley Polynomials at the component : It cannot be defined for a positive dimension component.

(iv) Complex Volumes and Cusp Shapes

Solution to $I_4^v$	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$v = \dots$		
$a = \dots$		
$b = \dots$	$3.28987 - 2.02988I$	$8.56933 + 3.58827I$
$c = \dots$		
$d = \dots$		

## VII. u-Polynomials

Crossings	u-Polynomials at each crossing
$c_1$	$u(u^2 - u + 1)^2(u^{46} + 21u^{45} + \dots - 40u + 16)$
$c_2$	$u(u^2 + u + 1)^2(u^{46} + u^{45} + \dots - 4u + 4)$
$c_3$	$u(u^2 - u + 1)^2(u^{46} - u^{45} + \dots - 2596u + 1252)$
$c_4, c_8$	$u^5(u^{46} - 3u^{45} + \dots - 32u + 32)$
$c_5$	$u(u^2 - u + 1)^2(u^{46} + u^{45} + \dots - 4u + 4)$
$c_6$	$u^2(u - 1)(u + 1)^2(u^{46} + 5u^{45} + \dots + 2u + 1)$
$c_7$	$u^2(u + 1)^3(u^{46} + 5u^{45} + \dots + 2u + 1)$
$c_9, c_{11}$	$u^2(u + 1)^3(u^{46} - 21u^{45} + \dots + 4u + 1)$
$c_{10}$	$u^2(u - 1)^3(u^{46} + 5u^{45} + \dots + 2u + 1)$
$c_{12}$	$u^2(u - 1)^2(u + 1)(u^{46} + 5u^{45} + \dots + 2u + 1)$

### VIII. Riley Polynomials

Crossings	Riley Polynomials at each crossing
$c_1$	$y(y^2 + y + 1)^2(y^{46} + 9y^{45} + \dots - 5664y + 256)$
$c_2, c_5$	$y(y^2 + y + 1)^2(y^{46} + 21y^{45} + \dots - 40y + 16)$
$c_3$	$y(y^2 + y + 1)^2(y^{46} - 3y^{45} + \dots - 2.04086 \times 10^7 y + 1567504)$
$c_4, c_8$	$y^5(y^{46} - 15y^{45} + \dots + 4096y + 1024)$
$c_6, c_7, c_{10}$ $c_{12}$	$y^2(y - 1)^3(y^{46} - 21y^{45} + \dots + 4y + 1)$
$c_9, c_{11}$	$y^2(y - 1)^3(y^{46} + 19y^{45} + \dots - 72y + 1)$