


$12a_{0108}$ ($K12a_{0108}$)



Ideals for irreducible components² of X_{par}

$$I_1^u = \langle -7.77659 \times 10^{312} u^{125} - 1.54560 \times 10^{313} u^{124} + \dots + 7.56628 \times 10^{313} b - 1.03264 \times 10^{314}, \\ - 1.29367 \times 10^{314} u^{125} - 2.52409 \times 10^{314} u^{124} + \dots + 1.66458 \times 10^{315} a + 2.23551 \times 10^{316}, \\ u^{126} + 2u^{125} + \dots + 192u + 64 \rangle$$

$$I_2^u = \langle 3u^2 + b + u + 3, 6u^2 + a + 2u + 10, u^3 + u^2 + 2u + 1 \rangle$$

$$I_1^v = \langle a, 31v^5 - 92v^4 + 163v^3 + 52v^2 + 69b + 81v - 64, v^6 - 3v^5 + 6v^4 + 5v^2 - v + 1 \rangle$$

* 3 irreducible components of $\dim_{\mathbb{C}} = 0$, with total 135 representations.

¹The image of knot diagram is generated by the software “**Draw programme**” developed by Andrew Bartholomew(<http://www.layer8.co.uk/math/draw/index.htm#Running-draw>), where we modified some parts for our purpose(<https://github.com/CATsTAILs/LinksPainter>).

²All coefficients of polynomials are rational numbers. But the coefficients are sometimes approximated in decimal forms when there is not enough margin.

$$\text{I. } I_1^u = \langle -7.78 \times 10^{312} u^{125} - 1.55 \times 10^{313} u^{124} + \dots + 7.57 \times 10^{313} b - 1.03 \times 10^{314}, -1.29 \times 10^{314} u^{125} - 2.52 \times 10^{314} u^{124} + \dots + 1.66 \times 10^{315} a + 2.24 \times 10^{316}, u^{126} + 2u^{125} + \dots + 192u + 64 \rangle$$

(i) **Arc colorings**

$$a_4 = \begin{pmatrix} 0 \\ u \end{pmatrix}$$

$$a_7 = \begin{pmatrix} 1 \\ 0 \end{pmatrix}$$

$$a_8 = \begin{pmatrix} 1 \\ u^2 \end{pmatrix}$$

$$a_9 = \begin{pmatrix} u^2 + 1 \\ u^2 \end{pmatrix}$$

$$a_{12} = \begin{pmatrix} 0.0777175u^{125} + 0.151635u^{124} + \dots - 12.0430u - 13.4298 \\ 0.102780u^{125} + 0.204274u^{124} + \dots + 21.2752u + 1.36479 \end{pmatrix}$$

$$a_{10} = \begin{pmatrix} -0.251458u^{125} - 0.504776u^{124} + \dots - 62.6343u - 15.8172 \\ -0.125368u^{125} - 0.296640u^{124} + \dots - 55.2984u - 10.6403 \end{pmatrix}$$

$$a_3 = \begin{pmatrix} u \\ u^3 + u \end{pmatrix}$$

$$a_6 = \begin{pmatrix} 0.184749u^{125} + 0.229941u^{124} + \dots + 26.0397u - 4.61527 \\ 0.128633u^{125} + 0.222528u^{124} + \dots + 38.3890u + 5.67195 \end{pmatrix}$$

$$a_1 = \begin{pmatrix} 0.134423u^{125} + 0.249675u^{124} + \dots - 15.7540u - 12.1955 \\ -0.0161903u^{125} - 0.0611574u^{124} + \dots - 50.9747u - 14.3007 \end{pmatrix}$$

$$a_2 = \begin{pmatrix} 0.116123u^{125} + 0.204715u^{124} + \dots - 22.9544u - 12.7987 \\ -0.0366348u^{125} - 0.0898334u^{124} + \dots - 55.3988u - 14.3689 \end{pmatrix}$$

$$a_{11} = \begin{pmatrix} 0.0236074u^{125} + 0.0498670u^{124} + \dots - 20.2156u - 13.1289 \\ 0.150252u^{125} + 0.329184u^{124} + \dots + 32.2910u + 2.86962 \end{pmatrix}$$

$$a_5 = \begin{pmatrix} 0.0842320u^{125} + 0.177889u^{124} + \dots + 30.2985u + 3.33220 \\ -0.0501911u^{125} - 0.0717859u^{124} + \dots + 46.0525u + 15.5277 \end{pmatrix}$$

(ii) **Obstruction class** = -1

(iii) **Cusp Shapes** = $-0.597782u^{125} - 0.910341u^{124} + \dots - 72.2510u + 19.0666$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1	$u^{126} + 68u^{125} + \cdots - 17u + 1$
c_2, c_4	$u^{126} - 8u^{125} + \cdots - 9u + 1$
c_3, c_7	$u^{126} + 2u^{125} + \cdots + 192u + 64$
c_5	$u^{126} - 65u^{124} + \cdots + 4405u - 191$
c_6	$u^{126} + 4u^{125} + \cdots - 1174u - 44$
c_8	$u^{126} - 42u^{125} + \cdots - 118784u + 4096$
c_9, c_{11}	$u^{126} + 5u^{125} + \cdots - 43u - 1$
c_{10}	$u^{126} - 20u^{125} + \cdots + 124u + 8$
c_{12}	$u^{126} - 9u^{125} + \cdots + 2u - 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1	$y^{126} - 12y^{125} + \cdots - 363y + 1$
c_2, c_4	$y^{126} - 68y^{125} + \cdots + 17y + 1$
c_3, c_7	$y^{126} + 42y^{125} + \cdots + 118784y + 4096$
c_5	$y^{126} - 130y^{125} + \cdots - 3185069y + 36481$
c_6	$y^{126} - 122y^{125} + \cdots - 141964y + 1936$
c_8	$y^{126} + 74y^{125} + \cdots - 125829120y + 16777216$
c_9, c_{11}	$y^{126} - 75y^{125} + \cdots - 971y + 1$
c_{10}	$y^{126} - 24y^{125} + \cdots - 8848y + 64$
c_{12}	$y^{126} + 15y^{125} + \cdots - 14y + 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.583149 + 0.813259I$		
$a = -2.40429 - 0.88467I$	$0.84437 + 1.77385I$	0
$b = -2.36089 + 0.71738I$		
$u = -0.583149 - 0.813259I$		
$a = -2.40429 + 0.88467I$	$0.84437 - 1.77385I$	0
$b = -2.36089 - 0.71738I$		
$u = 0.759752 + 0.658456I$		
$a = 0.411118 + 0.209764I$	$-3.19646 + 2.28892I$	0
$b = -0.228083 - 0.339879I$		
$u = 0.759752 - 0.658456I$		
$a = 0.411118 - 0.209764I$	$-3.19646 - 2.28892I$	0
$b = -0.228083 + 0.339879I$		
$u = -0.664545 + 0.755167I$		
$a = -0.12102 + 2.46179I$	$-1.33049 + 2.05219I$	0
$b = 1.225020 + 0.310188I$		
$u = -0.664545 - 0.755167I$		
$a = -0.12102 - 2.46179I$	$-1.33049 - 2.05219I$	0
$b = 1.225020 - 0.310188I$		
$u = 0.638089 + 0.779199I$		
$a = 1.54419 + 1.11191I$	$-5.12052 - 2.76244I$	0
$b = 0.88077 + 1.29949I$		
$u = 0.638089 - 0.779199I$		
$a = 1.54419 - 1.11191I$	$-5.12052 + 2.76244I$	0
$b = 0.88077 - 1.29949I$		
$u = 1.008890 + 0.070007I$		
$a = 2.21899 + 0.03163I$	$2.18854 + 7.22641I$	0
$b = 1.73462 + 0.26110I$		
$u = 1.008890 - 0.070007I$		
$a = 2.21899 - 0.03163I$	$2.18854 - 7.22641I$	0
$b = 1.73462 - 0.26110I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.134506 + 1.012070I$		
$a = -0.72834 + 1.25076I$	$3.77115 + 2.20092I$	0
$b = 4.00557 + 0.08173I$		
$u = -0.134506 - 1.012070I$		
$a = -0.72834 - 1.25076I$	$3.77115 - 2.20092I$	0
$b = 4.00557 - 0.08173I$		
$u = -0.236806 + 0.993858I$		
$a = 0.049581 - 0.414116I$	$1.90248 + 2.83956I$	0
$b = -0.407535 - 0.842117I$		
$u = -0.236806 - 0.993858I$		
$a = 0.049581 + 0.414116I$	$1.90248 - 2.83956I$	0
$b = -0.407535 + 0.842117I$		
$u = -0.077039 + 1.019420I$		
$a = -0.395957 - 0.895205I$	$2.60094 + 2.12761I$	0
$b = -0.345162 - 0.284694I$		
$u = -0.077039 - 1.019420I$		
$a = -0.395957 + 0.895205I$	$2.60094 - 2.12761I$	0
$b = -0.345162 + 0.284694I$		
$u = -0.870239 + 0.437016I$		
$a = 2.01350 - 0.73003I$	$-1.62685 - 0.40405I$	0
$b = 1.27645 - 0.83997I$		
$u = -0.870239 - 0.437016I$		
$a = 2.01350 + 0.73003I$	$-1.62685 + 0.40405I$	0
$b = 1.27645 + 0.83997I$		
$u = -0.750514 + 0.607886I$		
$a = -0.48073 + 2.04336I$	$0.258302 - 1.180800I$	0
$b = -0.174005 + 0.510313I$		
$u = -0.750514 - 0.607886I$		
$a = -0.48073 - 2.04336I$	$0.258302 + 1.180800I$	0
$b = -0.174005 - 0.510313I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.701966 + 0.759826I$		
$a = 1.88316 - 0.88061I$	$-3.74921 - 4.56977I$	0
$b = 1.45456 - 1.13212I$		
$u = -0.701966 - 0.759826I$		
$a = 1.88316 + 0.88061I$	$-3.74921 + 4.56977I$	0
$b = 1.45456 + 1.13212I$		
$u = 0.745954 + 0.737217I$		
$a = 2.05866 - 4.11011I$	$-2.73974 + 0.70736I$	0
$b = 2.80767 - 0.70209I$		
$u = 0.745954 - 0.737217I$		
$a = 2.05866 + 4.11011I$	$-2.73974 - 0.70736I$	0
$b = 2.80767 + 0.70209I$		
$u = -0.089485 + 0.946069I$		
$a = 1.28925 - 1.00533I$	$0.43085 - 5.09047I$	0
$b = -1.55692 + 0.09969I$		
$u = -0.089485 - 0.946069I$		
$a = 1.28925 + 1.00533I$	$0.43085 + 5.09047I$	0
$b = -1.55692 - 0.09969I$		
$u = -0.026963 + 0.943464I$		
$a = -0.404065 + 0.007320I$	$2.41442 + 1.40190I$	0
$b = -0.922484 + 0.758848I$		
$u = -0.026963 - 0.943464I$		
$a = -0.404065 - 0.007320I$	$2.41442 - 1.40190I$	0
$b = -0.922484 - 0.758848I$		
$u = -1.036680 + 0.220066I$		
$a = 2.08600 - 0.38383I$	$1.84155 + 2.77321I$	0
$b = 1.56493 - 0.14601I$		
$u = -1.036680 - 0.220066I$		
$a = 2.08600 + 0.38383I$	$1.84155 - 2.77321I$	0
$b = 1.56493 + 0.14601I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.902790 + 0.575810I$		
$a = 2.16135 + 0.69093I$	$0.07212 + 8.10921I$	0
$b = 1.72111 + 0.92699I$		
$u = 0.902790 - 0.575810I$		
$a = 2.16135 - 0.69093I$	$0.07212 - 8.10921I$	0
$b = 1.72111 - 0.92699I$		
$u = 0.515649 + 0.940162I$		
$a = -0.80683 - 1.94203I$	$4.07539 - 1.91046I$	0
$b = 0.490259 - 0.645229I$		
$u = 0.515649 - 0.940162I$		
$a = -0.80683 + 1.94203I$	$4.07539 + 1.91046I$	0
$b = 0.490259 + 0.645229I$		
$u = 0.821210 + 0.696105I$		
$a = -3.79378 + 1.02212I$	$-2.64594 + 1.92186I$	0
$b = -3.05665 - 0.68146I$		
$u = 0.821210 - 0.696105I$		
$a = -3.79378 - 1.02212I$	$-2.64594 - 1.92186I$	0
$b = -3.05665 + 0.68146I$		
$u = 0.066247 + 1.075380I$		
$a = -1.104920 - 0.720837I$	$6.12098 - 0.47562I$	0
$b = 1.083610 - 0.383367I$		
$u = 0.066247 - 1.075380I$		
$a = -1.104920 + 0.720837I$	$6.12098 + 0.47562I$	0
$b = 1.083610 + 0.383367I$		
$u = -0.866742 + 0.650126I$		
$a = -0.929827 + 0.051878I$	$-1.08056 - 4.64409I$	0
$b = -1.310250 + 0.281104I$		
$u = -0.866742 - 0.650126I$		
$a = -0.929827 - 0.051878I$	$-1.08056 + 4.64409I$	0
$b = -1.310250 - 0.281104I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.164623 + 1.090970I$		
$a = -0.937838 - 0.153506I$	$5.90160 - 4.26455I$	0
$b = 1.274750 + 0.205009I$		
$u = 0.164623 - 1.090970I$		
$a = -0.937838 + 0.153506I$	$5.90160 + 4.26455I$	0
$b = 1.274750 - 0.205009I$		
$u = -0.612029 + 0.921384I$		
$a = 1.39754 + 3.67655I$	$1.22072 + 2.96447I$	0
$b = 3.36533 + 0.62198I$		
$u = -0.612029 - 0.921384I$		
$a = 1.39754 - 3.67655I$	$1.22072 - 2.96447I$	0
$b = 3.36533 - 0.62198I$		
$u = 0.608068 + 0.939760I$		
$a = 0.48099 + 2.26771I$	$-4.61530 - 2.13294I$	0
$b = -1.36323 + 1.12639I$		
$u = 0.608068 - 0.939760I$		
$a = 0.48099 - 2.26771I$	$-4.61530 + 2.13294I$	0
$b = -1.36323 - 1.12639I$		
$u = -0.715251 + 0.862634I$		
$a = -0.756830 + 0.170735I$	$-6.56601 + 3.77378I$	0
$b = 0.355188 + 0.261563I$		
$u = -0.715251 - 0.862634I$		
$a = -0.756830 - 0.170735I$	$-6.56601 - 3.77378I$	0
$b = 0.355188 - 0.261563I$		
$u = -0.712315 + 0.865143I$		
$a = 0.170620 + 0.028930I$	$-6.55718 + 1.68165I$	0
$b = -0.416168 + 0.527299I$		
$u = -0.712315 - 0.865143I$		
$a = 0.170620 - 0.028930I$	$-6.55718 - 1.68165I$	0
$b = -0.416168 - 0.527299I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.283809 + 1.084470I$		
$a = -0.430557 + 0.774152I$	$1.79448 - 6.78921I$	0
$b = -0.040161 + 0.255290I$		
$u = 0.283809 - 1.084470I$		
$a = -0.430557 - 0.774152I$	$1.79448 + 6.78921I$	0
$b = -0.040161 - 0.255290I$		
$u = -0.837606 + 0.789777I$		
$a = 0.715847 - 0.779366I$	$-1.93800 + 2.88339I$	0
$b = 0.193028 - 0.396166I$		
$u = -0.837606 - 0.789777I$		
$a = 0.715847 + 0.779366I$	$-1.93800 - 2.88339I$	0
$b = 0.193028 + 0.396166I$		
$u = -0.654600 + 0.951229I$		
$a = -0.832909 + 0.532511I$	$-0.71690 + 3.08171I$	0
$b = -1.137890 + 0.549091I$		
$u = -0.654600 - 0.951229I$		
$a = -0.832909 - 0.532511I$	$-0.71690 - 3.08171I$	0
$b = -1.137890 - 0.549091I$		
$u = 0.604520 + 0.985901I$		
$a = -0.16855 - 1.64248I$	$2.96423 - 5.62025I$	0
$b = 1.39968 - 0.21265I$		
$u = 0.604520 - 0.985901I$		
$a = -0.16855 + 1.64248I$	$2.96423 + 5.62025I$	0
$b = 1.39968 + 0.21265I$		
$u = -0.675660 + 0.951102I$		
$a = 0.11728 - 2.78463I$	$-3.15580 + 9.87799I$	0
$b = -1.78102 - 1.05893I$		
$u = -0.675660 - 0.951102I$		
$a = 0.11728 + 2.78463I$	$-3.15580 - 9.87799I$	0
$b = -1.78102 + 1.05893I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.778808 + 0.875358I$		
$a = 0.546248 + 0.475768I$	$-5.56540 - 7.22095I$	0
$b = 0.0584220 + 0.0928196I$		
$u = 0.778808 - 0.875358I$		
$a = 0.546248 - 0.475768I$	$-5.56540 + 7.22095I$	0
$b = 0.0584220 - 0.0928196I$		
$u = -0.927777 + 0.716525I$		
$a = 0.181729 - 0.399959I$	$-6.29832 - 6.58519I$	0
$b = -0.398777 + 0.187696I$		
$u = -0.927777 - 0.716525I$		
$a = 0.181729 + 0.399959I$	$-6.29832 + 6.58519I$	0
$b = -0.398777 - 0.187696I$		
$u = 0.804790 + 0.868133I$		
$a = 0.076332 + 0.809767I$	$-5.59394 + 1.30207I$	0
$b = -0.017738 + 0.432056I$		
$u = 0.804790 - 0.868133I$		
$a = 0.076332 - 0.809767I$	$-5.59394 - 1.30207I$	0
$b = -0.017738 - 0.432056I$		
$u = -0.728276 + 0.935353I$		
$a = 0.292431 - 0.682258I$	$-1.50108 + 2.95525I$	0
$b = 0.088734 - 0.582632I$		
$u = -0.728276 - 0.935353I$		
$a = 0.292431 + 0.682258I$	$-1.50108 - 2.95525I$	0
$b = 0.088734 + 0.582632I$		
$u = 0.896738 + 0.785992I$		
$a = 0.482925 + 0.897178I$	$-5.47055 + 1.59927I$	0
$b = -0.052130 + 0.488664I$		
$u = 0.896738 - 0.785992I$		
$a = 0.482925 - 0.897178I$	$-5.47055 - 1.59927I$	0
$b = -0.052130 - 0.488664I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.399196 + 0.700132I$		
$a = -0.418821 - 0.419802I$	$1.88586 + 1.07699I$	$1.62389 - 3.53502I$
$b = -0.997317 - 0.308529I$		
$u = 0.399196 - 0.700132I$		
$a = -0.418821 + 0.419802I$	$1.88586 - 1.07699I$	$1.62389 + 3.53502I$
$b = -0.997317 + 0.308529I$		
$u = 0.700027 + 0.968567I$		
$a = -2.77865 + 0.09884I$	$-2.03372 - 6.21937I$	0
$b = -2.51167 - 1.19272I$		
$u = 0.700027 - 0.968567I$		
$a = -2.77865 - 0.09884I$	$-2.03372 + 6.21937I$	0
$b = -2.51167 + 1.19272I$		
$u = 0.781482 + 0.172967I$		
$a = 1.29236 + 0.58740I$	$-1.45891 + 3.00718I$	$-6.53766 - 7.29173I$
$b = 0.330603 - 0.091888I$		
$u = 0.781482 - 0.172967I$		
$a = 1.29236 - 0.58740I$	$-1.45891 - 3.00718I$	$-6.53766 + 7.29173I$
$b = 0.330603 + 0.091888I$		
$u = 1.016950 + 0.656632I$		
$a = 2.14399 + 1.13198I$	$-4.10359 + 4.97237I$	0
$b = 1.47418 + 1.22457I$		
$u = 1.016950 - 0.656632I$		
$a = 2.14399 - 1.13198I$	$-4.10359 - 4.97237I$	0
$b = 1.47418 - 1.22457I$		
$u = 0.690126 + 1.005750I$		
$a = -0.447053 + 0.050891I$	$-2.16358 - 7.80144I$	0
$b = 0.418051 - 0.078612I$		
$u = 0.690126 - 1.005750I$		
$a = -0.447053 - 0.050891I$	$-2.16358 + 7.80144I$	0
$b = 0.418051 + 0.078612I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.678688 + 1.020830I$		
$a = -0.61288 + 1.97507I$	$1.45595 + 6.62892I$	0
$b = 0.387426 + 0.911011I$		
$u = -0.678688 - 1.020830I$		
$a = -0.61288 - 1.97507I$	$1.45595 - 6.62892I$	0
$b = 0.387426 - 0.911011I$		
$u = -1.006940 + 0.706541I$		
$a = 2.28472 - 0.87519I$	$-2.73943 - 12.79060I$	0
$b = 1.85509 - 1.10457I$		
$u = -1.006940 - 0.706541I$		
$a = 2.28472 + 0.87519I$	$-2.73943 + 12.79060I$	0
$b = 1.85509 + 1.10457I$		
$u = 0.724342 + 1.011870I$		
$a = 1.80502 - 3.43113I$	$-1.67836 - 7.71869I$	0
$b = 3.42838 - 0.94214I$		
$u = 0.724342 - 1.011870I$		
$a = 1.80502 + 3.43113I$	$-1.67836 + 7.71869I$	0
$b = 3.42838 + 0.94214I$		
$u = -0.153007 + 1.240150I$		
$a = 0.118355 - 0.383852I$	$7.35610 + 6.53099I$	0
$b = -2.10059 - 0.27454I$		
$u = -0.153007 - 1.240150I$		
$a = 0.118355 + 0.383852I$	$7.35610 - 6.53099I$	0
$b = -2.10059 + 0.27454I$		
$u = -0.724716 + 1.045350I$		
$a = 0.20991 + 1.64245I$	$0.13511 + 10.55390I$	0
$b = 1.48746 + 0.30734I$		
$u = -0.724716 - 1.045350I$		
$a = 0.20991 - 1.64245I$	$0.13511 - 10.55390I$	0
$b = 1.48746 - 0.30734I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = 0.269690 + 1.247800I$		
$a = -0.109494 + 1.094990I$	$6.88746 + 2.92032I$	0
$b = -1.85754 + 0.41849I$		
$u = 0.269690 - 1.247800I$		
$a = -0.109494 - 1.094990I$	$6.88746 - 2.92032I$	0
$b = -1.85754 - 0.41849I$		
$u = 0.332493 + 1.237100I$		
$a = -0.006022 + 1.079100I$	$6.38584 - 11.97810I$	0
$b = -2.15220 + 0.54761I$		
$u = 0.332493 - 1.237100I$		
$a = -0.006022 - 1.079100I$	$6.38584 + 11.97810I$	0
$b = -2.15220 - 0.54761I$		
$u = 0.787834 + 1.012220I$		
$a = 0.291926 + 0.593782I$	$-4.72827 - 7.84683I$	0
$b = 0.226779 + 0.567475I$		
$u = 0.787834 - 1.012220I$		
$a = 0.291926 - 0.593782I$	$-4.72827 + 7.84683I$	0
$b = 0.226779 - 0.567475I$		
$u = 0.715508 + 1.083340I$		
$a = -0.25215 + 2.51710I$	$1.6137 - 14.0645I$	0
$b = -1.96241 + 1.12186I$		
$u = 0.715508 - 1.083340I$		
$a = -0.25215 - 2.51710I$	$1.6137 + 14.0645I$	0
$b = -1.96241 - 1.12186I$		
$u = -0.776257 + 1.050290I$		
$a = -0.261775 + 0.072130I$	$-5.23670 + 12.86370I$	0
$b = 0.551281 + 0.082118I$		
$u = -0.776257 - 1.050290I$		
$a = -0.261775 - 0.072130I$	$-5.23670 - 12.86370I$	0
$b = 0.551281 - 0.082118I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.681519 + 1.116400I$		
$a = -0.06483 - 2.22505I$	$0.33688 + 6.13842I$	0
$b = -1.62801 - 1.29676I$		
$u = -0.681519 - 1.116400I$		
$a = -0.06483 + 2.22505I$	$0.33688 - 6.13842I$	0
$b = -1.62801 + 1.29676I$		
$u = -0.671958 + 0.032843I$		
$a = 1.73322 - 0.09355I$	$-1.094370 + 0.027147I$	$-7.58274 + 0.49956I$
$b = 0.586846 - 0.184878I$		
$u = -0.671958 - 0.032843I$		
$a = 1.73322 + 0.09355I$	$-1.094370 - 0.027147I$	$-7.58274 - 0.49956I$
$b = 0.586846 + 0.184878I$		
$u = 0.670945 + 0.001703I$		
$a = -0.118845 + 0.786074I$	$2.03745 + 1.42816I$	$2.53417 - 4.60053I$
$b = -0.901209 - 0.015610I$		
$u = 0.670945 - 0.001703I$		
$a = -0.118845 - 0.786074I$	$2.03745 - 1.42816I$	$2.53417 + 4.60053I$
$b = -0.901209 + 0.015610I$		
$u = 0.092281 + 0.648619I$		
$a = 0.23936 + 1.95343I$	$-2.61100 - 1.34807I$	$-3.48651 + 4.76024I$
$b = -0.460292 - 0.261821I$		
$u = 0.092281 - 0.648619I$		
$a = 0.23936 - 1.95343I$	$-2.61100 + 1.34807I$	$-3.48651 - 4.76024I$
$b = -0.460292 + 0.261821I$		
$u = -0.455105 + 1.272310I$		
$a = -0.29244 - 1.52392I$	$5.46522 + 2.67251I$	0
$b = -1.72190 - 0.80643I$		
$u = -0.455105 - 1.272310I$		
$a = -0.29244 + 1.52392I$	$5.46522 - 2.67251I$	0
$b = -1.72190 + 0.80643I$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.802002 + 1.094610I$		
$a = -0.45501 - 2.65767I$	$-1.4825 + 19.3861I$	0
$b = -1.97178 - 1.24834I$		
$u = -0.802002 - 1.094610I$		
$a = -0.45501 + 2.65767I$	$-1.4825 - 19.3861I$	0
$b = -1.97178 + 1.24834I$		
$u = 0.786293 + 1.115480I$		
$a = -0.16433 + 2.46206I$	$-2.63820 - 11.52950I$	0
$b = -1.58922 + 1.46628I$		
$u = 0.786293 - 1.115480I$		
$a = -0.16433 - 2.46206I$	$-2.63820 + 11.52950I$	0
$b = -1.58922 - 1.46628I$		
$u = -0.162781 + 1.386730I$		
$a = -0.661077 - 0.561639I$	$4.49508 + 2.99438I$	0
$b = -2.34852 - 0.39218I$		
$u = -0.162781 - 1.386730I$		
$a = -0.661077 + 0.561639I$	$4.49508 - 2.99438I$	0
$b = -2.34852 + 0.39218I$		
$u = -0.595624$		
$a = 1.50825$	-1.09586	-8.62110
$b = 0.418502$		
$u = 0.049191 + 0.593330I$		
$a = 0.955093 - 0.531289I$	$-2.83015 + 0.66433I$	$-0.80758 + 1.62533I$
$b = 0.253912 - 0.874200I$		
$u = 0.049191 - 0.593330I$		
$a = 0.955093 + 0.531289I$	$-2.83015 - 0.66433I$	$-0.80758 - 1.62533I$
$b = 0.253912 + 0.874200I$		
$u = -0.547594$		
$a = -18.2084$	0.509050	-323.410
$b = -4.97465$		

Solutions to I_1^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.070102 + 0.510627I$		
$a = 1.358090 + 0.350014I$	$-1.24958 + 5.86869I$	$5.67430 - 9.68755I$
$b = 0.903119 + 0.640568I$		
$u = -0.070102 - 0.510627I$		
$a = 1.358090 - 0.350014I$	$-1.24958 - 5.86869I$	$5.67430 + 9.68755I$
$b = 0.903119 - 0.640568I$		
$u = 0.299663 + 0.400210I$		
$a = -0.051668 - 0.210161I$	$1.85257 + 1.11176I$	$2.15039 - 2.20620I$
$b = -1.024470 - 0.220592I$		
$u = 0.299663 - 0.400210I$		
$a = -0.051668 + 0.210161I$	$1.85257 - 1.11176I$	$2.15039 + 2.20620I$
$b = -1.024470 + 0.220592I$		
$u = -0.259122 + 0.378593I$		
$a = 0.48178 + 8.59597I$	$0.359329 - 0.612109I$	$-2.0314 - 16.2217I$
$b = 0.691501 - 0.498616I$		
$u = -0.259122 - 0.378593I$		
$a = 0.48178 - 8.59597I$	$0.359329 + 0.612109I$	$-2.0314 + 16.2217I$
$b = 0.691501 + 0.498616I$		

$$\text{II. } I_2^u = \langle 3u^2 + b + u + 3, \ 6u^2 + a + 2u + 10, \ u^3 + u^2 + 2u + 1 \rangle$$

(i) Arc colorings

$$\begin{aligned} a_4 &= \begin{pmatrix} 0 \\ u \end{pmatrix} \\ a_7 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_8 &= \begin{pmatrix} 1 \\ u^2 \end{pmatrix} \\ a_9 &= \begin{pmatrix} u^2 + 1 \\ u^2 \end{pmatrix} \\ a_{12} &= \begin{pmatrix} -6u^2 - 2u - 10 \\ -3u^2 - u - 3 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} -5u^2 - 2u - 9 \\ -2u^2 - u - 3 \end{pmatrix} \\ a_3 &= \begin{pmatrix} u \\ -u^2 - u - 1 \end{pmatrix} \\ a_6 &= \begin{pmatrix} 16u^2 + 7u + 29 \\ 5u^2 + 2u + 9 \end{pmatrix} \\ a_1 &= \begin{pmatrix} -1 \\ -u^2 \end{pmatrix} \\ a_2 &= \begin{pmatrix} -u^2 - 1 \\ -u^2 - u - 1 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} -5u^2 - 2u - 9 \\ -2u^2 - u - 3 \end{pmatrix} \\ a_5 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \end{aligned}$$

(ii) Obstruction class = 1

(iii) Cusp Shapes = $45u^2 + 24u + 84$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1, c_3	$u^3 - u^2 + 2u - 1$
c_2	$u^3 + u^2 - 1$
c_4	$u^3 - u^2 + 1$
c_5, c_6	$u^3 + 2u^2 - 3u + 1$
c_7	$u^3 + u^2 + 2u + 1$
c_8	$u^3 - 3u^2 + 2u + 1$
c_9	$(u + 1)^3$
c_{10}	u^3
c_{11}	$(u - 1)^3$
c_{12}	$u^3 + 3u^2 + 2u - 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1, c_3, c_7	$y^3 + 3y^2 + 2y - 1$
c_2, c_4	$y^3 - y^2 + 2y - 1$
c_5, c_6	$y^3 - 10y^2 + 5y - 1$
c_8, c_{12}	$y^3 - 5y^2 + 10y - 1$
c_9, c_{11}	$(y - 1)^3$
c_{10}	y^3

(vi) Complex Volumes and Cusp Shapes

Solutions to I_2^u	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$u = -0.215080 + 1.307140I$		
$a = 0.404314 + 0.759395I$	$4.66906 + 2.82812I$	$4.03193 + 6.06881I$
$b = 2.20216 + 0.37970I$		
$u = -0.215080 - 1.307140I$		
$a = 0.404314 - 0.759395I$	$4.66906 - 2.82812I$	$4.03193 - 6.06881I$
$b = 2.20216 - 0.37970I$		
$u = -0.569840$		
$a = -10.8086$	0.531480	84.9360
$b = -3.40431$		

$$\text{III. } I_1^v = \langle a, 31v^5 - 92v^4 + \dots + 69b - 64, v^6 - 3v^5 + 6v^4 + 5v^2 - v + 1 \rangle$$

(i) Arc colorings

$$\begin{aligned} a_4 &= \begin{pmatrix} v \\ 0 \end{pmatrix} \\ a_7 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_8 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_9 &= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \\ a_{12} &= \begin{pmatrix} 0 \\ -0.449275v^5 + 1.33333v^4 + \dots - 1.17391v + 0.927536 \end{pmatrix} \\ a_{10} &= \begin{pmatrix} 1 \\ \frac{55}{69}v^5 - \frac{7}{3}v^4 + \dots + \frac{62}{23}v - \frac{49}{69} \end{pmatrix} \\ a_3 &= \begin{pmatrix} v \\ 0 \end{pmatrix} \\ a_6 &= \begin{pmatrix} \frac{55}{69}v^5 - \frac{7}{3}v^4 + \dots + \frac{62}{23}v + \frac{20}{69} \\ -0.782609v^5 + 2v^4 + \dots - 4.17391v - 0.739130 \end{pmatrix} \\ a_1 &= \begin{pmatrix} -1.01449v^5 + 3.33333v^4 + \dots - 3.52174v + 1.44928 \\ v^5 - 3v^4 + 6v^3 + 5v - 1 \end{pmatrix} \\ a_2 &= \begin{pmatrix} -1.01449v^5 + 3.33333v^4 + \dots - 2.52174v + 1.44928 \\ v^5 - 3v^4 + 6v^3 + 5v - 1 \end{pmatrix} \\ a_{11} &= \begin{pmatrix} \frac{31}{69}v^5 - \frac{4}{3}v^4 + \dots + \frac{27}{23}v - \frac{64}{69} \\ -0.449275v^5 + 1.33333v^4 + \dots - 1.17391v + 0.927536 \end{pmatrix} \\ a_5 &= \begin{pmatrix} 1.01449v^5 - 3.33333v^4 + \dots + 3.52174v - 1.44928 \\ -v^5 + 3v^4 - 6v^3 - 5v + 1 \end{pmatrix} \end{aligned}$$

(ii) Obstruction class = 1

$$(iii) \text{ Cusp Shapes} = \frac{17}{23}v^5 - 2v^4 + \frac{79}{23}v^3 + \frac{53}{23}v^2 + \frac{129}{23}v - \frac{274}{23}$$

(iv) u-Polynomials at the component

Crossings	u-Polynomials at each crossing
c_1, c_2	$(u - 1)^6$
c_3, c_7, c_8	u^6
c_4	$(u + 1)^6$
c_5, c_{10}, c_{11}	$u^6 + u^5 - u^4 - 2u^3 + u + 1$
c_6, c_{12}	$u^6 + 3u^5 + 5u^4 + 4u^3 + 2u^2 + u + 1$
c_9	$u^6 - u^5 - u^4 + 2u^3 - u + 1$

(v) Riley Polynomials at the component

Crossings	Riley Polynomials at each crossing
c_1, c_2, c_4	$(y - 1)^6$
c_3, c_7, c_8	y^6
c_5, c_9, c_{10} c_{11}	$y^6 - 3y^5 + 5y^4 - 4y^3 + 2y^2 - y + 1$
c_6, c_{12}	$y^6 + y^5 + 5y^4 + 6y^2 + 3y + 1$

(vi) Complex Volumes and Cusp Shapes

Solutions to I_1^v	$\sqrt{-1}(\text{vol} + \sqrt{-1}CS)$	Cusp shape
$v = -0.344968 + 0.764807I$		
$a = 0$	$-3.53554 - 0.92430I$	$-13.12292 + 1.33143I$
$b = 0.428243 + 0.664531I$		
$v = -0.344968 - 0.764807I$		
$a = 0$	$-3.53554 + 0.92430I$	$-13.12292 - 1.33143I$
$b = 0.428243 - 0.664531I$		
$v = 0.158836 + 0.437639I$		
$a = 0$	$-1.64493 - 5.69302I$	$-11.70582 + 2.69056I$
$b = 1.073950 - 0.558752I$		
$v = 0.158836 - 0.437639I$		
$a = 0$	$-1.64493 + 5.69302I$	$-11.70582 - 2.69056I$
$b = 1.073950 + 0.558752I$		
$v = 1.68613 + 1.92635I$		
$a = 0$	$0.245672 - 0.924305I$	$-5.17126 + 7.13914I$
$b = -1.002190 + 0.295542I$		
$v = 1.68613 - 1.92635I$		
$a = 0$	$0.245672 + 0.924305I$	$-5.17126 - 7.13914I$
$b = -1.002190 - 0.295542I$		

IV. u-Polynomials

Crossings	u-Polynomials at each crossing
c_1	$((u - 1)^6)(u^3 - u^2 + 2u - 1)(u^{126} + 68u^{125} + \dots - 17u + 1)$
c_2	$((u - 1)^6)(u^3 + u^2 - 1)(u^{126} - 8u^{125} + \dots - 9u + 1)$
c_3	$u^6(u^3 - u^2 + 2u - 1)(u^{126} + 2u^{125} + \dots + 192u + 64)$
c_4	$((u + 1)^6)(u^3 - u^2 + 1)(u^{126} - 8u^{125} + \dots - 9u + 1)$
c_5	$(u^3 + 2u^2 - 3u + 1)(u^6 + u^5 - u^4 - 2u^3 + u + 1)$ $\cdot (u^{126} - 65u^{124} + \dots + 4405u - 191)$
c_6	$(u^3 + 2u^2 - 3u + 1)(u^6 + 3u^5 + 5u^4 + 4u^3 + 2u^2 + u + 1)$ $\cdot (u^{126} + 4u^{125} + \dots - 1174u - 44)$
c_7	$u^6(u^3 + u^2 + 2u + 1)(u^{126} + 2u^{125} + \dots + 192u + 64)$
c_8	$u^6(u^3 - 3u^2 + 2u + 1)(u^{126} - 42u^{125} + \dots - 118784u + 4096)$
c_9	$((u + 1)^3)(u^6 - u^5 + \dots - u + 1)(u^{126} + 5u^{125} + \dots - 43u - 1)$
c_{10}	$u^3(u^6 + u^5 + \dots + u + 1)(u^{126} - 20u^{125} + \dots + 124u + 8)$
c_{11}	$((u - 1)^3)(u^6 + u^5 + \dots + u + 1)(u^{126} + 5u^{125} + \dots - 43u - 1)$
c_{12}	$(u^3 + 3u^2 + 2u - 1)(u^6 + 3u^5 + 5u^4 + 4u^3 + 2u^2 + u + 1)$ $\cdot (u^{126} - 9u^{125} + \dots + 26u - 1)$

V. Riley Polynomials

Crossings	Riley Polynomials at each crossing
c_1	$((y - 1)^6)(y^3 + 3y^2 + 2y - 1)(y^{126} - 12y^{125} + \dots - 363y + 1)$
c_2, c_4	$((y - 1)^6)(y^3 - y^2 + 2y - 1)(y^{126} - 68y^{125} + \dots + 17y + 1)$
c_3, c_7	$y^6(y^3 + 3y^2 + 2y - 1)(y^{126} + 42y^{125} + \dots + 118784y + 4096)$
c_5	$(y^3 - 10y^2 + 5y - 1)(y^6 - 3y^5 + 5y^4 - 4y^3 + 2y^2 - y + 1) \cdot (y^{126} - 130y^{125} + \dots - 3185069y + 36481)$
c_6	$(y^3 - 10y^2 + 5y - 1)(y^6 + y^5 + 5y^4 + 6y^2 + 3y + 1) \cdot (y^{126} - 122y^{125} + \dots - 141964y + 1936)$
c_8	$y^6(y^3 - 5y^2 + 10y - 1)(y^{126} + 74y^{125} + \dots - 1.25829 \times 10^8y + 1.67772 \times 10^7)$
c_9, c_{11}	$(y - 1)^3(y^6 - 3y^5 + 5y^4 - 4y^3 + 2y^2 - y + 1) \cdot (y^{126} - 75y^{125} + \dots - 971y + 1)$
c_{10}	$y^3(y^6 - 3y^5 + \dots - y + 1)(y^{126} - 24y^{125} + \dots - 8848y + 64)$
c_{12}	$(y^3 - 5y^2 + 10y - 1)(y^6 + y^5 + 5y^4 + 6y^2 + 3y + 1) \cdot (y^{126} + 15y^{125} + \dots - 14y + 1)$